

Item
Model
ProjectName

LMP500BT



The pastry roller has an important role in catering or restaurant kitchens, as it helps with the lining of pastry, rolling of dough and puff pastry work. The LMP500BT is used in restaurants and big production kitchens. It can work with any type of dough and can allow for a wide range of thicknesses.

603535

FEATURES

- The LMP500BT roller can be placed on a table.
- Working width of 500 mm and two working belts 1000 mm in length.
- The rolling direction may be inverted by the movement of a joystick.
- The cylinders may be regulated for sheets ranging from 0,1 to 34 mm in thickness.
- Rollers: 60 mm Ø in chromium plated steel. The accessibility of the parts in contact with the pastry/dough makes cleaning easier. The smooth surfaces are white-paint finished.
- The upper and lower roller scrapers may be easily removed for cleaning.
- The slides can be raised to save space.
- Belt entry feeding speed of 12,2 m/min and exit feeding speed of 22,5 m/min.

Dough sheeters





- Each safety grating is hinged on the structure and is equipped with a safety micro-switch which helps to avoid injury. When the gratings raise over a particular level, the motor stops.
- Remote foot pedal to change rolling direction (available as accessory).
- Flour container fixed on the top of the machine.

- General electrical protection by fuses.
- Motor protected by a circuit breaker.
- The belts can be removed and are washable.
- Ergonomic controls situated very close together and are designed to suit natural movements.
- Emergency stop button with lock and manual re-start.

Specifications

MODEL	LMP500BT 603535
External dimensions - mm	
width	2380
depth	980
height	540
Power - kW	
installed-electric	0.55
Net weight - kg.	140
Supply voltage	380415 V, 3, 50/60


Optional accessories

CODE	DESCRIPTION	
653600	PEDAL TO CHANGE ROLLING DIRECTSHEETERS	✓





Installation drawings



 MODEL
 LMP500BT 603535

 I - Electrical connection
 380...415 V, 3, 50/60

The manufacturer reserves the right to modify and make improvements to the products without giving prior warning. Dimensions, illustrations, technical data, weights, etc. are given as an indication only.







www.dito-electrolux.com

