

Tools for chefs | 2019





































HENDI TERMÉKKATALÓGUS 2019

Forgalmazó:



www.vendi.hu

1106 Budapest, Tündérfürt u. 2. — + 36 1 / 431-8687 — tervezes@vendi.hu 7100 Szekszárd, Rákóczi u. 164. — + 36 74 / 510-054 — info@vendi.hu

Entering the Michelin guide with



After James Close gave up on becoming a pro golfer, he took a year off to travel France. This experience eventually changed his life. After arriving back in the UK, he started working towards his new goal; becoming a chef. A decade later he's the proud chef and owner of Raby Hunt Restaurant, which received its second Michelin star in 2017 and what is equally remarkable is that he achieved this, completely self-taught.

James Close's restaurant 'Raby Hunt' is located near Darlington in North East England. In his recently remodelled kitchen he works together with his partner Maria and his team of 8 chefs. James thanks his success to hard work and the mindset of an athlete. We met him for a small interview.

Ambition

"My goal has always been to improve myself, not on getting rewards. This is a mindset I took with me from my time as 'failing' pro golfer. When I'm cooking,



an athlete's mindset.









Being consistent every time you cook, that's the real challenge. I always want to learn and improve myself. No dish goes on the menu before it's absolutely perfect."

Consistency

"Although I love nothing more than creating new dishes and playing with new flavours and techniques, I also appreciate the daily routine of the kitchen, something lots of young chefs seem to have a different opinion on. The repetition of getting the dishes to the same level of quality as the day before seems boring, but for me therein lies the real challenge. Guests

expect to receive the same flavours and experience as other guests before them and I see it as my main task to deliver or even exceed their expectations. That's why some dishes have been on the menu for several years, I still feel challenged preparing them and guests are still surprised by them."

Hendi items James uses

- Multiple sous-vide systems
- Pots & pans
- GN-sized storage containers









































Hendi Food Service Equipment is
the supplier and manufacturer of
non-food catering equipment, buffet
products, kitchenware and tableware
for the hospitality and catering industry.
Since our foundation in 1934, Hendi has
experienced continuous growth and is
now an international company with
warehouses in the Netherlands, Austria,
Poland, United Kingdom, Romania
and Greece.
In addition, we have our own salespeople
in key European countries, such as
Germany, France and Italy.

■ Hendi BV

Steenoven 21, 3911 TX Rhenen The Netherlands T: +31 (0)317 68 10 40 F: +31 (0)317 68 10 45 info@hendi.eu, www.hendi.eu

■ Hendi UK Ltd.

Central Barn, Hornby Road Lancaster, LA2 9JX United Kingdom T: +44 (0) 333 0143200 sales@hendi.co.uk, www.hendi.co.uk

Hendi Italia S.R.L.

Boznerstrasse 63 - Via Bolzano, 63 39057 Eppan a.d.W.-Appiano s.s.d.v.(BZ) Italy T: +39 471 918 656

F: +39 471 505 566 office.italy@hendi.eu, www.hendi.eu

■ Hendi Polska Sp. z o.o.

ul. Magazynowa 5, 62-023 Gądki Poland T: +48 61 658 70 00 F: +48 61 658 70 01 info@hendi.pl, www.hendi.pl

■ Hendi Food Service Equipment Romania S.R.L.

Str. 13 decembrie 94A, Hala 14 Brașov 500164 RO Romania T: +40 268 320330 F: +40 268 320335 office@hendi.ro, www.hendi.eu

Hendi HK Ltd.

1208, 12/F, Exchange Tower 33 Wang Chiu Road, Kowloon Bay Hong Kong info-hk@hendi.eu www.hendi.eu

■ Hendi Food Service Equipment GmbH

Gewerbegebiet Ehring 15 5112 Lamprechtshausen, Austria T: +43 (6274) 200 10 0 F: +43 (6274) 200 10 20 office.austria@hendi.eu, www.hendi.eu

■ PKS Hendi South East Europe SA

5 Metsovou Str. 18346 Moschato, Athens Greece T: +30 210 483 97 00 F: +30 210 483 97 10 office.greece@hendi.eu, www.hendi.eu





Selection of new products for 2019

POTS & PANS POTS & PANS GN CONTAINERS Griddle for induction cookers Fish poacher 60cm Grilamid GN container for high temperatures page 10 page 15 page 27 **KITCHEN TOOLS Cutting board HACCP** 9-piece Knives set **Cut resistant gloves** Gastronorm 1/1 page 44 page 53 page 38 KITCHEN TOOLS KITCHEN TOOLS Colander square perforated Kitchen scale 15 kg Smoke Infuser page 87 page 85 page 97 Icing tips set flower & petal Thermo Cream Whipper 5 Wheel dough cutter page 99 page 109 page 112



NEW!

FOOD PROCESSING

Stick blender Profi Line 400 with adjustable speed



FOOD PROCESSING

Vacuum chamber packaging machine Profi Line page 138



THERMAL PROCESSING

Gas cooker Kitchen Line 4-burner with convection electric oven GN 1/1 page 144



THERMAL PROCESSING

Quartz heated countertop display two levels page 151



THERMAL PROCESSING





THERMAL PROCESSING

iVide Plus Sous vide stick page 156



THERMAL PROCESSING

Smoke oven electric page 159



THERMAL PROCESSING

The Control °Freak™ Induction Hob page 161



THERMAL PROCESSING

Food dehydrator Profi Line page 163



THERMAL PROCESSING

Deep fryers mastercook digital page 164



THERMAL PROCESSING

Doughnut deep fryer 12L page 169



THERMAL PROCESSING

Salamander with Quartz infrared heating elements page 175







































Selection of new products for 2019

THERMAL PROCESSING

Multi Toaster 6 tongs page 181



THERMAL PROCESSING

Samsung microwave programmable 1780W page 182



PIZZA. PASTA & KEBA

Spiral mixers



CONVECTION OVENS

Convection ovens & combi-ovens NANO 4x 450x340mm

page 200



CONVECTION OVENS

Oven mitts leather page 209



COOLING

Round cake display 100L page 210



COOLING

Back bar refrigerators page 216



COOLING

Wine coolers dual zone page 217



COOLING

Ice cream display freezer 600 L page 219



COOLING

Three door salad counter with glass display 380L page 227



HYGIENE

Glass dishwasher K40 page 250



HYGIENE

Water softeners page 254







































(GN)



HYGIENE



Ice ball mould whisky ball page 267

BAR & COLD DRINKS



Bullet ice cube maker page 269

BAR & COLD DRINKS



BAR & COLD DRINKS





HOT DRINKS

Coffee tamper with spring page 288



HOT DRINKS

Percolator single walled page 291



HOT DRINKS

Hot drinks boiler page 296



TABLEWARE

Galvanized buckets



BUFFET PRODUCTS

Chafing dishes Profi Line satin finish page 350



BUFFET PRODUCTS

Buffet ladles and serving spoons page 360



BUFFET PRODUCTS



BUFFET PRODUCTS

Retractable belt barrier page 377





INDEX A-Z

A	
Adaptor bar for Gastronorm conta	
Air pot	
Analog kitchen timer	
Anti-Griddle™	161
Anti-slip mat	
Apple corer	51
Aromatic wood chips	160
Ashtrays and ash collector	339 - 340
В	
Baba mould	110
Back bar refrigerators	216, 270
Bag rolls attachment for vacuum	
packing machine	140
Baguette board	39, 374
Bain-marie gastronorm	178
Bakers' sieve	113
Bakery humidified convection ove	n199
Baking mat non-stick silicone	
Baking moulds	
Ball measuring pourer	
Bar blade	
Bar caddy	
Bar mat	
Bar spoon	
Bar storers	
Bar tables	
Barbecue accessories 40	,
Barbecues and grills 39	
Barrier posts	
Baskets	
Basting spoon	
Beer glass carrier	
Beer skimmer	
Beer tray	
Bird's nest shaped strainer	
Blackboards	343
Blast chillers	230, 231
Blender jars	281
Blender with noise cover	282, 283
Blinis frying pan	14
Bombe pan	9
Boning knife	
Boston shaker	
Bottle cap perforator	
Bottle opener with catcher bin	
Bowls	
Bread bags	
Bread baskets	
Bread board	
Bread knife	
Breadroll dispenser	
Bucket miniatures	
Buckets	
Buffet dishes, display stands	65, 68, 320, 324
and serving stands	386 - 388
and serving stands Buffet ladles and serving spoons.	386 - 388
and serving stands Buffet ladles and serving spoons . Buffet tables	386 - 388 360 378, 380
and serving stands Buffet ladles and serving spoons	386 - 388 360 378, 380

Butcher's hooks	
Butcher's knife	
Butter & Sauce dish	
Butter and fat brushes	
Butter curler	51
С	
Cake displays2	010 011
Cake mould	
Cake plates	
Cake scoop/cutter/knife/server 192, 360, 3	
Cake tongs	
Can opener	
Candle holder3	
Cappuccino steam jug	
Carafe	
Carving board	
Carving fork	
Carving knife35, 41	
Cast iron griddle	
Catering chair	
Centrifugal juice extractor	
Chafing Dish fuel3	
Chafing Dish heaters	
Chafing Dish ladles and serving spoons	
Chafing Dish round3	
Chafing Dishes electric	
Chafing Dishes gastronorm .347 - 351, 353, 35	
Champagne cooler	
Champagne stopper	
Channel knife	
Charcoal barbecues	
Cheese grater, slicer and knife	
Cheese-grating machine	
Chef's hats	
Chest freezer	
Chicken grid	
Children's plate	
Chip scoops & shovels	
Chips bag holder	
Chips colanders	
Chocolate fountain	
Citrus juicers and squeezers	
Citrus peeler	
Clearing trolleys2	
Cleaver	
Cloth strainer	
Cocktail shaker	
Coffee machines and filters	
Coffee tamper	
Coffee trays	
Coffee/ tea pot with lid	
Coin tokens	
Colanders	
Condiment sets316, 33	
Confectionery funnels	
Control strainers	
Contact grills	
Container with non-stick coating	208

Convection ovens	196,	198 -	20′
Convection steam ovens	198,	202 -	205
Conveyor toasters			.180
Cooking spoon			73
Cook's knife	. 35,	40, 42	2, 45
Cooling element GN 1/1	243	, 245,	247
Cordless kebab knife electric			.187
Corkscrews & bottle openers			.262
Countertop cooling displays		213,	219
Cream jug			.332
Cream whippers and supplies	98,	100 -	10′
Crème-Brûlée burners		116,	117
Crêpes and waffle makers			
Crêpes pan	1	1 - 12	2, 14
Cups and saucers 305, 307, 309,	311	, 313,	320
Curved porcelain			.389
Cut resistant gloves			
Cutlery			
Cutlery & napkin caddy			
Cutlery trays, stand, baskets and hold	der	253,	38
Cutting boards35	- 39	, 285,	374
D			
Dariole moulds			
Decanter			
Decorating and injector tips			
Decoration tools			
Deep fryers Mastercook and Blue Lin			
Deep frying basket miniatures			
Deep plates305, 307, 309,			
Dicing disc			
Digital kitchen timer			
Digital scale			
Dish warmers			
Dishwasher baskets and racks			
Dishwashers			
Dispenser bottles			
Dispensers and jugs			
Display refrigerators			
Display trays			
Door signs			
Dough cutters & scrapers			
Dough docker			
Doughnut deep fryer			
Drainage mat			
Drawer with rails			
Dressing- and panwhisk			
Dressing pot			
Dripping tray			
Dutch pancake griddle			.400
-			
E			221
Egg cup and spoon			
Egg slicers			
Electric dough rollers			
Electric kettles			
Electric meat tenderizer			
Electric soup kettles			
Embossed vacuum bags			
Enamelled pans17,	32U	- 321,	4U2







ß
//
//
/



\mathcal{L}



















\$ \$\$
T

Extender for dishwasher basket	252	Griddle for i
F		Griddle scra
Fast food trays	202	Griddles Blu
Fast response thermometer		Grill mesh r
Fat skimmer		Grill pan - ri
		Group head
Filleting knife		
Fish bone tweezers		H HACCP Cutt
Fish frying pan1		HACCP Kitcl
Fish poacher		HACCP Stor
Flat plate		Ham/salmo
Floor stand ovens		,
Foldable catering furniture		Hamburger
Folding chair cover		Hamburger
Folding tray stand		Hand dryer
Fondue-burner		Heated cour
Food dehydrators		Heating eler
Food rings and pushers96		Heavy duty r
Forage hats		High power
Free-flow pourer		High voltage
Freezer counters		Hokkers
Freezers		Honey dispe
French fries cutter61		Hood dishwa
French fries cutting disc		Horeca mar
French whisks		Hot Chocola
Fruit basket		Hot drinks b
Frying pans5, 7, 11 - 1		Hot tray
Fuel dispenser		Hotdog stan
Fuel for fondue-burners		Humidified (
Funnels6	9, 99	1
G		lce bucket d
Galvanized buckets and tubs	227	Ice bucket u
Garlic press		Ice cream co
Garnish bowl slanted314		Ice cream co
Garnishing tools		Ice cream di
Gas canister		Ice cream d
Gas cookers		Ice cream m
		Ice creamin
Gas lighter		
Gastronorm containers		Ice cube ton
		Ice flakes m
Gastronorm grids		Ice moulds
Gastronorm lids		lce scoop
Gastronorm pans porcelain		lce-cream c
Gastronorm perforated inserts		lcing tips an
Gastronorm trays		Induction co
Glass brushes		Induction de
Glass dishwasher		Induction fr
Glass dome97		Induction he
Glass rimmer		Induction ho
Gourmet pan		Induction wo
Grapefruit knife		Infrared foo
Grater, four-sided		Infrared hea
Grating disc		Infrared the
Gravy boat		Ingredient b
Gravy pan		Ingredient to
Grease filter for deep fryer		Insect killer
Greaseproof paper	319	Insulated ca
Cuid 0 flames toman	/01	

Grid for ovens......206

Griddle for induction cookers	10
Griddle scrapers74	4, 170, 406
Griddles Blue Line	170
Grill mesh non-stick PTFE	162
Grill pan - ridged surface	11
Group head cleaning brush	
,	
H	
HACCP Cutting mat set	38
HACCP Kitchen knives	35, 45 - 49
HACCP Storage containers	32 - 34
Ham/salmon knife	.41, 43, 45
Hamburger press	131
Hamburger turner	74
Hand dryer	259
Heated countertop cabinets and displays	151, 152
Heating element GN 1/1	. 243 - 244
Heavy duty mixers	124
High power blender	281
High voltage insect killer	
Hokkers	
Honey dispenser	334
Hood dishwasher	251
Horeca markers	33
Hot Chocolate dispenser	
Hot drinks boiles	
Hot tray	
Hotdog stand	
Humidified convection oven	
I	
l lce bucket double-walled	266
•	
Ice bucket double-walled	316
Ice bucket double-walled	316
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand	316 105 106
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand Ice cream containers and lids	316 105 106 .102 - 105
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand Ice cream containers and lids Ice cream dippers, scoops and spatulas.	316 105 106 . 102 - 105 219
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand Ice cream containers and lids Ice cream dippers, scoops and spatulas. Ice cream display freezer	316 105 106 . 102 - 105 219 107
Ice bucket double-walled	316 105 106 .102 - 105 219 107
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272 266
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272 266 269 .267 - 268
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272 266 269 .267 - 268
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272 266 269 .267 - 268 266 337
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272 266 269 .267 - 268 266 337 109
Ice bucket double-walled	316 105 106 .102 - 105 219 107 272 266 266 267 - 268 266 337 109 .146 - 150
lce bucket double-walled	
Ice bucket double-walled	
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand Ice cream display freezer Ice cream display freezer Ice cream maker Ice crushers Ice cube tongs Ice flakes maker Ice moulds and machines Ice scoop Ice-cream cup Icing tips and tubes Induction cookers Induction frying pan Induction heater Induction wok Infrared food warmer bridge	
lce bucket double-walled	
lce bucket double-walled lce cream bowl "Clown" lce cream cones stand lce cream dippers, scoops and spatulas lce cream display freezer lce cream maker lce crushers lce cube tongs lce flakes maker lce moulds and machines lce scoop lce-cream cup lcing tips and tubes Induction cookers Induction deep fryer Induction heater Induction wok Infrared food warmer bridge Infrared thermometers Ingedient box	
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand Ice cream dippers, scoops and spatulas Ice cream display freezer Ice cream maker Ice crushers Ice cube tongs Ice flakes maker Ice moulds and machines Ice scoop Ice-cream cup Icing tips and tubes Induction cookers Induction deep fryer Induction frying pan Induction heater Induction wok Infrared food warmer bridge Infrared thermometers Ingredient trolley	
lce bucket double-walled lce cream bowl "Clown" lce cream cones stand lce cream dippers, scoops and spatulas lce cream display freezer lce cream maker lce crushers lce cube tongs lce flakes maker lce moulds and machines lce scoop lce-cream cup lcing tips and tubes Induction cookers Induction deep fryer Induction heater Induction wok Infrared food warmer bridge Infrared thermometers Ingedient box	
Ice bucket double-walled Ice cream bowl "Clown" Ice cream cones stand Ice cream dippers, scoops and spatulas Ice cream display freezer Ice cream maker Ice crushers Ice cube tongs Ice flakes maker Ice moulds and machines Ice scoop Ice-cream cup Icing tips and tubes Induction cookers Induction deep fryer Induction frying pan Induction heater Induction wok Infrared food warmer bridge Infrared thermometers Ingredient trolley Insect killers	

iVide Sous Vide circulators	155 - 156
J	,,,
Japanese knives	
Jigger	
Juice dispensers280,	
Juice jug	3/2
K	
Kebab grill & knives	186 - 187
Kitchen bowl	
Kitchen scale	87
Kitchen scissors	53
Kitchen sink	
Kitchen spoon	77
Knife magnet with hooks	43
Knife sharpeners41,	43, 45, 54
Knives35, 40 - 49,	126 - 129
Knives carrying case	53
Knock boxes	289
L	
Ladles and skimmers	78 - 79
Ladles, turners and serving spoons	E0 0/0
- heat resistant	
Large digital scale	
Lava rocks and rock grid	
Lemon slice squeezer	
Lemon ZesterLid clips for HACCP storage containers	
Lid for bucket with reinforced base	
Lid for pizza dough boxes	
Lid for racks	
Lid spacer for pizza's	
Liquid chafing dish fuel with wick	
Loading table with sink for dishwasher	
Lobster forks and tongs	
Lounge Heater	
Low temperature oven	
М	
Measuring jugs	86
Meat & chips tray	
Meat mincers	
Meat slicers	
Meat Tenderizers	
Meat tray	
Melamine382, 384, 386	
Melon scoops	
Menu card table stand	
Microwaves	
Milk dispenser	
Milk frothing thermometer	
Milk jug	
Milkshaker	
Mincing knives & scissors	
Mini pans Little Chef	
Mixing bowl with rounded base	
Muddler	
Mug Multi dispenser	
mutti disperiser	ا / د

Multi rack	289, 376	Pizza slicer	51, 192	Salad tongs	71, 363
Multi Toaster 6 tongs	181	Planetary mixers	124	Salamanders	
Multipurpose jugs		Plate square		Salt and pepper shakers	
Multipurpose tweezers		Plate trolley		Salt mills	•
Mussel & gravy pans		Plateaus with slate or wood appe		Salt tablets for water softening	
		Platform trolley		Samsung microwaves	
N		Platter rectangular		Sandwich toaster	
Napkin holder	337	Pocket thermometers		Santoku knife	
Non-drip pourers and brackets		Polyethylene butcher block		Sauce boat	
Non-slip display stands		PolyScience® Chef Series sous vi		Sauce spoons and ladles	
Non-stick baking mats, grids & paper.					
Non-stick coated blade for slicers		thermal circulator		Sauce stand	
Tron Stick coated blade for Sticers		Porcelain GN pans		Saucepans	
0		Porcelain series		Sausage cutters	•
Oil and vinegar set	334	Portable gas stove		Sausage filling machines	
Oil jug		Potato mashers and ricer		Sausage rolling grills	
Onion goggles		Potato peelers		Sausage warmer	
Oval dish305, 307, 3		Poultry shears	43, 53	Sauté pan	
Oven dishes		Pourers		Scales	87
Oven mitts		Presentation displays and covers	364, 366	Scoops	
Oven thermometer		Presentation plates and bowls	314	Scrapers & Turners	
		Protective covers for barbecues		Sea food tray stand	369
Oven trays	200 - 207	and patio heaters	400, 402, 408 - 409	Serving dishes	337
D				Serving spoons	360 - 361
Paella pan	17 /05	Q		Serving stands	
Palette knife		Quartz heated countertop display	two levels151	Serving tongs	
				Serving trays	
Palm tamper adjustable		R		Serving trolleys	
Pan carrier adapter		Rack for 18 vegetable cutter disc		Shakers	
Pan gripper		Ramekin	117, 325	Shock proof thermometer with p	
Pan series aluminium Profi Line		Rasping disc	118	Side table for Green Fire barbecu	
Pan series Budget Line		Rasps	58		
Pan series Kitchen Line		Reception bell	337	Side top for Xenon-Pro Sieves	
Pan series Profi Line		Refrigerated countertop serverie	s225		
Paper bags	327	Refrigerated display cabinets		Silicone baking moulds	
Paring knives	41, 43, 49	Refrigerator & freezer counters.		Single Pedestal Pre-Rinser	
Party pan	171	Refrigerator thermometer		Skimmers 73,	
Party tray	397	Refrigerators & freezers		Slanted bowls	
Party tub	266, 324	Replacement lamps for fly killers		Slate plateaus	
Pasta bowl round	387	Retractable belt barrier		Slicers	
Pasta cooker basket	3	Rice cookers		Slicing disc	
Pasta makers	190	Rice steamer basket		Slotted spatulas	79, 360 - 361
Pasta plate	311. 313	Ring for Hokker		Slotted spoon	
Pastry bags		•		Slowjuicer	275
Pastry cutter set		Rise and fall heat lamps		Slush machine	280
Pastry tong		Roasting pan		Small frying pan	323
Patio Heaters		Roasting shovel		Small sauce pan with spout	
Patty dividers		Roasting thermometer/timer		Smoking and smoke infusion	
		Roll top chafing dishes		Snack containers	
Pavement blackboard		Roll top displays and presentatio		Snail dish, tongs and fork	
		Roll top set		Soda siphons, chargers and acce	
Pepper and salt mills		Rollers for electric meat tenderiz	zer125	Soup & gravy pans	
Percolators		Rolling pin	115	Soup and sauce bowls	
Perforated plate		Roulade string	62		
Piano whisk		Round cake displays		Soup bowls305, 307, 309, 3	
Pitchers				Soup chafing dishes	
Pitta bread baskets		S		Soup kettles	
Pizza counters	228 - 229	Sage Commercial by Polyscience	·®161	Soup ladles	
Pizza delivery bags	194	Salad bowls305, 307,	309, 313, 320, 369	Soup tureen	
Pizza ovens		Salad counters	226 - 227	Sous-vide systems	
Pizza preparation counters	228	Salad cutlery	360, 362	Spaghetti spoon	
Pizza preparation, baking and delivery		Salad dish		Spaghetti tongs	363
products	192 - 194	Salad spinner		Spatula	73, 75, 77, 79









B
M
ν

11//

Ī	伄
Ł	<u> </u>



















_ \$\$\$_	
J.	
A	

Speed peeler	49
Spiral mixers	. 188 - 189
Spoon holder	361
Spreader	51
Steak cutlery	
Steak thermometer	91
Steam convection oven	
Steamer for dumplings, rice and pasta	9
Stew pans	
Stick Blenders	. 121 - 123
Storage containers Gastronorm	32 - 34
Storage rack	238, 239
Storage racks	,
Strainer miniatures	322
Strainers	
Sugar serving supplies	
Sushi display	213
Sushi tweezers	72
_	
T	F/ 000
Tab grabber	•
Tab grabber	338
Tab grabber	338
Tab grabber	338 287 378, 380
Tab grabber	338 287 378, 380 299
Tab grabber	338 287 378, 380 299 341
Tab grabber	338 287 378, 380 299 341 337
Tab grabber Tab holder Table beer tap Table covers Table knife Table signs Tablecloth clip Tabletop blackboard	338 287 378, 380 299 341 337 343
Tab grabber Tab holder Table beer tap Table covers Table knife Table signs Tablecoth clip Tabletop blackboard Tabletop litterbin	
Tab grabber Tab holder Table beer tap Table covers Table knife Table signs Tablecoth clip Tabletop blackboard Tabletop litterbin Tamping supplies	
Tab grabber Tab holder Table beer tap Table covers Table knife Table signs Tablecoth clip Tabletop blackboard Tabletop litterbin Tamping supplies Tap with pull out rinser	
Tab grabber Tab holder Table beer tap Table covers Table knife Table signs Tablecoth clip Tabletop blackboard Tabletop litterbin Tamping supplies Tap with pull out rinser Tapas dishes	
Tab grabber Tab holder Table beer tap Table covers Table knife Table signs Tablecoth clip Tabletop blackboard Tabletop litterbin Tamping supplies Tap with pull out rinser	

The Control Freak™ Induction Hob	161
Thermo catering boxes and containers	243 - 245
Thermo Cream Whipper	99
Thermoboxes	
Thermometer with foldable probe	90
Thermosystems	178
Thermo-tray rectangular	364
Tiered stand	
Toasters	180
Tomato cutter	60
Tomato knives	49, 51
Toothpick holder	334
Tortilla press	131
Tote box	253
Trash bins and bag holders	261
Tray Stainless steel	396
Trolley for dishwasher racks	253
Trolley for thermo container	243
Tumbler	320
Turners	73 - 74
Tweezers	72
U	
Universal knives	
Universal tongs	
Unloading table for dishwashers	
Utility knife	
UV sterilizer	259
V	
Vacuum cooking bags	
Vacuum jugs	
Vacuum packing	137 - 141
Vegetable corer	50

Vegetable cutters	59, 118 - 119
Vegetable dish	329
Vegetable spoon	79
Vegetable strainer	82
Velocity slanted bowls	325
W	
Waffle makers	179
Waiter's corkscrews	
Wall blackboard	342
Wall rack for pastry bags	
Wall shelf	
Wall signs	341
Washbasin knee operated	
Water kettle	
Water softeners	
Waterproof thermometer	
Wet floor sign	258
Whisk attachment for stick blenders	121, 123
Whisks	80
Wine cooler miniatures	322
Wine coolers	. 217, 265, 271
Wire brush	406
Wok12, 15	, 142, 148, 400
Wok holder	400
Wooden butcher block	62
Wooden rolling pin	115
Wooden spoon	77
Work table	249
Worm screw	126 - 129
Y	
Xenon & Xantos	404









































PAN SERIES PROFILINE

- Sanded pan with high gloss polished heavy bumper.
- Solid handles with multi-point fixing to the pot surface which don't get hot.
- Acid-resistant.
- Sandwich type bottom (stainless steel/aluminium/stainless steel) combines the heat distribution of aluminium with the durability and magnetic properties of stainless steel to allow induction cooking.
- The bottom is formed by special impact bonding, causing the whole surface of the component layers to weld seamlessly - this guarantees corrosion resistance and optimal heat conduction.
- All lids are made of 1 mm stainless steel with steam release holes.















See movie








STEW PAN HIGH - WITH LID

code	liter	wall (mm)	mm
832004	3	0,7	Ø160x(H)150
832202	6	0,7	Ø200x(H)190
832400	10	0,7	Ø240x(H)220
832509	16	0,7	Ø280x(H)260
832608	24	0,8	Ø320x(H)300
832707	37	1	Ø360x(H)360
832806	50	1	Ø400x(H)400











Handles don't get hot

Sandwich type bottom formed by special impact bonding



code	liter	wall (mm)	mm
831007	2	0,7	Ø160x(H)110
831205	4	0,7	Ø200x(H)130
831403	7	0,7	Ø240x(H)150
831502	10	0,7	Ø280x(H)170
831601	15	0,8	Ø320x(H)190
831700	23,5	1	Ø360x(H)230



PASTA COOKER BASKET

– Suitable for stew pan Ø 360mm - prod. no. 831700

- With extra hook to support while draining

code	liter	mm
833506	1,5	160x(H)230

























































STEW PAN LOW - WITH LID

code	liter	wall (mm)	mm
830000	1,5	0,7	Ø160x(H)75
830208	2,8	0,7	Ø200x(H)90
830406	4,8	0,7	Ø240x(H)105
830505	7,5	0,7	Ø280x(H)120
830604	12	0,8	Ø320x(H)150

SAUCEPAN - WITHOUT LID

- Long hollow handle of stainless steel.

code	liter	wall (mm)	mm
830048	1	0,7	Ø140x(H)70
830055	1,5	0,7	Ø160x(H)75
830154	2	0,7	Ø180x(H)80
830253	3	0,7	Ø200x(H)90



830352

835401

835500

835609































SAUTÉ PAN - WITHOUT LID

- Long hollow handle of stainless steel.

code	liter	wall (mm)	mm
830352	0,9	0,7	Ø160x(H)60
830376	1,5	0,7	Ø200x(H)60



FRYING PAN - WITHOUT LID

- Long hollow handle of stainless steel.

•			
code	wall (mm)	mm	
835432	0,7	Ø240x(H)45	
835531	0,7	Ø280x(H)50	
835630	0,7	Ø320x(H)55	



FRYING PAN, WITH NON-STICK COATING

- WITHOUT LID

- Teflon® Platinum Plus non-stick coating.
- Long hollow handle of stainless steel.
- Riveted handle.

code	wall (mm)	mm
835401	0,7	Ø240x(H)45
835500	0,7	Ø280x(H)50
835609	0.7	Ø320x(H)55





PAN SERIES KITCHEN LINE

- Encapsulated sandwich type bottom.
- Combines the heat distribution of aluminium with the durability and magnetic properties of steel to allow induction cooking.
- The bottom is formed by special impact bonding, causing the whole surface of the component layers to weld seamlessly - this guarantees corrosion resistance and optimal heat conduction.
- Satin finish of all outer surfaces.
- Steel handles affixed with multi-point welding stay cool enough























836033 836040 7,4

12

0,7

0,8

Ø280x(H)120

Ø320x(H)150







Handles don't get hot

Encapsulated bottom

Steam release holes

SAUCEPAN - WITHOUT LID

- Long hollow handle of stainless steel.

•			
code	liter	wall (mm)	mm
838105	1,5	0,6	Ø160x(H)75
838204	3	0,6	Ø200x(H)95
838303	5	0,6	Ø240x(H)115



SAUTÉ PAN - WITHOUT LID

- Long hollow handle of stainless steel.

code	liter	wall (mm)	mm
839409	1,6	0,6	Ø200x(H)75



FRYING PAN - WITHOUT LID

- Long hollow handle of stainless steel.

-		
code	wall (mm)	mm
838501	0,6	Ø240x(H)45
838600	0,6	Ø280x(H)50
838617	0,7	Ø320x(H)55



PAN SUPPORT ADAPTER

- For placing small pans on large pan supports

r or placing sine	itt pans on targe pan sapports
code	mm
839997	255x255x(H)25





































PAN SERIES BUDGET LINE

- Sandwich type bottom (stainless steel / aluminium / 18/0 stainless steel) combines the heat distribution of aluminium with the durability and magnetic proporties of stainless steel to allow induction cooking.
- Satin finish of all outer surfaces.






STEW PAN WITH LID

	mm	wall (mm)	liter	code
NEW!	Ø280×(H)280	0,8	17	832882
NEW!	Ø300×(H)300	0,8	21	832899
	Ø320x(H)280	0,8	22	834206
	Ø360x(H)360	0,8	37	834404
	Ø400x(H)400	0,8	50	834701
	Ø450x(H)450	1	71	834909
	Ø500x(H)500	1	98	835104

STEW PAN MIDDLE - WITH LID

code	liter	wall (mm)	mm
832820	9	0,8	Ø250×(H)180
832837	14	0,8	Ø300×(H)200
832844	24	0,8	Ø360×(H)240
832851	32	0,8	Ø400×(H)260









NEW!



PAN SERIES ALUMINIUM PROFILINE

- Wall thickness min. 2.5 mm.
- High-gloss polished rim.
- Lightweight, very solid design.
- With strong double riveted aluminium handles.
- Aluminium pans have superior heat conduction and cooking properties.

STEW PAN - WITH LID

code	liter	mm
611104	5,5	Ø205x(H)180
611302	9,5	Ø240x(H)210
611401	10	Ø250x(H)235
611500	15,5	Ø280x(H)250
611609	19	Ø300x(H)280
611708	23	Ø325x(H)285
612002	27,5	Ø335x(H)330
612101	33,5	Ø355x(H)340
612200	38,5	Ø375x(H)360
612309	45	Ø400x(H)360
612408	64,5	Ø460x(H)415
612507	88	Ø520x(H)445



BOMBE PAN - WITH LID

- With rounded bottom

code	liter	mm
610107	13	Ø320x(H)180
610206	18	Ø360x(H)200
610305	26	Ø400x(H)220



SAUCEPAN - WITHOUT LID

code	liter	mm
613009	1	Ø160x(H)80
613108	1,5	Ø180x(H)90
613207	2,5	Ø200x(H)100



Ideal for cooking pasta, rice and dumplings





RICE STEAMER BASKET - PERFORATED

code	for	liter	mm
619100	611708	21	Ø320x(H)270
619209	612101	29	Ø360x(H)290
619308	612309	41	Ø400x(H)330

DUMPLINGS, RICE AND PASTA STEAMER – WITH BASKET AND LID

- Perforated basket.

code	liter	mm		
613603	30	Ø325x(H)370		
613702	40	Ø355x(H)405		
613801	55	Ø400x(H)445		





































FRYING PANS DIE-CAST ALUMINIUM 'TITANIUM PROFESSIONAL'

- Made of cast aluminium, suitable for all heat sources and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat, the pan is quickly ready for use.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The Whitford® Xylan non-stick coating has a high temperature resistance (up to 250°C). Adhesion of the non-stick coating is improved by a layer of titanium between the aluminium and the coating. This double-layer procedure improves the service life of the coating and provides additional scratch-resistance.














629154

Very easy to o	clean after use.		629253	
IDUCTION I	FRYING PAN			629345
code	bottom (mm)	mm		
629154	Ø180	Ø240x(H)50		/
629253	Ø220	Ø280x(H)55		
629345	Ø260	Ø320x(H)60		
			Primer coating: for anti-corrosio anti-shock & better durability of coatings	n,
			Titanium coating: for anti-scre & anti-abrasion	
			Mid coating: Whitford® Xylar	
			Top coating: Reinforcem non stick layer and brig	nent of hten surfac








Aluminium pan base















GRIDDLE FOR INDUCTION COOKERS

- Suitable for use on induction stoves.
- Made of die cast aluminum with Teflon® non-stick coating.

code	mm	
629130	390x260x(H)35	





FRYING PANS DIE-CAST ALUMINIUM 'TITANIUM PROFESSIONAL'

- Made of cast aluminium, suitable for all heat sources except induction and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat, the pan is quickly ready for use.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The Whitford® Xylan non-stick coating has a high temperature resistance (up to 250°C). Adhesion of the non-stick coating is improved by a layer of titanium between the aluminium and the coating. This double-layer procedure improves the service life of the coating and provides additional scratch-resistance.
- Very easy to clean after use.



























FRYING PAN

code	bottom (mm)	mm
629109	Ø180	Ø240x(H)55
629208	Ø220	Ø280x(H)55
629307	Ø260	Ø320x(H)55
629352	Ø300	Ø360x(H)55
629390	Ø340	Ø400x(H)55





code	bottom (mm)	mm
629802	Ø220	280x280x(H)55



SAUTÉ PAN

code	bottom (mm)	mm	
629505	Ø225	Ø280x(H)85	



FISH FRYING PAN - OVAL

code	bottom (mm)	mm
629604	Ø175	400x275x(H)35



CRÊPES PAN

code	bottom (mm)	mm
629413	Ø260	Ø320x(H)20



K















FRYING PANS ALUMINIUM 'MARBLE PROFESSIONAL'

- Made of durable aluminium, suitable for all heat sources, even suitable
- for use in ovens.

 Aluminum offers even heat conduction, the pan is quickly ready for use.
- The handle is made of epoxy coated steel.
- The 'Marble' non-stick coating has a high temperature resistance (up to 260°C). The coating is applied in three layers and is wear-resistant.
- Very easy to clean after use.












FRYING PAN

		code	thickness (mm)	bottom [mm]	mm
		627600	4	Ø140	Ø200x(H)40
(6)		627617	4	Ø180	Ø240x(H)42
627624		627662	4	Ø200	Ø260x(H)45
		627624	4	Ø220	Ø280x(H)50
627655	627600	627631	4	Ø260	Ø320x(H)50
	(and ()	627648	4	Ø280	Ø360x(H)50
Reinforcement primer	1	627655	4	Ø300	Ø390x(H)50
Midcoat improves the adhesive					







WOK PAN

code	thickness	bottom	mm
	(mm)	(mm)	
627730	4	Ø210	Ø280x(H)75
627747	4	Ø210	Ø320x(H)100





CRÉPES PAN

code	thickness (mm)	bottom [mm]	mm
627679	4	Ø240	Ø280x(H)25
627686	4	Ø280	Ø320x(H)20

FISH FRYING PAN - OVAL

code	thickness (mm)	bottom [mm]	mm
627716	4	Ø185	280x400x(H)55



FRYING PANS ALUMINUM 'PLATINUM PROFESSIONAL'

- Made of durable aluminium, suitable for all heat sources.
- Aluminium excels at conducting heat, the pan is quickly ready for use.
- Stainless steel handle with insulating silicon handle for a good grip.
- The 'Teflon™ Platinum Plus' non-stick coating has a high temperature resistance (up to 260°C). The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.













































- 555







Insulated handle

621134

621158

4



Very hard non-stick coating

Ø280x(H)52

Ø320x(H)60

Ø220

Ø260





FRYING PANS CLASSIC STEEL

- Traditional frying pans made of rolled steel.
- Favourite pans of cooking masters.
- Simplicity, quality, firmness and versatility, features appreciated by many generations.













CRÉPES PAN

code	thickness (mm)	bottom (mm)	mm
628805	2,5	Ø190	Ø230x(H)25

BLINIS FRYING PAN

code	thickness (mm)	bottom (mm)	mm
628850	2,5	Ø100	Ø140x(H)35

BEFORE FIRST USE



Step 1 Put cooking oil in the pan and heat it. Add potato peelings and a lot of salt, then let it fry a bit.



Step 2
Take a kitchen towel
and carefully rub the mixture
around the inside of the pan.



Step 3
After rubbing the pan thoroughly, empty the pan. Now there will be residue of the potato peelings left in the pan.



Step 4
To remove the residue put a lot of salt in the pan and rub the salt around the pan with a kitchen towel to remove the residue.
Don't do this on the stove.



Step 5 Remove the dirty salt, wipe the pan clean and pour a thin layer of oil in the pan.



628850

Step 6 Spread the oil in the pan with a clean kitchen towel. The pan is now ready for first use or storage.













WOK 3-PLY - WITHOUT LID

- Fast heating and excellent heat distribution.
- Very durable through high wear resistance.
- Long hollow handle made of stainless steel.
- Flat bottom of Ø 145 mm.

















GOURMET PAN

- Non-stick coating.
- Perfect for serving scrambled eggs, shrimps and other hot snacks and small dishes.
- Handle made of phenolic resin.

code	packed per	mm
110126	2	Ø140x(H)30




ROASTING PAN

- With handles.

508527

– Only suitable for ovens, not for direct contact heating.



















FISH POACHER 60CM

- With an insert elevation plate to poach the fish.
- The kettle is easy to clean and maintain.

code	mm	
836057	705x185x(H)160	























































- Black enamel.
- Flanged stainless steel rim.

code	max. contents in kg. (ca.)	liter	mm
625002	1,2	2,3	Ø190x(H)120/190
625057	1,6	3,0	Ø210x(H)130/200
625101	2,4	5,0	Ø225x(H)140/210











GRAVY PAN - WITH LID

- Black enamel.
- Flanged stainless steel rim.

code	liter	mm
625606	0,8	Ø125x(H)90/145

SOUP & GRAVY PAN - WITH LID

- Enamelled.
- Flanged stainless steel rim.
- Low lid.

code		liter	mm
625804	blue	0,3	Ø120x(H)95
625705	black	0,6	Ø135x(H)103



ENAMELLED PAELLA PANS

- With 2 handles.
- Enamelled sheet steel.

code	mm
622704	Ø100x(H)20
622711	Ø120x(H)25
622728	Ø150x(H)27
622735	Ø200x(H)36
622742	Ø240x(H)40


ENAMELLED PAELLA BOWLS

- Deep model.
- Enamelled sheet steel.

code	mm
622810	Ø145x(H)40
622827	Ø170x(H)40
622834	Ø185x(H)43
622841	Ø205x(H)57
622858	Ø245x(H)70



PAELLA PAN - Top-quality frying pans made of sheet steel. - With 2 handles.









































GN

Gastronorm containers











	GASTRONORM CONTAINER PROFI LINE	GASTRONORM CONTAINER KITCHEN LINE	GASTRONORM CONTAINER BUDGET LINE	GASTRONORM CONTAINER TRITAN BPA FREE	GRILAMID GN CONTAINER FOR HIGH TEMPERATURES
SUITABLE FOR:					
Convection ovens	✓	v	✓		
Bain-marie system	✓	✓	✓		✓
Chafing dishes	✓	✓	V		✓
Refrigerators	✓	v	✓	✓	✓
Food storage	✓	v	V	✓	✓
Dishwasher cleaning	✓	✓	✓	✓	✓
PROPERTIES:					
For use at temperatures	-40°C / 300°C	-40°C / 300°C	-40°C / 300°C	-40° / 90°C	-40°C / 150°C
Stackable	✓	✓	V	✓	✓
CONSTRUCTION:					
Made of	stainless steel 18/10	stainless steel	stainless steel	tritan	grilamid
Thickness (mm)	0,6-0,8	0,6-0,7	0,6-0,7		2-2,9
Available heights (mm)	20 up to 200	20 up to 200	20 up to 200	65 up to 200	65 up to 150
ACCESSORIES:					
Perforated containers	✓	v			
Lids	✓	v	V	V	✓
Lids with silicone rim		v	V		
Lids with spoon recess	✓	✓			
Driping tray				V	
Adaptor bar	v	v	✓		
ADDITIONAL INFO:					
Easy to clean	✓	v	V	V	✓
Gastronorm size engraved		v		V	✓
With capacity scale				V	✓
Doesn't absorb odours or flavours	V	V	V	V	V
	Compliant with the most strict food contact regulations (for hospitals) Excellent corrosion resistance (salt & sour resistant) Reduced radius to ensure maximum content Very strong and durable	Reinforced corners to add strenght • If treated correctly corrosion resistant	If treated correctly corrosion resistant	Bisphenol A Free High impact resistance, very durable With capacity scale Cristal clear material	Can be used in bain-marie system and chafing dishes Stable in cooking water, sterilizable at steam 134°C > 200 cycles High impact resistance, very durable
MORE ON PAGE:	20-21	22-23	24–25	26	27







29

30-31



GASTRONORM



GASTRONORM



HACCP







园

























POLYCARBONATE TRANSPARENT	CONTAINER POLYCARBONATE	CONTAINER POLYPROPYLENE	STORAGE CONTAINER	PORCELAIN CONTAINER
				✓
V	v	✓	V	✓
✓	✓	✓	✓	
✓	<i>V</i>	✓	/	✓
-40°C / 110°C	-40°C / 110°C	-40°C / 80°C	-40°C / 80°C	under 600°C
<i>V</i>	<i>V</i>	✓	<i>V</i>	✓
polycarbonate	polycarbonate	polypropylene	polypropylene	porcelain
2-3	2-3			
65 up to 200	65 up to 150	100 up to 200	65 up to 200	20 up to 65
✓	V	✓	v	
✓				
✓	<i>V</i>			· · · · · · · · · · · · · · · · · · ·
✓	V	✓	V	
✓	✓	✓	✓	
✓	•	✓	✓	✓
High impact resistance, very durable • Crystal clear material	Perfect for presentation High impact resistance, very durable Crystal clear material	Transparant material	With integrated HACCP label for monitoring of food storage process Transparant material Coloured lid clips according to HACCP sold separately	Special porcelain type, toughest type available Thermal shock resistant, can withstand extreme temperature changes High-impact and wear resistance and still relatively light-weight


28

32-33

Extremely pure and brilliant white

390

GASTRONORM CONTAINERS PROFILINE



- Very solid design.
- Smooth edges, easy to clean.
- Can be used in convection ovens, refrigerators, bain-marie systems and chafing dishes.











CACTD	ONODM	CONTAINER	1/1
UASIR	CHACKE	CUNIAINER	

code	liter	thickness (mm)	height (mm)
801208	28,0	0,8	200
801215	21,0	0,8	150
801222	14,0	0,8	100
801239	9,0	0,8	65
801246	5,0	0,8	40
801253	2,5	0,8	20

GASTRONORM CONTAINER 2/3

- 354x325 mi	m		
code	liter	thickness (mm)	height (mm)
801307	18,0	0,8	200
801314	13,0	0,8	150
801321	9,0	0,7	100
801338	5,5	0,7	65
801345	3,0	0,7	40
801352	1,5	0,7	20

GASTRONORM CONTAINER 2/4

- 530x162 mi	m		
code	liter	thickness (mm)	height (mm)
801840	8,6	0,7	150
801666	5,8	0,7	100
801857	4,0	0,7	65
801864	2,5	0,7	40
801871	1,2	0,7	20









(GN

K

GASTRONORM CONTAINER 1/2

- 325x265 mm

- 176x162 mm code

801703

801710

801727

801734

code	liter	thickness (mm)	height (mm)
801406	12,5	0,8	200
801413	9,5	0,7	150
801420	6,5	0,7	100
801437	4,0	0,7	65
801444	2,0	0,7	40
801451	1,0	0,7	20



- 325x176 mm


code	liter	thickness (mm)	height (mm)
801505	7,8	0,8	200
801512	5,7	0,7	150
801529	4,0	0,7	100
801536	2,5	0,7	65
801543	1,5	0,7	40
801550	8,0	0,7	20

GASTRONORM CONTAINER 1/4

- 265x162 mm

code	liter	thickness (mm)	height (mm)
801604	5,5	0,8	200
801611	4,0	0,7	150
801628	2,8	0,7	100
801635	1,8	0,7	65
801642	1,7	0,7	40
801659	0,9	0,7	20





3,4

2,4

1,6

1,0

801727

thickness (mm)

1,0

0,8

0,7

0,7



801826

802236

GASTRONORM CONTAINER 1/9

- 176x108 mm

code	liter	thickness (mm)	height (mm)
801826	1,0	0,7	100
801833	0,6	0,7	65

GASTRONORM CONTAINER 1/1 PERFORATED - 530x325 mm

code	liter	thickness (mm)	height (mm)
802205	28	0,8	200
802212	21	0,8	150
802229	14,0	0,8	100
802236	9,0	0,8	65
802243	5,0	0,8	40
802168	2,5	0,8	20





height (mm) 200

> 150 100

> > 65



802526

GASTRONORM CONTAINER 2/3 PERFORATED

- 354x325 mm

code	liter	thickness (mm)	height (mm)
802328	9,0	0,7	100
802335	5,5	0,7	65
802342	3,0	0,7	40

GASTRONORM CONTAINER 1/2 PERFORATED

- 325x265 mm

code	liter	thickness (mm)	height (mm
802427	6,5	0,7	100
802434	4,0	0,7	65
802441	2,0	0.7	40

GASTRONORM CONTAINER 1/3

PERFORATED - 325x176 mm

code	liter	thickness (mm)	height (mm)
802502	7,8	0,7	200
802519	5,7	0,7	150
802526	4,0	0,7	100
802533	2,5	0,7	65
802540	1,2	0,7	40



GASTRONORM LID

code	thickness (mm)	mm
804100	0,8	GN 1/1 - 530x325
804117	0,7	GN 2/3 - 354x325
804179	0,8	GN 2/4 - 530x162
804124	0,7	GN 1/2 - 265x325
804131	0,7	GN 1/3 - 325x176
804148	0,7	GN 1/4 - 265x162
804155	0,7	GN 1/6 - 176x162
804162	0,7	GN 1/9 - 176x108



GASTRONORM LID WITH SPOON RECESS – With silicone rim for airtight sealing.

code	thickness (mm)	mm
805107	0,7	GN 1/1 - 530x325
805114	0,7	GN 2/3 - 354x325
805121	0,7	GN 1/2 - 265x325
805138	0,7	GN 1/3 - 325x176
805145	0,7	GN 1/4 - 265x162
805152	0,7	GN 1/6 - 176x162



GASTRONORM LID WITH SILICONE RIM

- Only suitable for 'Profi-Line' and polycarbonate gastronorm containers.

code	mm
802601	GN 1/1 - 530x325
802618	GN 2/3 - 354x325
802625	GN 1/2 - 265x325
802632	GN 1/3 - 325x176
802649	GN 1/4 - 265x162
802656	GN 1/6 - 176x162













GASTRONORM CONTAINERS KITCHEN LINE









- Extra strong due to reinforced corners. Gastronorm size is engraved. - Smooth edges, easy to clean.




























GASTRONORM CONTAINER 1/1

– 530x325 mi	m		
code	liter	thickness (mm)	height (mm)
806159	26,4	0,7	200
806142	19,8	0,7	150
806135	13,2	0,6	100
806128	8,6	0,6	65
806111	5,3	0,6	40
806104	2,6	0,6	20

GASTRONORM CONTAINER 2/3

– 354x325 mm				
code	liter	thickness (mm)	height (mm)	
806258	15,5	0,7	200	
806241	11,6	0,7	150	
806234	7,7	0,6	100	
806227	5,0	0,6	65	
806210	3,0	0,6	40	
806203	1,5	0,6	20	

GASTRONORM CONTAINER 1/2

325x265 mm

- 323X263 III	111			
code	liter	thickness (mm)	height (mm)	
806357	11,0	0,7	200	
806340	8,4	0,7	150	
806333	5,6	0,6	100	
806326	3,6	0,6	65	
806319	2,2	0,6	40	
806302	1,1	0,6	20	









(GN

GASTRONORM CONTAINER 1/3 - 325x176 mm

020/1701111		
code	liter	thickne
806456	6,8	0,
		_

code	liter	thickness (mm)	height (mm)
806456	6,8	0,7	200
806449	5,1	0,7	150
806432	3,4	0,6	100
806425	2,2	0,6	65
806418	1,3	0,6	40
806401	0,6	0,6	20

GASTRONORM CONTAINER 1/4

- 265x162 mm

code	liter	thickness (mm)	height (mm)
806555	5,5	0,7	200
806548	4,1	0,7	150
806531	2,7	0,6	100
806524	1,8	0,6	65

808153

GASTRONORM CONTAINER 1/6

- 176x162 mm

code	liter	thickness (mm)	height (mm)	
806654	3,2	0,7	200	
806647	2,4	0,7	150	
806630	1,6	0,6	100	
806623	1,0	0,6	65	



GASTRONORM CONTAINER 1/9

1,0

0,6

806739

thickness (mm)

0,7

0,6

height (mm)

100

65

ADAPTOR BAR FOR GASTRONORM **CONTAINERS**

808108

- For fitting small GN-containers in bainmaries, chafing dishes etc.

code	mm
808153	GN 1/1 - 532x20
808108	GN 1/2 - 325x20



GASTRONORM PERFORATED INSERTS

code	mm
806197	GN 1/1
806296	GN 2/3
806395	GN 1/2
806494	GN 1/3
806593	GN 1/4
806692	GN 1/6



GASTRONORM CONTAINER 1/1 PERFORATED

- 530x325 mm

- 176x108 mm

806739

806722

code	liter	thickness (mm)	height (mm)
807132	13,2	0,6	100
807125	8,6	0,6	65
807118	5,3	0,6	40



GASTRONORM CONTAINER 2/3 PERFORATED

- 354x325 mm

code	liter	thickness (mm)	height (mm)
807224	5,0	0,6	65



GASTRONORM CONTAINER 1/2 PERFORATED

- 325x265 mm

ı]	code	liter	thickness (mm)	height (mm)	
	807330	5,6	0,6	100	
	807323	3,6	0,6	65	



GASTRONORM LID WITH SILICONE RIM

- With silicone rim for airtight sealing.
- Only suitable for 'Kitchen-Line' & 'Budget-Line' gastronorm containers.

code	thickness (mm)	mm
804001	1	GN 1/1 - 530x325
804018	0,8	GN 2/3 - 354x325
804025	0,7	GN 1/2 - 265x325
804032	0,7	GN 1/3 - 325x176
804049	0,7	GN 1/4 - 265x162
804056	0,7	GN 1/6 - 176x162



GASTRONORM LID



GASTRONORM LID WITH SPOON RECESS

code	thickness (mm)	mm	code	thickness (mm)	mm
806814	0,7	GN 1/1 - 530x325	806913	0,7	GN 1/1 - 530x325
806821	0,7	GN 2/3 - 354x325	806920	0,7	GN 2/3 - 354x325
806838	0,7	GN 1/2 - 265x325	806937	0,7	GN 1/2 - 265x325
806845	0,7	GN 1/3 - 325x176	806944	0,7	GN 1/3 - 325x176
806852	0,7	GN 1/4 - 265x162	806951	0,7	GN 1/4 - 265x162
806869	0,7	GN 1/6 - 176x162	806968	0,7	GN 1/6 - 176x162
806876	0,7	GN 1/9 - 176x108	806975	0,7	GN 1/9 - 176x108



































GASTRONORM CONTAINERS BUDGET LINE

- S.S.
- -40°C 300°C







- Very solid design.
- Smooth edges, easy to clean.
- Intended for use in convection ovens, refrigerators, bain-marie systems and chafing dishes.





GASTRONORM CONTAINER 1/1

- 530x325 mm

code	liter	height (mm)
800157	28	200
800140	21	150
800133	14	100
800126	9	65
800119	5	40

2,5

20

GASTRONORM CONTAINER 2/3

– 354x325 mm

code	liter	height (mm)
800249	13	150
800232	9	100
800225	5,5	65
800218	3	40

GASTRONORM CONTAINER 1/2

- 325x265 mm

height (mm) 200 150
150
100
65
40
20









GASTRONORM CONTAINER 1/3


- 325x176 mm

code	liter	height (mm)
800454	7,8	200
800447	5,7	150
800430	4	100
800423	2,5	65
800416	1,5	40
800409	0.6	20

GASTRONORM CONTAINER 1/4

- 265x162 mm

2000.02	•		., ox. oz	•
code	liter	height (mm)	code	liter
800553	5,5	200	800652	3,4
800546	4	150	800645	2,4
800539	2,8	100	800638	1,6
800522	1,8	65	800621	1



- 176x162 mm

code	liter	height (mm)
800652	3,4	200
800645	2,4	150
800638	1,6	100
800621	1	65



800737





GASTRONORM CONTAINER 1/9

– 176x108 mm	1	
code	liter	height (mm)
800737	1	100
800720	0,6	65

GASTRONORM LID

code	mm
800812	GN 1/1 - 530x325
800829	GN 2/3 - 354x325
800836	GN 1/2 - 265x325
800843	GN 1/3 - 325x176
800850	GN 1/4 - 265x162
800867	GN 1/6 - 176x162
800874	GN 1/9 - 176x108

GASTRONORM LID WITH SILICONE RIM

- With silicone rim for airtight sealing.
- Only suitable for 'Kitchen-Line'
- & 'Budget-Line' gastronorm containers.

code	thickness (mm)	mm
804001	1	GN 1/1 - 530x325
804018	0,8	GN 2/3 - 354x325
804025	0,7	GN 1/2 - 265x325
804032	0,7	GN 1/3 - 325x176
304049	0,7	GN 1/4 - 265x162
804056	0,7	GN 1/6 - 176x162

GASTRONORM CONTAINERS BUDGET LINE WITH HANDLES

height (mm)

150 200



GAS

liter

21

28

- 530x325 mm code

817148

817155

STRONORM CONTAINER 1/1	GAS
817148	



ASTRONORM CONTAINER 2/3

- 354x325 mm

004802011111		
code	liter	height (mm)
817247	13	150
817254	17	200





GASTRONORM CONTAINER 1/2

817346







GASTRONORM LID

– 325x265 mm			– 325x176 mm			– With cutout for the handles.	
code	liter	height (mm)	code	liter	height (mm)	code	mm
817346	9,5	150	817445	5,7	150	817810	GN 1/1 - 530x325
817353	12,5	200	817452	7,8	200	817827	GN 2/3 - 354x325
						817834	GN 1/2 - 325x265
						817841	GN 1/3 - 325x176

































GASTRONORM CONTAINERS TRITAN BPA FREE


- Doesn't absorb odours or flavours.
- Contains no Bisphenol A.
- Very clear transparency.













High temperature resistant from -40°C to 90°C. Perfect for storing food in freezers, refrigerators and countertop servers.







869413

GASTRONORM CONTAINER 1/1

- 530x325 mm

code	liter	height (mm)
869208	28,0	200
869215	21,0	150
869222	14,0	100
869239	9	65

GASTRONORM CONTAINER 1/2

- 325x265 mm

liter	height (mm)
12,5	200
9,5	150
6,5	100
4,0	65
	12,5 9,5 6,5

GASTRONORM CONTAINER 1/3

- 325x176 mm

code	liter	height (mm)
869406	7,8	200
869413	5,7	150
869420	4,0	100
869437	2,5	65









869611



869727

GASTRONORM CONTAINER 1/4

- 265x162 mm

2000.02	•	
code	liter	height (mm)
869505	5,5	200
869512	4,0	150
869529	2,8	100
869536	1,8	65

GASTRONORM CONTAINER 1/6

- 176x162 mm

- 170X10Z IIIIII				
code	liter	height (mm)		
869604	3,4	200		
869611	2,4	150		
869628	1,6	100		
869635	1,0	65		

GASTRONORM CONTAINER 1/9

- 176x108 mm

code	liter	height (mm)	
869727	1,0	100	
869734	0,6	65	






GASTRONORM LID

code	mm
869819	GN 1/1 - 530x325
869826	GN 1/2 - 265x325
869833	GN 1/3 - 325x176
869840	GN 1/4 - 265x162
869857	GN 1/6 - 176x162
869864	GN 1/9 - 176x108

DRIPPING TRAY

code	mm		
869918	GN 1/1 - 530x325		
869925	GN 1/2 - 265x325		





GRILAMID GN CONTAINER FOR HIGH TEMPERATURES










- High temperature resistant from -40°C to 150°C.
- Can be used in each processing phase: freezers, blast chillers, microwave ovens, bain-marie system and chafing dishes.

- Gastronorm container made of Grilamid - high quality polyamide

- High impact resistance and doesn't absorb odours or flavours.

- Very transparent with a slight yellow tint.

which is BPA free.





Gastronorm container made of Grilamid - high quality polyamide. High temperature resistant from -40°C to 150°C. Can be used in each processing phase: freezers, blast chillers, microwave ovens, bain-marie system and chafing dishes BPA-free







869475

GASTRONORM CONTAINER 1/1

- 530x325 mm code height (mm) 869260 20 150 869277 13,3 100 65 869284

GASTRONORM	CONTAINER 1/2
- 325x265 mm	

height (mm) 9,0 869369 150 869376 100 6,1

4,0

- 325x176 mm

0200170111111			
code	liter	height (mm)	
869468	5,5	150	
869475	3,8	100	
869482	2,5	65	





869567





65





869772

GASTRONORM CONTAINER 1/4

- 265x162 mm

code	liter	height (mm)
869567	3,8	150
869574	2,6	100
869581	1,7	65

GASTRONORM CONTAINER 1/6

- 176x162 mm

869383

code	liter	height (mm)
869666	2,3	150
869673	1,6	100
869680	1,0	65

GASTRONORM CONTAINER 1/9

- 176x108 mm

code	liter	height (mm)
869772	0,9	100
869789	0,6	65

High temperature resistant from -40°C to 150°C - can be used in each processing phase: freezers, blast chillers, microwave ovens, bain-marie system and chafing dishes





GASTRONORM LID

code	mm
869949	GN 1/1 - 530x325
869956	GN 1/2 - 265x325
869963	GN 1/3 - 325x176
869970	GN 1/4 - 265x162
869987	GN 1/6 - 176x162
869994	GN 1/9 - 176x108






































GASTRONORM CONTAINERS POLYPROPYLENE

- Doesn't absorb odours or flavours.



















880210

GASTRONORM CONTAINER 1/1

- 530x325 mm

code	liter	height (mm)
880005	28,0	200
880012	21,0	150
880029	14	100

GASTRONORM CONTAINER 1/2

- 325x265 mm

cod	e	liter	height (mm)
880	104	12,5	200
880	111	9,5	150
880	128	6,5	100

GASTRONORM CONTAINER 1/3

- 325x176 mm

code	liter	height (mm)
880203	7,8	200
880210	5,7	150
880227	4,0	100





880319





880418





880524

GASTRONORM CONTAINER 1/4

- 265x162 mm

code	liter	height (mm)
880302	5,5	200
880319	4,0	150
880326	2,8	100

GASTRONORM CONTAINER 1/6

- 176x162 mm

code	liter	height (mm)
880401	3,4	200
880418	2,4	150
880425	1,6	100

GASTRONORM CONTAINER 1/9

- 176x108 mm

code	liter	height (mm)
880524	1,0	100



GASTRONORM LID

Suitable for all Hendi polypropylene
 Gastronorm containers, including HACCP storage containers

storage containers		
code	mm	
880609	GN 1/1 - 530x325	
880616	GN 1/2 - 325x265	
880623	GN 1/3 - 325x176	
880630	GN 1/4 - 265x162	
880647	GN 1/6 - 176x162	
880654	GN 1/9 - 176x108	



GASTRONORM LIDS AIRTIGHT SEAL

- Lid with airtight silicone seal, seal is strong enough to prevent leaking when container is tilted.
- With lip to break the airtight seal for easy opening.

code	mm	
881804	GN1/1	
881811	GN1/2	
881828	GN1/3	





GASTRONORM CONTAINERS POLYCARBONATE TRANSPARENT

- High quality professional Gastronorm containers made of transparent polycarbonate.








































- Doesn't absorb odours or flavours.













861523

GASTRONORM CONTAINER 1/1

- 530x325 mm height (mm) 861202 28,0 200 150 861219 21,0 100 861226 14,0 9,0 65 861233

GASTRONORM CONTAINER 1/2

- 325x265 mm

code	liter	height (mm)
861400	12,5	200
861417	9,5	150
861424	6,5	100
861431	4,0	65

GASTRONORM CONTAINER 1/3

- 325x176 mm

code	liter	height (mm
861509	7,8	200
861516	5,7	150
861523	4,0	100
861530	2,5	65









861721





861820

GASTRONORM CONTAINER 1/4

- 265x162 mm		
code	liter	height (mm)
861608	5,5	200
861615	4,0	150
861622	2,8	100
861639	1,8	65

GASTRONORM CONTAINER 1/6

– 176x162 mm

1700102 11111		
code	liter	height (mm)
861707	3,4	200
861714	2,4	150
861721	1,6	100
861738	1,0	65

GASTRONORM CONTAINER 1/9

- 176x108 mm

code	liter	height (mm)	
861820	1,0	100	
861837	0,6	65	



GASTRONORM LID

- Without spoon recess.

- Also suitable for stainless steel Profi Line Gastronorm containers.

code	mm
864104	GN 1/1 - 530x325
864128	GN 1/2 - 265x325
864135	GN 1/3 - 325x176
864142	GN 1/4 - 265x162
864159	GN 1/6 - 176x162
864166	GN 1/9 - 176x108



DRIPPING TRAY


code	mm
868522	GN 1/1 - 530x325
868546	GN 1/2 - 325x265
868553	GN 1/3 - 325x176
868577	GN 1/6 - 172x162



Gradated

GASTRONORM CONTAINERS POLYCARBONATE BLACK

- High quality professional Gastronorm containers made of black polycarbonate.















GASTRONORM CONTAINER 1/1

– 530x325 mm

code	liter	height (mm)
862216	21,0	150
862223	14,0	100
862209	9,0	65



– 325x265 mm

code	liter	height (mm)
862407	12,5	200
862414	9,5	150
862421	6,5	100
862438	4,0	65

GASTRONORM CONTAINER 1/3

- 325x176 mm

code	liter	height (mm)
862506	7,8	200
862513	5,7	150
862520	4,0	100
862537	2,5	65













862827

GASTRONORM CONTAINER 1/4

– 265x162 mm

code	liter	height (mm)
862612	4,0	150
862629	2,8	100
862636	1,8	65

GASTRONORM CONTAINER 1/6

– 176x162 mm

code	liter	height (mm)
862704	3,4	200
862711	2,4	150
862728	1,6	100
862735	1,0	65

GASTRONORM CONTAINER 1/9

– 176x162 mm

code	liter	height (mm)
862827	1,0	100



GASTRONORM LID

code	mm
862902	GN 1/1 - 530x325
862926	GN 1/2 - 325x265
862933	GN 1/3 - 325x176
862940	GN 1/4 - 265x162
862957	GN 1/6 - 176x162





GASTRONORM CONTAINERS POLYCARBONATE WHITE

- High quality professional Gastronorm containers made of white











- Doesn't absorb odours or flavours.

polycarbonate.










862476

GASTRONORM CONTAINER 1/1

– 530x325 mm

code	liter	height (mm)	mm
862285	9,0	65	530x325



– 325x265 mm

code	liter	height (mm)	mm
862476	6,5	100	325x265
862483	4,0	65	325x265






862674

GASTRONORM CONTAINER 1/3

- 325x176 mm

code	liter	height (mm)	mm
862568	5,7	150	325x176
862575	4,0	100	325x176
862582	2,5	65	325x176



- 265x162 mm

code	liter	height (mm)	mm	
862674	2,8	100	265x162	
862681	1,8	65	265x162	





862773

GASTRONORM CONTAINER 1/6

– 176x162 mm

code	liter	height (mm)	mm
862766	2,4	150	176x162
862773	1,6	100	176x162
862780	1,0	65	176x162

GASTRONORM LID

code	mm
862919	GN 1/1 - 530x325
862964	GN 1/2 - 265x325
862971	GN 1/3 - 325x176
862988	GN 1/4 - 265x162
862995	GN 1/6 - 176x162



































HACCP STORAGE CONTAINERS

- Airtight sealing.
- Odour and flavour free.
- Lids and lid clips (green, yellow, blue, red or purple as per HACCP guidelines) available separately.
- Wear-resistant label for monitoring of food storage process.
- Special erasable markers to write on the labels are not included.


























880159

STORAGE CONTAINER GASTRONORM 1/1

- 530x325 mm

OOONOZO IIIIII	000,020 11111	
code	liter	height (mm)
880050	28	200
880067	21	150
880074	14	100
880036	9	65

STORAGE CONTAINER GASTRONORM 1/2

- 325x265 mm

code	liter	height (mm)
880159	12,5	200
880166	9,5	150
880173	6,5	100





880258

STORAGE CONTAINER GASTRONORM 1/3

- 325x176 mm

code	liter	height (mm)
880258	7,8	200
880265	5,7	150
880272	4,0	100
880289	2,5	65





STORAGE CONTAINER GASTRONORM 1/4

- 265x162 mm

code	liter	height (mm)
880357	5,5	200
880364	4,0	150
880371	2,8	100
880388	1,8	65





880456

STORAGE CONTAINER GASTRONORM 1/6

- 176x162 mm

liter	height (mm)	
3,4	200	
2,4	150	
1,6	100	
1,0	65	
	3,4 2,4 1,6	





880555

STORAGE CONTAINER GASTRONORM 1/9

- 176x108 mm

code	liter	height (mm)
880555	1,0	100
880562	0,6	65

GASTRONORM LID

- Suitable for all Hendi polypropylene Gastronorm containers, including HACCP storage containers

•	<u> </u>
code	mm
880609	GN 1/1 - 530x325
880616	GN 1/2 - 325x265
880623	GN 1/3 - 325x176
880630	GN 1/4 - 265x162
880647	GN 1/6 - 176x162
880654	GN 1/9 - 176x108



LID CLIPS FOR HACCP STORAGE CONTAINERS

– 12 pcs. in blister pack

code	colour	packed per
880661	red	12
880678	green	12
880685	yellow	12
880692	blue	12
880869	purple	12



HORECA MARKERS

- 2 pieces on blistercard
- For writing on food containers
- Erasable

code	packed per	
871546	2	









(GN)



























FOOD ALLERGY

When preparring food for customers with food allergies it's important to prevent cross contamination. With the new purple addition to the HACCP colours you now have tools to safely produce meals for allergic people.













STORAGE CONTAINER GASTRONORM 1/1 STORAGE CONTAINER GASTRONORM 1/2 STORAGE CONTAINER GASTRONORM 1/3

– 530x325 mm			- 325x265 mm			- 325x176 mm		
code	liter	height (mm)	code	liter	height (mm)	code	liter	height (mm)
880050	28	200	880159	12,5	200	880258	7,8	200
880067	21	150	880166	9,5	150	880265	5,7	150
880074	14	100	880173	6,5	100	880272	4,0	100
880036	9	65				880289	2,5	65





1







880555

STORAGE CONTAINER GASTRONORM 1/4 STORAGE CONTAINER GASTRONORM 1/6 STORAGE CONTAINER GASTRONORM 1/9

265x162 mm	I		– 176x162 mm	1		– 176x108 mm	1	
code	liter	height (mm)	code	liter	height (mm)	code	liter	height (mm)
880357	5,5	200	880456	3,4	200	880555	1,0	100
880364	4,0	150	880463	2,4	150	880562	0,6	65
880371	2,8	100	880470	1,6	100			
880388	1,8	65	880487	1,0	65			







GASTRONORM LID PURPLE

- Suitable for all Hendi polypropylene Gastronorm containers, including HACCP storage containers

code	mm
881705	GN 1/1 - 530x325
881712	GN 1/2 - 325x265
881729	GN 1/3 - 325x176
881736	GN 1/4 - 265x162
881743	GN 1/6 - 176x162
881750	GN 1/9 - 176x108



CUTTING BOARD HACCP GASTRONORM

- One side smooth and other side with groove.
- Can be cleaned in professional dishwashers (short program).



CUTTING BOARD HACCP

- Can be cleaned in professional dishwashers (short program).

·		
code	colour	mm
825662	purple	600x400x(H)18
825570	purple	450x300x(H)12,7



LID CLIPS FOR HACCP STORAGE CONTAINERS

– 12 pcs. in blister pack

code	colour	packed per	
880869	purple	12	



842775

M



COOK'S KNIFE

code	blade/knife length (mm)	thickness (mm)	
842676	180/320	2,5	
842775	240/385	2,5	NEW!



UNIVERSAL KNIFE



code	model	blade/knife length (mm)	thickness (mm)
842270	short model	90/190	1,2
842171	serrated	100/205	1,2




















CUTTING BOARD HACCP








- Can be cleaned in professional dishwashers (short program).









CUTTING BOARD HACCP 600X400X(H)18

code	colour	for	
825600	white	cheese, bread	
825617	red	raw meat	
825624	blue	fish	
825631	green	fruits, vegetables	
825648	brown	cooked meat	
825655	yellow	raw poultry	
825662	purple	allergens	

CUTTING BOARD HACCP 450X300X(H)12,7

code	colour	for	
825518	white	cheese, bread	
825525	red	raw meat	
825532	blue	fish	
825549	green	fruits, vegetables	
825556	brown	cooked meat	
825563	yellow	raw poultry	
825570	purple	allergens	

CUTTING BOARD RACK


- For 6 cutting boards up to 20 mm thick.

	3 *** *** ** *** *** *** *** *** *** **
code	mm
826201	303x211x(H)205

CUTTING BOARD HACCP

- Made of polyethylene HDPE 500.
- Meets HACCP standards.
- Both sides suitable for cutting.





CUTTING BOARD HACCP GASTRONORM 1/1

- One side smooth and other side with groove.
- Dimentions: 530x325x(H)15 mm

code	colour	for	
826003	white	cheese, bread	
826010	red	raw meat	
826027	blue	fish	
826034	green	fruits, vegetables	
826041	brown	cooked meat	
826058	yellow	raw poultry	
826065	purple	allergens	

CUTTING BOARD HACCP GASTRONORM 1/2

- One side smooth and other side with groove.
- Dimentions: 265x325x(H)12 mm

code	colour	for	
826102	white	cheese, bread	
826119	red	raw meat	
826126	blue	fish	
826133	green	fruits, vegetables	
826140	brown	cooked meat	
826157	yellow	raw poultry	
826164	purple	allergens	







- Dimentions: 530x325x(H)10 mm

code	colour	for
26607	white	cheese, bread
26614	red	raw meat
26621	blue	fish
26638	green	fruits, vegetables
26645	brown	cooked meat
26652	vellow	poultry





CUTTING BOARD HACCP GASTRONORM 1/2

- Dimentions: 265x325x(H)9 mm

code	colour	for
826706	white	cheese, bead
826713	red	raw meat
826720	blue	fish
826737	green	fruits, vegetables
826744	brown	cooked meat
826751	yellow	poultry









Anti-slip surface



HACCP CUTTING MAT SET - 6 PIECES

- Colour coded set of 6 mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.
- Lightweight and easy to store and transport.

code	mm	
826300	380x305x(H)1,4	
826331	300x200x(H)1,4	NEW!

HACCP ANTI-SLIP CUTTING MAT SET - 6 PIECES

- Colour coded set of 6 anti-slip mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.
- Lightweight and easy to store and transport.

code	mm	
826324	305x455x(H)2	
826324	305x455x(H)2	

ANTI-SLIP MAT

- Multifunctional anti-slip mat.
- Made of PVC foam.
- Easy to cut to size.
- Wash by hand at 40°C.
- Not suitable for direct food contact.

code	mm	
598047	1500x300	







NEW!



CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.
- Both sides suitable for cutting.

code	mm	colour
826348	250x150x(H)10	white
826478	250x150x(H)10	black
826355	300x200x(H)10	white
826485	300x200x(H)10	black



CUTTING BOARD WOOD



CUTTING BOARD

- Rubberwood

- With handles

code		mm
506912	GN 1/2	265x325x(H)45
506905	GN 1/1	530x325x(H)45

CARVING BOARD

- Solid bee

- Grooved

ech wood	– Solid beech wood

code	mm	code	mm
505205	390x230x(H)16	505007	340x200x(H)14



CUTTING BOARD WITH GRIP

- Solid beech wood

code	mm	
505106	390x160x(H)13	



BAGUETTE BOARD

- Solid beech wood
- Combined model, 1 side grooved and 1 side ribbed

code	mm
505403	530x325x(H)18



- Wooden with removable grid

code	mm
505502	475x322
505502	



removable grid










KNIVES PROFILINE

- All knives are precision hot drop forged from a single blank of high carbon German stainless steel. The specialized Chromium-Molybdenium-Vanadium surgical alloy steel X50CrMoV15 guarantees the following characteristics:
- razor sharp
- long-lasting cutting edge
- easily restorable edge
- high stain resistance
- Some 50 major manufacturing steps are required to produce each knife. Traditional skills and precision machinery continue the grinding and polishing operations until the final cutting edge is applied at the most appropriate blade angle. The handle combines balance, safety, heft and control with an exclusive look.
- Each knife is individually packed in a PET presentation blister.









COOK'S KNIFE

code	thickness (mm)	blade/knife length (mm)
844205	3,3	250/385



code	thickness (mm)	blade/knife length (mm)	
844212	3,3	200/335	

UTILITY KNIFE

•		
code	thickness (mm)	blade/knife length (mm)
844250	2	150/265







CHENDI





CARVING	KNIFE

CARVING KNIFE

code

844311

code	thickness (mm)	blade/knife length (mm)
844304	2,6	200/330

thickness (mm)

2,7

blade/knife length (mm)

250/380

园

固

· ***



- F	lexi	h	۵١	

code	thickness (mm)	blade/knife length (mm)
844267	2	150/270

PARING KNIFE

code	thickness (mm)	blade/knife length (mm)
844236	1,9	90/195

KNIFE SHARPENER DIAMOND

- Diamond coating

code	blade/knife length (mm)	
844403	310/445	

HAM/SALMON KNIFE

- Half flexible

code	thickness (mm)	blade/knife length (mm)
844328	2,6	300/430

BREAD KNIFE

code	thickness (mm)	blade/knife length (mm)
844298	2,4	215/340

BREAD KNIFE

- Offset

code	thickness (mm)	blade/knife length (mm)
844281	2,4	215/340

CLEAVER

- Plain version

i taili vei sit	i talli version	
code	thickness (mm)	blade/knife length (mm)
844342	4	170/295

CLEAVER

- Granton indentations

code	thickness (mm)	blade/knife length (mm)	
844335	2,5	170/295	

SANTOKU KNIFE

- Granton indentations

(mm)	blade/knife length (mm)
3	180/310
	thickness (mm)

CARVING FORK

code	thickness (mm)	blade/knife length (mm)
844229	9	150/285






















KNIVES KITCHEN LINE

- Made of one piece of hard, forged chrome molybdenum steel.
- Due to the highest quality of the workmanship, Hendi knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- A unique design of the handle prevents depositing of food residues in the handle/blade transition area.
- Each knife is individually packed in a PET presentation blister.
- With safe, profiled black POM plastic handle.









COOK'S KNIFE

code	blade/knife length (mm)
781319	200/340



COOK'S KNIFE

code	blade/knife length (mm)	
781357	150/295	



CARVING KNIFE

code	blade/knife length (mm)	
781340	200/340	



BONING KNIFE

code	blade/knife length (mm)	
781371	150/285	





(HENDI

PHENDI

BREAD KNIFE

code	blade/knife length (mm)	
781333	230/345	

KITCHEN KNIFE

code	blade/knife length (mm)	
781388	125/240	

PARING KNIFE

code	blade/knife length [mm]	
781395	90/200	

POULTRY SHEARS

code	blade/knife length (mm)	
781401	140/250	
781401	140/250	

园

固

CARVING FORK

code	blade/knife length (mm)	
781364	175/290	

CLEAVER

code	blade/knife length [mm]	
781302	180/300	

HAM/SALMON KNIFE

code	blade/knife length (mm)	
781326	215/380	

KNIFE SHARPENER

code	blade/knife length [mm]
781418	Ø10x230/360

KNIFE MAGNET WITH HOOKS

- with z magne	(1-1/1-1-1/1-1-1)	
code	part	length (mm)
820209	3 hooks	300
820308	5 hooks	450
820407	6 hooks	600











9-PIECE KNIVES SET


- Made of one piece of hard, stainless steel 3CR14
- Handle made of stainless steel 430 with rubber coating
- Due to the highest quality of the workmanship, knives are durable and resistant to corrosion with long-lasting sharpness of the blade
- With safe, profiled handle
- Included:
- 1 Meat fork curved -320 mm
- 2 Knife sharpener -340 mm

- 3 Santoku knife -336 mm
- 4 Cook's knife -370 mm
- 5 Cook's knife -330 mm
- 6 Ham/salmon knife -331 mm
- 7 Bread knife -333 mm
- 8 Boning knife -285 mm
- 9 Paring knife -193 mm
- 10 Convenient carrying case

975770

Convenient carrying case





- Made of the high carbon steel alloy X50CrMoV15
- Produced in 50 major manufacturing steps
- Traditional wooden handle
- Each knife is individually packed in a PET presentation
- Limited edition, specially made for Hendi.

code			blade/knife length (mm)	thickness (mm)
845059	1	Knife ,Sashimi'	210/340	4
845042	2	Knife ,Sashimi'	240/370	4
845028	3	Knife ,Nakiri'	180/325	4
845035	4	Knife ,Santoku'	165/295	2





BLACK - UNIVERSAL

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.











UNIVERSAL KNIFE

- Sho	ort	mo	del
-------	-----	----	-----

code	thickness (mm)	blade/knife length (mm)
842201	1,2	90/190

UNIVERSAL KNIFE

	\sim	_				_	-1	
-		е	r	ra	ЭT	ρ,	п	

code	thickness (mm)	blade/knife length (mm)
842102	1,2	100/205



code	thickness (mm)	blade/knife length (mm)
842409	2,5	150/280

COOK'S KNIFE

code	thickness (mm)	blade/knife length (mm)
842607	2,5	180/320



code	thickness (mm)	blade/knife length (mm)	
842706	2,5	240/385	

HAM/SALMON KNIFE

code	thickness (mm)	blade/knife length (mm)
842904	1,7	350/490

BREAD KNIFE

code	thickness (mm)	blade/knife length (mm)
843000	1,5	250/385

BREAD KNIFE

code	thickness (mm)	blade/knife length (mm)	
843109	1,5	300/430	

BUTCHER'S KNIFE

code	thickness (mm)	blade/knife length (mm)
844427	2,5	200

BUTCHER'S KNIFE

code	thickness (mm)	blade/knife length (mm)
844410	2,5	250

BONING KNIFE

code	thickness (mm)	blade/knife length (mm)
844441	1,8	150

FILLET KNIFE

code	thickness (mm)	blade/knife length (mm)
844434	1,8	150

KNIFE SHARPENER

code	thickness (mm)	blade/knife length (mm)
781418	Ø10	230/360













































BROWN - COOKED MEAT

Polypropylene handle in accordance with HACCP guidelines.Each knife is individually packed in a PET blister.

		• •		
code			blade/knife length (mm)	thickness [mm]
842669	1	Cook's knife	180/320	2,5
842799	2	Cook's knife	240/385	2,5
842966	3	Ham/salmon knife	350/490	1,7



Ergonomic non slip handle







HACCP

RED - RAW MEAT

- Polypropylene handle in accordance with HACCP guidelines.

- Each knife is individually packed in a PET blister.

code			blade/knife length (mm)	thickness [mm]
842423	1	Carving knife	150/290	2,5
842522	2	Filleting knife	150/300	0,9
842621	3	Cook's knife	180/320	2,5
842720	4	Cook's knife	240/385	2,5
842928	5	Ham/salmon knife	350/490	1,7



Ergonomic non slip handle













YELLOW - POULTRY

- Polypropylene handle in accordance with HACCP guidelines.Each knife is individually packed in a PET blister.

code			blade/knife length (mm)	thickness (mm)
842539	1	Filleting knife	150/300	0,9
842638	2	Cook's knife	180/320	2,5
842737	3	Cook's knife	240/385	2,5



Ergonomic non slip handle









HACCP

BLUE - FISH

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.

code			blade/knife length (mm)	thickness (mm)
842546	1	Filleting knife	150/300	0,9
842645	2	Cook's knife	180/320	2,5
842744	3	Cook's knife	240/385	2,5



Ergonomic non slip handle



































WHITE - CHEESE & BREAD

- Polypropylene handle in accordance with HACCP guidelines.

- Each knife is individually packed in a PET blister.














Ergonomic non slip handle





GREEN - FRUITS & VEGETABLES

- Polypropylene handle in accordance with HACCP guidelines

- Each knife is individually packed in a PET blister

		blade/knife length (mm)	model	thickness (mm)
1	Universal knife	90/190	short model	1,2
2	Universal knife	100/205	serrated	1,2
3	Universal knife	130/230	long model	1,2
4	Cook's knife	180/320		2,5
5	Cook's knife	240/385		2,5
	3	1 Universal knife 2 Universal knife 3 Universal knife 4 Cook's knife 5 Cook's knife	1 Universal knife 90/190 2 Universal knife 100/205 3 Universal knife 130/230 4 Cook's knife 180/320	1 Universal knife 90/190 short model 2 Universal knife 100/205 serrated 3 Universal knife 130/230 long model 4 Cook's knife 180/320



Ergonomic non slip handle





PARING KNIVES, SET OF 6 COLOURS



PARING KNIVES

842003

- Set with 6 different colours: white, red, blue, green, black and yellow
- Made of rolled steel

code	blade/knife length (mm)
842003	75/175

PARING KNIVES AND PEELERS

- High quality

PARING KNIFE - "Made in Germany"

code		blade/knife length (mm)
841105	straight model	75/180
841112	pointed model	87/190
841129	curved model	60/165

TOMATO KNIFE

– Polypropylene handle

- "Made in Germany"

	,
code	blade/knife length (mm)
841136	110/210

PARING KNIFE WITH WOODEN HANDLE

– "Made in Germany"		stainless steel wash
code		blade/knife length (mm)
841020	curved model	60/165

SPEED PEELER

- Transverse model

mansverse modet.	
code	blade/knife length (mm)
841228	50/110

		((

PEELER Pendulum model

- Feridulum model	
code	blade/knife length (mm)
841235	50/150



PARING KNIVES

842010

- Set with 6 different colours: white, red, blue, green, black and yellow
- Made of rolled steel

code	blade/knife length (mm)
842010	90/185













团

























code	mm
856031	155



VEGETABLE CORER

code	mm
854084	110/220



MELON SCOOP OVAL

code	mm
856017	Ø26x165



MELON SCOOP DOUBLE

code	mm	
856000	Ø22-25x165	



GRAPEFRUIT KNIFE

code	mm
856185	110/215



CITRUS PEELER

code	mm	
856055	180	



MELON SCOOP SERRATED

code		mm		
856024	serated	Ø22x155		



CHANNEL KNIFE

code	mm	
856048	150	



PIZZA SLICER

code	mm	
617014	Ø100x230	



DOUGH CUTTER SERRATED BLADE

code	mm	
856154	Ø60x180	



BUTTER CURLER

Serrated		
code		mm
856192	serrated	200



POTATO PEELER

0E / 170	175
code	mm



SPREADER - SERRATED

code	mm	
855768	100x85x225	



DECORATION KNIFE

code		mm	
856062	serated 90 mm	200	



TOMATO KNIFE OFFSET

code		mm
856253	serated 110 mm	230



APPLE CORER

code		mm
856079	diameter/length Ø 20 mm / 100 mm	215

园



















$\hat{}$	ш	CC	SL	10	`⊏	D
u	п	ᄗ	ЭL	ı٧	, C	π

code	mm		
856208	205		

CHEESE SLICER FOR SOFT CHEESE

code mm	
856215 160	

CHEESE GRATER

170x75 856222





CHEESE KNIFE FOR SOFT CHEESE

code	mm
856246	160/270





CHEESE KNIFE FOR HARD CHEESE

code	mm
856239	130/260

GARNISHING TOOLS









DECORATION TOOLSET - 6 PIECES

- Holdall with:
- Melon scoop double
- Apple corer 20mm
- Decoration knife
- Melon scoop serated
- Lemon zester
- Channel knife

MINCING KNIVES & SCISSORS







CUT RESISTANT GLOVES

- Offers protection for handling sharp blades in the professional kitchen, like kitchen knives.
- The mix of HPPE, polyester fibres and nylon makes these gloves durable and comfortable.
- Level 4 cut resistance.
- Level 3 abrasion resistance.

code	packed per	
556641	2	



MINCING KNIFE

code		mm
844366	double blade	230
844359	single blade	230

POULTRY SHEARS

- High carbon steel
- Softgrip

code	mm	
856314	240	

KITCHEN SCISSORS

- Detachable easy to clean
- Softgrip

	code	mm
856307 195	856307	195

KITCHEN SCISSOR SOFTGRIP

- Detachable easy to clean
- With softgrip





KNIVE CARRYING CASE

- Compact case with plenty of room for knives and accessories.
- Space for 10 knifes (max length 450 mm), knives are held in place by elastic.
- The knives are protected by additional covers which are held in place by either a zipper or velcro, this ensures that knives don't make direct contact when the case is folded to
- With 1 big pocket for note pads, 4 small pockets for business cards and space for 3 pens or other small accessories.
- The shoulder strap length can be adjusted between 770mm and 1270 mm.
- Dimensions unfolded: 510x650 mm

code	mm
856277	510x170x(T)50









































see movie

KNIFE SHARPENER

- Suitable for quick and easy sharpening of knives
- Sand paper easy to change
- Suitable for all sorts of meat, fish, vegetable and fruit knives

code	mm	٧	W
224403	310x110x(H)110	230	50
224410	10 Sand paper replace		rt



224403



of tungsten carbide, one of the

toughest materials available.

KNIFE SHARPENER

- With finger protection.

- Reversible double sharpening blades made of carbide.

code	mm	
820605	140	





820612

KNIFE SHARPENER

- Ergonomic handle and non-slip base provide safety and comfort.
- 3 functions for sharpening all kinds of knives, even ceramic knives
- Do not use to sharpen serrated blades or scissors.

code	mm
820612	200x46x(H)75



COARSE: carbide sharpener for a precision edge every time. FINE: crossed ceramic rods for professional grade edge honing.







693216







– Heavy duty solid model.

S.S.	
stainless steel	wash

TG

code	mm
693216	200x130x(H)710
693223	200x130x(H)810


POTATO MASHER

code mm

856147

95x(H)230





POTATO MASHERS

-	_								
-	Η	ea	ıvy	du	ty	so	lid	mo	del.

, ,		
code	mm	
693001	130x(H)355	
693100	180x(H)600	
693209	180x(H)770	



CAN OPENER KITCHEN LINE

- Including table mounting device

- Suitable for cans up to 335 mm





code	mm	
690000	550	



TAB GRABBER – Glossy aluminium - Mounting by screws or by adhesive 513705 513705 600 **NEW!** 513712 915



GARLIC PRESS







GARLIC PRESS

– Easy to clean

– Two removable grids

DD	$\begin{bmatrix} c & c \end{bmatrix}$	
	J.J.	
polypropylene	stainless steel	was

code mm	
856123 180x25	



EGG SLICER - RECTANGULAR

code	mm	
570104	130x85	



code	mm	
570012	120x115	

SALAD SPINNER










- Ideal for drying large amounts of vegetables
- Removable inner basket.
- Not available in France.

code	liter	mm
222553	12	Ø335x(H)430
222560	25	Ø430x(H)530



code	liter	
222553	12	Ø



ONION GOGGLES

Removable inner basket

- Wear the goggles during the cutting of onions to prevent teary eyes.

code	packed per	
570906	1	

































RASPS

- Laser cut blades, high precision and extremely sharp.

code		mm
856352	Fine	35x220 / (L)390
856369	Coarse	35x220 / (L)390
856376	Ribbon	35x220 / (L)390

RASPS

- Laser cut blades, high precision and extremely sharp.

,g p		·
code		mm
856321	Coarse	65x135 / (L)315
856338	Ribbon	65x135 / (L)315
8563/5	Shaver	65x135 / (L.)315









443002





GRATER, FOUR-SIDED

code	mm	
443002	90x65x(H)200	

VEGETABLE CUTTER V-TYPE DOUBLE BLADED

- Made of stainless steel and black ABS.
- V-shaped main slicing blade, crinkled secondary slicing blade.
- Easy to adjust the slicing thickness of both blades.
- Foldable stand with rubber feet.
- Comes with two extra blades for julienne or french fries, 6 or 9 mm wide.
- Storage box included to safely store the blades.
- Polypropylene product holder with metal pins.

and a man	



VEGETABLE CUTTER V-TYPE

- Made of hard black PP and ABS
- Including 5 high quality stainless steel blades
- Foldable stand with rubber feet
- V-shaped main cutting blade
- Blades for julienne or french fries, 6 or 9 mm wide
- Adjustable slice thickness from 1-9 mm
- Product holder with metal pins
- Height 140 mm (with raised support)

•	• •
code	mm
222614	130x335x(H)75

















VEGETABLE CUTTER

- 2 blades for slicing (1 crinkle blade) and 3 blades for jullienne (5, 7, 10 mm).
- Sliding product holder and storage box for blades.
- With non-slip stand.



Comes complete with product holder, 5 blades and blade storage box


































TOMATO CUTTER

- Cuts tomatoes and other soft fruits into wedges.
- The sturdy legs with non slip feet leave room to place a bowl under the blades.
- Fitted with 6 serrated stainless steel blades.
- The pusher is spring loaded and has 2 handles.

	' '
code	mm
570166	360x300x(H)380



TOMATO SLICER

- Only for cutting tomato or soft vegetables/fruits.
- Slice thickness \pm 5 mm.
- Easy to clean.
- With suction cup feet.
- Screw tightening tools such as Hex socket wrench not included.

code	mm	
570159	432x202x(H)210	













FRENCH FRIES CUTTER

- Knives made of stainless steel.
- Comes with 4 blades: 6, 9 and 13 mm, as well as a knife for 8 parts.
- Mountable to working table or wall.
- Handle covered by plastic for easier pressing.
- Stainless steel mounting plate allows easy removal and cleaning.
- With rubber feet to hold firmly when using on table.

code	mm	
630402	430x168x(H)290	
630419	Knife for 11 mm thick fries	NEW!

































WOODEN BUTCHER BLOCK ON WOODEN BASE

- Made of beech wood
- Height wooden base: 700 mm

mm	code
500x400x(H)200	506011
500x400x(H)150	505694
400x400x(H)150	505625
400x400x(H)110	505618



WOODEN BUTCHER BLOCK WITHOUT BASE

- Made of beech wood

code	mm
505649	500x400x(H)200
505632	500x400x(H)150





POLYETHYLENE BUTCHER BLOCK

– Made of polyethylene HDPE500.

- Reinforced frame made of stainless steel.



code		mm
505687	set	500x400x(H)800
505663	block	500x400x(H)80
505656	block	500x400x(H)50
505670	stand	500x400x(H)750



513538

BUTCHER'S HOOK - SET OF 4

code	mm	
513538	90x4	
513545	110x5	
513552	130x5	
513569	150x6	

ROULADE STRING

- Spool with 100g of string
- Made of unbleached cotton
- About 85 m

code	packed per	
559208	1	

MEAT TENDERIZERS




MEAT TENDERIZING HAMMER

- Sturdy handle, flat surface for meat, fish and poultry.
- Extra heavy duty, weighs 750 grams

code	mm	
513019	Ø93x(H)290	





- Firm grip

code

- Spiked surface for pork and beef
- Plain surface for fish and poultry

code	length (mm)
513002	220

MEAT TENDERIZER PROFILINE

- Modern and effective tool for meat improvement, the interspaced vertical blades reduce the length of meat fibers.
- Perfectly tenderizes meat by softening the tissue and flattening meat at the same time.
- Marinating time can be reduced by up to 25%, because the surface area of the meat is significantly increased.
- During frying, the subtle perforation will allow sauces poured over the meat to penetrate.
- Soft springs, easier use, better result.

type

843451	51 blades	150x42x(H)118	
A	1000	11/	Y
			É
3	William III		2



51 stainless steel blades for cutting meat











K







CHIPS COLANDER ALUMINIUM





code	mm	
630006	Ø400x(H)170	







MEAT & CHIPS TRAY

code	mm
630303	470x310x(H)75



SAUSAGE CUTTER

code	mm
630716	200



SALT AND PEPPER SHAKER

- With screw cap





SALT AND PEPPER SHAKER

- With screw cap

With Sciew C	.up	
code		mm
630105	Salt shaker	Ø80x(H)195
630204	Pepper shaker	Ø65x(H)105






GREASE FILTER FOR DEEP FRYER

– Made of rayon (synthetic silk).

code	packed per	mm
632802	50	254x254







Ø250x(H)200

BUCKET

632901

– With lid

– Suitable as fat storage bucket

code	liter	mm
196007	11,5	Ø290x(H)220





[]


























- Fill opening 70 mm
- Left and right handed

code

PC	
polycarbonate	





FRENCH FRIES FUNNEL SCOOP

- With detachable handles
- Fill openin

code

- Left and ri

	mm		
ight handed		stainless steel	
ng 75 mm		3.3.	
criable rialiules		CC	



FAT SKIMMER - FINE MESH

- With wire handle

code	mm	
646205	Ø125x350	
646304	Ø150x430	



- With wire handle and fastening clip

code	mm	
646601	Ø80/Ø100x395	





































BUCKET WITH REINFORCED BASE

.	G	ra	d	u	a	t	e	d

code	liter	mm
516676	7	Ø230x(H)245
516683	10	Ø280x(H)245
516706	12	Ø300x(H)310
516720	15	Ø305x(H)310





code	suitable for	mm
516690	516683	Ø280
516713	516706	Ø300
516737	516720	Ø305





Wide, reinforced base for stability and hygiene



BUCKET

code	liter	mm
516744	12	Ø310x(H)300



CLOTH STRAINER

- 100% Cotton.
- Washable up to 95°C.

code		mm
556719	1 on card	700x700



code mm **518700** Ø120



WATER KET	TLE - WITH LID	S.S. stainless steel gas only	
code	liter	mm	

6



Ø245

ELECTRIC KETTLE - 4,2 L

624302

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.

code	liter	٧	W	mm
209998	4,2	230	2000	340x234x(H)290



402704	0,3	נווןחואטיש
4		-
Ra		567616
		PP
FUNNEL		polypropylene

mm

Ø100 Ø127

Ø150



ELECTRIC KETTLE - 1,8 L

567616

- Housing and heating element made of 304 stainless steel.
- Handle, lid and base made of polypropylene.
- 360-degree swivel base.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- External water level indicator.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.
- Only suitable for boiling water, boiling other liquids will damage the appliance.

code	liter	V	W	mm	
209981	1,8	230	1800	221x163x(H)249	






































SERVING TONGS

code	packed per	length (mm)
171028	2	240
171127	2	300





SERVING TONGS CURVED

70

code	length (mm)	
171417	240	
171516	300	



MHENDI





固

园



MULTIPURPOSE TWEEZERS

- Suitable for e.g. turning deep frying products.

code	length (mm)
680018	300
680025	230
680032	215
680049	160

TWEEZERS, CURVED

•		
code	length (mm)	
680056	305	
680063	240	
680070	160	

TWEEZER WITH ROUND HEAD

code	length (mm)	
680124	150	

SUSHI TWEEZERS

code	length (mm)
680087	210
680094	160



680087

FISH BONE TWEEZERS

code	length (mm)
680117	120
680100	130





UNIVERSAL TONGS

- With fastening clip.

– Detachable.

code	length (mm)
524008	280

UNIVERSAL TONGS WITH TEFLON COATING

– With fastening clip.

code	length (mm)
524039	280



LADLES & TURNERS, HEAT RESISTANT





园



COOKING SPOON

code		mm
563304	open	48x(L)300
563311	closed	48x(L)300



TURNER

_				
	code		mm	
	563335	slotted	70x(L)310	
	563328	closed	70x(L)310	





ROASTING SHOVEL

code	mm	
563359	78x(L)300	













SCRAPER

- With wooden handle.



code	mm
855119	118x100x(L)251

SCRAPER

PP	S.S.	
polypropylene	stainless steel	wash

code	mm	
855713	80x108x(L)251	

GRIDDLE SCRAPERS

855676

855669



855652

855737

855720

HAMBURGER TURNER – With wooden handle







code	mm
855508	120x75x(L)280
855607	150x110x(L)305

HAMBURGER TURNER



code	mm
855676	100x76x(L)270
855652	140x105x(L)308

TURNER FLEXIBLE



code	thickness (mm)	mm
855669	1,2	325x95
855737	1	360x73

TURNER FLEXIBLE,







code	thickness (mm)	mm
855720	1	370x73










固





SCRAPER

- ABS handle
- Blade made of synthetic rubber

blade made of synthetic rubber		
code	mm	
659205	52x90x(L)257	
659304	70x116x(L)358	
659403	70x116x(L)410	

SCRAPER

- ABS handle.
- Silicone blade.



code	mm
659014	55x90x(L)265
659007	70x105x(L)350
659106	70x105x(L)420



SCRAPER

- Handle made of glass-fiber reinforced nylon.
- Blade made of natural rubber.
- Only suitable for cold food preparation.

code	mm
658604	55x90x(L)250
658703	55x90x(L)320
658802	55x90x(L)420
658901	100x150x(L)520

SCRAPER SPOON SHAPED

- ABS handle.
- Blade made of synthetic rubber.



code	mm
659458	57x88x(L)254
659465	75x117x(L)357
659472	75x117x(L)408





KITCHEN SPOON PBT

code	mm	
563007	Ø70x380	
563106	Ø80x450	
563205	Ø105x600	















SPOON EXOGLASS

– Made of Exoglass material

code	mm	
659700	300	
659809	380	



- Made of wood.

- Set of 3 different sizes



code	mm	
525005	300-350-400	







– Wood		wash
code	packed per	mm
525142	4	300



SPATULA	polyamide
code	mm
658000	280



SPATULA	polyamide temp wash
code	mm
659601	320



SPATULA	
 Slotted 	

Made of eventors of

- Made of exoglass plastic		
code	mm	
659502	300	





园





















LADLES & SKIMMERS PROFILINE

- Professional, seamless one piece, in accordance with HACCP standards
- Heavy-duty stainless steel
- Thickness 2,7 mm





540602




- With non-drip pouring rim.

code	liter	Dimensions (mm)
540107	0,05	Ø60x300
540305	0,125	Ø80x320
540404	0,25	Ø100x400
540503	0,35	Ø120x450
540602	0,75	Ø145x440
540701	1	Ø165x480



540701

Non-drip pouring rim





BASTING SPOON

code	Dimensions (mm)
542606	100x65x430

VEGETABLE SPOON

code	Dimensions (mm)	
542507	100x65x480	

CARVING FORK

code	Dimensions (mm)
542705	35x350

SPATULA

code	Dimensions (mm)	
542200	100x110x510	



542200

LADLES & SKIMMERS KITCHEN LINE

- Seamless, one piece
- In accordance with HACCP standard





527207

527306

528105

528204

526118

52

526101

526200

526309

LADLE

code	liter	mm
527108	0,05	Ø60x300
527207	0,18	Ø90x360
527306	0,21	Ø100x380

SKIMMER

code	mm
528105	Ø90x370
528204	Ø115x430

SLOTTED SPATULA

JEOTTED STATULA			
	code	mm	
	526118	340	

SPATULA

526101	3//U	
320101	340	

CARVING FORK

code	mm	
526200	35x350	

VEGETABLE SPOON

code	mm	
526309	325	

































FRENCH WHISK

- 8 heavy stiff wires, with eyelet.
- Wire thickness: 2,2 mm.

code	mm
510001	250
510100	300
510209	350
510308	400
510407	450
511503	500
511602	550
511701	600









FRENCH WHISK WITH PP HANDLE

- 8 heavy stiff wires, with eyelet.
- Wire thickness: 2 mm.

code	mm
509012	230
509005	250
509104	300
509203	350
509302	400
509401	450










code	mm	
856109	160	








Very

flexible



code	mm
532003	200
532102	250
532201	300
532300	350

Wire thickness:

1,4 mm



PIANO WHISK

- 12 flexible piano wires.
- Polypropylene handle with eyelet.
- Wire thickness: 1,4 mm

1111 C (111C)(11C)35. 1,4 11		
code	mm	
509418	230	
509425	250	
509432	300	
509449	350	
509456	400	
509463	450	



PIANO WHISK

- 12 flexible piano wires.
- Stainless steel handle with eyelet.

	·	
code	mm	
511718	250	
511725	300	
511732	350	
511749	400	
511756	450	



































517604 517307 517109

KITCHEN BOWL

BOWLS

code	liter	mm
530108	0,8	Ø160x(H)63
530207	1,3	Ø205x(H)70
530306	1,6	Ø225x(H)83
530405	2,3	Ø250x(H)84
530504	3,1	Ø280x(H)99
530603	5,0	Ø315x(H)108
530702	6	Ø345x(H)118

MIXING BOWL - WITH ROUNDED BASE

= =		
code	liter	mm
517109	0,7	Ø158x(H)55
517208	1,4	Ø197x(H)68
517307	2,3	Ø240x(H)88
517406	3,3	Ø259x(H)92
517604	4,9	Ø300x(H)118



VEGETABLE STRAINER

- Fine wire mesh and wooden presser.
- With support and wire handle.

18/10	
stainless steel	wash

code	mm
647592	ø200x390



Fitted with 2 scraping wires on the bottom



515501

- Perfect for preparation of cream soups and tomato sauces.

- Including 2 straining discs (Ø140mm), coarse and fine.

code 515501 Ø200x(H)110/195

CONICAL STRAINER



CONICAL STRAINER, WIRE MESH – Fine wire mesh with wire handle

code	mm
647516	Ø160x355
647509	Ø180x395



18/10

stainless steel



CONICAL	STRAINER	

code	mm	
547304	Ø185x350	
547502	Ø235x395	




































SIEVE

- With wire handle





code	mm
635001	Ø120x280
635155	Ø160x320
635209	Ø180x340
635308	Ø200x360
635407	Ø230x400
635605	Ø250x435



mesh size

0,5x0,5 mm

638309

638507



– Wooden handle

code

- Reinforcing bracket



Ø260x570

Ø310x800

Ø360x860







code	mm
638309	Ø100x250
638507	Ø150x345
638705	Ø200x400
638903	Ø250x455



638705

SIEVE

638903

- With wire handle



code	mm
637104	Ø160x305
637203	Ø180x325
637302	Ø200x360
637401	Ø220x380
637500	Ø240x410
637609	Ø260x440

COLANDERS

COLANDER PROFILINE

- With base and 2 riveted handles		(Stallitess steet) (Wasii
code	mm	
535509	Ø320x(H)180	
535516	Ø360x(H)200	
535523	Ø400x(H)220	







S.S.



COLANDER PERFORATED

- With base and 2 handles.

	_	
code	mm	
535295	Ø160x(H)65	NEW!
535400	Ø235x(H)85	
535417	Ø285x(H)115	
535424	Ø315x(H)120	



535301

- With base and 2 handles	stainless steel wash
code	mm
535103	Ø240x(H)110
535202	Ø280x(H)135

Ø340x(H)160



COLANDER SQUARE PERFORATED

– Square model, with base and 2 handles

- Square model, with base and 2 handles.		
code	mm	
535271	169x169x(H)55	
535288	218x218x(H)70	



COLANDER PERFORATED

– With base and 2 handles.

code	mm
535431	Ø180x(H)90
535448	Ø220x(H)110
535455	Ø260x(H)140































MEASURING JUG POLYPROPYLENE





code	liter	mm
567104	0,5	Ø90x(H)140
567203	1	Ø110x(H)170
567302	2	Ø140x(H)215
567401	3	Ø160x(H)240
567500	5	Ø190x(H)270



MEASURING JUG STACKABLE



- Scale embossed in the side of the jug.
- Shape of the handle allows multiple jugs to be stacked.

code	liter	mm
567821	1	Ø125x(H)172
567838	2	Ø147x(H)215
567845	3	Ø172x(H)241
567852	5	Ø215x(H)271



MEASURING JUG STAINLESS STEEL



– Heavy duty.

code	liter	mm
516102	0,5	Ø90x(H)110
516201	1	Ø120x(H)135
516300	2	Ø140x(H)175



SCOOP ALUMINIUM





code	liter	length (mm)
521205	0,125	180
521304	0,2	205
521403	0,3	245
521502	0,5	265
521601	0,65	310
521809	2	390



SCOOP POLYPROPYLENE



code	liter	length (mm)
562000	0,125	187
562017	0,25	250
562079	0,65	330









KITCHEN SCALE 15 KG

- Weighs up to 15.000g with gradation of ±1g with a minimum of 2g.
- Seamless stainless steel surface, housing Seamless stainless steel surface with made of HIPS plastic with integrated display.
- High precision strain gauge sensor for accurate measurements.
- Readout in grams.
- Touch control with on-off and tare buttons.
- With auto tare, overload and low power indication.
- Auto power off

- Stainless steel surface

code

580301

- Powered by 2 AAA batteries, included

range

100 kg(220lb)

- Operation through separate digital display with 4 buttons - With power saving LCD display with battery indicator

gradation

50 g(2oz)

- Powered by 3 AAA batteries (not included).

code	range	gradation	mm
580233	15 kg	1 g	266x269x(H)34

KITCHEN SCALE

- Weighs up to 5000g with gradation of ±1g with a minimum of 20g.
- build in digital display.
- High precision strain gauge sensor for accurate measurements.
- Readout in g, kg, oz or lb'oz.
- Touch control with on-off/tare and unit buttons.
- With auto tare, overload and low power indication.
- Auto power off, powered by 2 CR2032 Lithium batteries, included.

code	range	gradation	mm
580226	5 kg	1 g	200x151x(H)11

DIGITAL SCALE

- With integrated timer
- ABS housing with stainless steel tray
- Powered by 9V alkaline battery, not included

code	range	gradation	mm
580004	5 kg	1 g	170x215x(H)55





SCALE

- Including Ø 200 mm bowl

code	range	gradation	mm
980033	2 kg	10 g	210x140x(H)255



300x255x(H)42

























Thermometers









	Infrared thermometer	Infrared pocket thermometer	Shock proof thermometer with probe	Fast response thermometer	
Code	271148	271223	271407	271230	
Unit	°C/°F	°C/°F	°C/°F	°C/°F	
Reaction time	quick	quick	medium	quick	
Temperature min.	-32°C	-55°C	-50°C	-50°C	
Temperature max.	400°C	220°C	300°C	350°C	
Accuracy	± 1,5°C	± 2°C	± 1°C	± 0,8°C	
Gradation	0,1°C	0,1°C	0,1°C	0,1°C	
Hold function	✓	✓	✓	✓	
Probe length			213 mm	130 mm	
Probe material			stainless steel	stainless steel	
Suitable for use in the oven					
Waterproof			splash proof	✓	
Auto off	✓	✓	✓	✓	
Battery included	✓	✓	✓	✓	
Additional information	Distance and spot size ratio 12:1 Laser pointer for accurate measurement target.	Distance and spot size ratio 1:1	Min / Max temperature function. With table stand, including protection case.	IP65 waterproof. With probe cover.	











Thermometer with foldable probe	Pocket thermometer with probe	Waterproof thermometer	Roasting thermometer/timer
271308	271209	271162	271346
°C / °F	°C/°F	°C/°F	°C
medium	medium	medium	slowly
-50°C	-40°C	-50°C	0°C
300°C	200°C	300°C	300°C
± 1°C	± 1°C	± 1°C	± 1°C
0,1°C	0,1°C	0,1°C	1°C
✓	✓	v	✓
110 mm	65 mm	120 mm	150 mm
stainless steel	stainless steel	stainless steel	stainless steel

only probe

		~	
✓	✓	✓	✓
~	✓	✓	✓

Min / Max temperature function.

With probe cover.

Measures temperature in one second. With cover and ergonomic handle.

With timer function. With temperature alert setting.





	Oven thermometer	Refrigerator thermometer	Pocket thermometer	Steak thermometer	Refrigerator thermometer	Refrigerator thermometer	Milk frothing thermometer
Code	271179	271186	271216	271339	271117	271124	271247
Unit	°C	°C	°C	°C	°C	°C	°C
Reaction time	slowly	slowly	medium	slowly	slowly	slowly	slowly
Temperature min.	50°C	-50°C	0°C		-40°C	-50°C	-10°C
Temperature max.	300°C	25°C	100°C		40°C	50°C	110°C
Gradation	10°C	10°C	1°C		1°C	1°C	1°C
Probe length			127 mm	50 mm			140 mm
Probe material			stainless steel	stainless steel			stainless steel
Suitable for use in the furnace	✓			•			
Additional information	With special hook and support. Easy to read.	With special hook and support. Easy to read.	Probe cover with clip.	With indication rare-medium-well done.	Fitted with hook to hang from	Fitted with hook to hang from	With clip to fasten the thermometer to the milk jug

































THERMOMETER WITH FOLDABLE PROBE

- Temperature range from -50° to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°C, accuracy 1°C between 0° and 100°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- With foldable 110 mm long stainless steel probe.
- Turns off automatically after 60 minutes.
- Battery included.

code	range	mm
271308	-50/300°C	150





- Laser pointer for accurate target aiming.
- Measuring range -32°C to 400°C.
- Gradation 0,1°C, accuracy ±1,5°C/±1,5%.
- Distance spot ratio 12:1.
- Lock mode for continuous temperature monitoring.
- Turns off automatically.
- Battery included.



INFRARED POCKET THERMOMETER

- Measuring range -55°C to 220°C.
- Unit of measurement °C or °F.
- Gradation 0,1°C, accuracy ±2%/2°C.
- Distance spot ratio 1:1, must be held close temperatures.
 to the surface to be measured.
 Min/max temp
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- Turns off automatically.
- Battery included.



ROASTING THERMOMETER/TIMER

- With timer function.
- Temperature range from -50°C to 250°C .

- Unit of measurement °C or °F.
- Gradation 1°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- Temperature alert setting.
- 150 mm stainless steel probe suitable for the oven (heat resistant).
- Battery included.

code	range	mm
271148	-32/400°C	37x70x(H)150

code	range	mm
271223	-55/220°C	22x39x(H)115

code	range	mm
271346	-50°C to 250°C	65x70x(H)17





271230

Provides fast and accurate temperature reading





FAST RESPONSE THERMOMETER

- Provides fast and accurate temperature readings.
- IP65 waterproof.
- Measuring range -50°C to 350°C, unit of measurement °C or °F.
- Gradation 0,1°C, accuracy ±0,8%/0,8°C.
- Hold function saves momentary temperature.

-50/350°C

204x42x(H)20

- 130 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

271230

POCKET THERMOMETER WITH PROBE

- Temperature range -40°C to 200°C.
- Unit of measurement °C or °F.
- Gradation 1°C.
- Accuracy ± 2°C.
- Hold function saves momentary temperature.

-40/200°C

- 65 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

271209

WATERPROOF THERMOMETER

- Waterproof.
- Temperature range -50°C to 300°C.
- Gradation 0,1°C between -19,9°C and 199,9°C, for other temperature ranges
- Accuracy 1°C between -20°C and 100°C, for other temperature ranges ± 2°C.
- Lock mode for continuous monitoring of temperatures.
- 120 mm stainless steel probe.
- Measures temperature in one second.
- With cover and ergonomic handle.
- Turns off automatically after 10 minutes.
- Battery included.

mm	code	range	mm
20x150	271162	-50/300°C	50x290



- Splash proof.

271407

- Temperature range -50°C to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°, accuracy 1°C between -30°C and 150°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- 213 mm removable stainless steel probe.
- Turns off automatically.
- With table stand, including protection case.
- Battery included.

code	range	mm
271407	-50/300°C	85x195x(H)45
2/140/	00,000	00/17/0/(11)10



POCKET THERMOMETER

- Temperature range: from 0°C to 100°C .
- Gradation 1°C.
- 127 mm stainless steel probe.
- Probe cover with clip.
- Easy to read.

code	range	mm
271216	0/100°C	Ø44,5x140

M HENDI

STEAK THERMOMETER

- With indication rare-mediumwell done.
- 50 mm stainless steel probe.
- Suitable for use in the oven.





































OVEN THERMOMETER

- Temperature range from 50°C to 300°C.
- Gradation 10°C.
- Stainless steel housing with special hook and support.

– Easy to read.				
code	range	mm		
271179	50/300°C	Ø60x(H)70		

REFRIGERATOR THERMOMETER

- Temperature range from -50°C to +25°C.
- Gradation 2,5°C.
- Stainless steel housing with special hook and support.

range

-50/25°C

- Easy to read. code

271186

k	– Gradation 1°C.	
	– Easy to read.	

range

-50/50°C

Ø72x21

REFRIGERATOR THERMOMETER

- Temperature range -50 °C to 50 °C.

- With hook.

code

271124

Ø60x(H)70







- milk jug.
- Green marking indicates the ideal milk temperature for cappuccino etc.
- Temperature range -10 to 110°C.
- Gradation 1°C.
- Stainless steel probe with protective cover.
- Easy to read.

code	range	mm
271247	-10/110°C	Ø44x140

271117

REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -40 to 40 °C.
- Graduation 1°C.

271117	-%U/%U°C	23×150×(H)9
code	range	mm



271155

With clip

Magnetic






DIGITAL KITCHEN TIMER

- With magnetic clip
- 99 min 59s count down
- code

271155



67x(H)67





582022

With stand and magnet

code

582022



DIGITAL KITCHEN TIMER



582015

ANALOG KITCHEN TIMER

- Max. 60 minutes
- Accurate to 1 minute
- Magnetic rear

code

- Red marking indicates remaining time
- Well visible from a distance







CONFECTIONERY FUNNEL KITCHEN LINE

- With ergonomic handle, design of stop valve ensures a tight seal.
- With three different nozzles (Ø 4, 5 and 6 mm).
- Designed for dosing sauces of various consistency and decorating of dishes and confectionery.
- With wire stand.

code	liter	mm
551813	1,5	270x195x270





With three different nozzles (2, 4 and 6 mm)





CONFECTIONERY FUNNEL PROFILINE

- Ergonomic handle made of polypropylene.
- Design of stop valve ensures a tight seal.
- With three different nozzles (Ø 2, 4 and 6 mm).
- Wire stand and dripping dish.
- Designed for dosing sauces of various consistencies and decorating of dishes and confectionery.

code	liter	mm
551806	1,5	Ø190x(H)220



































KITCHEN TOOLS

DISPENSER BOTTLES

- Bottle made of polyethylene, cap made of polypropylene.
- The cap helps the sauce stay fresh and maintains hygiene









DISPENSER BOTTLES

code	packed per	colour	liter	mm
558003	1	yellow	0,20	Ø50x185
558010	1	red	0,20	Ø50x185
558027	1	transparent	0,20	Ø50x185
557808	1	yellow	0,35	Ø55x205
557815	1	red	0,35	Ø55x205
557822	1	transparent	0,35	Ø55x205
557907	1	yellow	0,70	Ø70x240
557914	1	red	0,70	Ø70x240
557921	1	transparent	0,70	Ø70x240

DISPENSER BOTTLE SETS

code	packed per	colour	liter	mm
558034	3	yellow	0,20	Ø50x185
558041	3	red	0,20	Ø50x185
558058	3	transparent	0,20	Ø50x185
557839	3	yellow	0,35	Ø55x205
557846	3	red	0,35	Ø55x205
557853	3	transparent	0,35	Ø55x205
557938	3	yellow	0,70	Ø70x240
557945	3	red	0,70	Ø70x240
557952	3	transparent	0,70	Ø70x240





HOTDOG STAND

- Quality finish.
- 2 dispenser bottle slots and 2 hotdog slots.
- Suitable for Hendi Dispenser bottles 70 cl.

code	mm	
630648	260x110x(H)118	

18/0







DISPENSER BOTTLES

- Bottle made of polyethylene, cap made of polypropylene.
- The design of the bottle and the flexible material makes dispensing effortless.
- Cap closes securely and ensure freshness and hygiene.
- The small opening insures that sauce doesn't drip out when the bottle is held upside down.







558324





558447



DISPENSER BOTTLE EASY SQUEEZE

code	packed per	colour	liter	mm
558324	1	Transparent	0,20	Ø60x(H)170
558386	1	Transparent	0,30	Ø65x(H)190
558447	1	Transparent	0,60	Ø75x(H)240

DISPENSER BOTTLE SETS EASY SQUEEZE


code	packed per	colour	liter	mm
558355	3	Transparent	0,20	Ø60x(H)170
558416	3	Transparent	0,30	Ø65x(H)190
558478	3	Transparent	0,60	Ø75x(H)240



SAUCE STAND

- Quality finish.
- With 3 holes.







































FOOD RING ROUND

(1)

512302

9

512210

512159

512234

- Perfect for plating food in refined shapes.

	'	<u>'</u>	
code		mm	
512135		Ø60x(H)45	
512104		Ø70x(H)45	
512302		Ø90x(H)45	







- Perfect for plating food in refined shapes.

code		mm
512142	food ring	Ø80x(H)45
512159	food ring	Ø100x(H)45
512203	pusher	Ø80
512210	pusher	Ø100




FOOD RING AND PUSHER SQUARE

- Perfect for plating food in refined shapes.

code		mm
512166	food ring	65x65x(H)45
512173	food ring	80x80x(H)45
512227	pusher	65x65
512234	pusher	80x80

18/0







512135

512203

512142

512227

(1)

(1)

512166







SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with integrated filter.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

code	mm
199961	Ø68x(H)158

GLASS DOME

 Ideal to use in combination with the smoke infuser, create a spectacular way to present dishes to customers.

code	mm
199978	Ø245x(H)150



SMOKING GUN PRO - SAGE COMMERCIAL

- The smoking gun pro allows you to infuse a variety of foods and drinks with natural smoky flavours like applewood & hickory without adding any heat.
- Removable stainless steel combustion chamber and smoking barrel, can't be melted by blowtorch use and prevents resin build up.
- The 50 cm flexible rubber hose is easy to install and remove.
- Heavy-duty removable fan will not melt when heated. Fan can be removed for cleaning with the supplied Allen key.
- Efficient, low-noise motor with air flow adjustment knob.
- Runs on 4 AA batteries (included).
- Includes two 1/2 OZ sample jars of PolyScience® Hickory and Apple Wood Smoking Sawdust.

code	mm
199985	150x80x(H)165









































Can safely be kept warm in the bain marie





CREAM WHIPPERS

- and ice cream
- Suitable for dispensing warm creams and sauces up to
- Keeps contents fresh for up to 14 days in the refrigerator
- Includes 3 stainless steel nozzles and a cleaning brush
- Requires cream charger (N_2O) to operate, not included

code	liter	mm
588017	0,5	Ø85x(H)235
588024	1	Ø98x(H)330
589205	spare parts	







NEW!

THERMO CREAM WHIPPER

- Bottle and head made of high quality stainless steel, designed for professional use.
- Versatile whipper for preparation of a wide range of hot and cold creams, foams, mousses, soups etc. etc.
- The whipper can be kept warm in hot water up to $70\,^{\circ}$ C.
- Double-walled bottle insulates the contents, keeping it hot or cold for hours.
- Includes a set of 3 nozzles, of which 2 are stainless steel and 1 is polypropylene, and a cleaning brush.
- Requires cream charger (N_2O) to operate, not included.

code	liter	mm
588147	0,5	Ø105x(H)278



DECORATING AND INJECTOR TIPS

- Ideal for decoration, filling, injections and marinating.
- Set of 4 stainless steel tips:
 - 1 long injector tip Ø3 mm
 - 1 long injector tip $\emptyset 5 \ mm$
- 1 short injector tip Ø3 mm
- 1 short injector tip Ø5 mm
- Only suitable for use with Hendi Profi Line cream whippers.

code		
589106		



FUNNEL WITH SIEVE

- Makes it easy to add ingredients to the cream whipper without clumps.
- Set of funnel and sieve.
- Funnel fits on the cream whippers perfectly.

code	mm
589113	Ø160x(H)90x(L)340









588147

Max 0.5L

mosa





























CREAM WHIPPER KITCHEN LINE

- Aluminium head, white coated aluminium bottle and cream charger holder.
- Set of 3 polypropylene nozzle, as well as a cleaning brush.
- Not suitable for hot sauces.
- Requires cream charger (N_2O) to operate, not included.

code	liter	mm
588031	0,25	Ø80x(H)200
588369	0,5	Ø80x(H)260
588376	0,95	Ø95x(H)320
589007	sp	are parts



CREAM WHIPPER KITCHEN LINE BLACK

- Matte black coated aluminium bottle, head and cream charger holder.
- Set of 3 polypropylene nozzle, as well as a cleaning brush.
- Not suitable for hot sauces.
- Requires cream charger (N_2O) to operate, not included.

code	liter	mm
588420	0,5	Ø80x(H)260





code	order unit	packed per
588208	36	10
588215	25	24
586907	12	50







固

园





ICE CREAM SCOOP STÖCKEL





code	liter	mm
755006	1/4	Ø 100
755013	1/8	Ø 80
755020	1/10	Ø 70
755037	1/12	Ø 67
755044	1/16	Ø 59
755051	1/20	Ø 56
755068	1/24	Ø 51
755075	1/30	Ø 49
755082	1/36	Ø 47
755099	1/40	Ø 45
755105	1/50	Ø 43
755112	1/60	Ø 40
755143	1/100	Ø 30





ICE CREAM SCOOP STÖCKEL

- Fiberglass-reinforced nylon handle
- Easier identification of portion

code	liter	mm
755334	1/12	Ø 67
755341	1/16	Ø 59
755358	1/20	Ø 56
755365	1/24	Ø 51
755372	1/30	Ø 49
755389	1/36	Ø 47
755396	1/40	Ø 45





	STOCKEL

ICE CREAM DIPPER STÖCKEL

- With ceramic coating and extra long

ICE CREAM DIPPER STÖCKEL - With extra long handle

code	liter	mm	handle					
755556	1/20	Ø 56x120	code	liter	mm	code	liter	mm
755563	1/24	Ø 51x120	755686	1/20	Ø 56x170	755655	1/20	Ø 56x170
755570	1/30	Ø 49x120	755693	1/30	Ø 49x170	755679	1/30	Ø 49x170

































ICE CREAM SPATULAS WITH TRITAN GRIP

code	colour	mm
755808	blue	260
755815	red	260
755822	yellow	260
755839	purple	260









ICE CREAM CONES STAND

– Fits 3 cones





Ø49x225

18/10



– With extra long handle

759301

- Filled with oil, ice-cream slides off more easily

1/30

•	
	759301































- The highest professional quality.
- 0.8 mm thick.
- Very solid design.
- Smooth edges, easy to clean.
- Can be used in freezers.

code	liter	mm
802021	6,5	360x165x(H)150
802038	5	360x165x(H)120
802045	3,6	360x165x(H)80
802052	5	360x250x(H)80

ICE CREAM CONTAINER KITCHEN LINE

- Very solid design
- Smooth edges, easy to clean
- Can be used in freezers

liter	mm
5	360x165x(H)120
	5



ICE CREAM CONTAINER POLYPCARBONATE

102 OKEAN CONTAINEN TOETT CARBONALE			
code	colour	mm	
807026	transparant	360x165x(H)120	
807033	black	360x165x(H)120	
807057	transparant	360x250x(H)80	
807071	black	360x250x(H)80	



ICE CREAM CONTAINER LID POLYCARBONATE

- Suitable for polycarbonate ice cream containers.

code	mm
807088	360x165
807095	360x250












ICE CREAM MAKER



- 2L ice cream container made of stainless steel.
- Air-cooled compressor with temperature range: -10 $^{\circ}$ C to -35 $^{\circ}$ C.
- With 2 hours cooling extension function to help keep the ice's consistency after it's ready.
- Prior chilling of ingredients not necessary.
- Large, back-lit digital display showing working time, freezing temperature and motion of the mixer.
- Easy to mount mixing paddle made of polypropylene.
- Transparent polycarbonate lid with "Twist-Lock" safe close system.
- Refrigerant: R600a.

code	V	W	mm
274231	230	180	272x315x(H)362





Easy to operate



Large 2 liter

ice cream

container



Measuring

included

cup and spoon































- Cotton, inside coated with polyurethane.
- With a tag.
- Suitable for cleaning in boiling water.

code	packed per	mm
550120	2	300
550229	2	350
550328	2	400
550427	2	450
550526	2	500



PASTRY BAG

- Made of seamless super nylon.
- Heavy duty, with a hang tag.
- Suitable for cleaning in boiling water.



	•	
code	packed per	mm
550106	1	300
550205	1	350
550304	1	400
550403	1	450
550502	1	500



WALL RACK FOR PASTRY BAGS

 With 4 slots for hanging icing bags, 31 supports for storing icing tips, 7 hooks to hang tools like spatula's and a small rack for little accessories.

code			
550113			



PASTRY BAG

- Disposable.
- Suitable for hot and cold preparation.
- Meets hygienic HACCP standards.
- Material thickness 80 micron.
- Roll of 100 in box.

code		mm
557112	transparent	445x220
557105	transparent	530x285



PASTRY BAG ANTI SLIP

- Biodegradable disposable bags.
- Suitable for hot and cold preparation.
- Meets hygienic HACCP standards.
- Material thickness 80 micron.
- Roll of 100 in box.

code		mm
557303	blue - anti slip	515x280



ICING TIPS - SERRATED

- Set of 5 sizes.



code	mm	
551790	Ø 6-8-10-12-14	

ICING TIPS - SMOOTH



- Set of 5 sizes.

code	mm
551691	Ø 2-4-6-8-10

ICING TIPS SET FLOWER & PETAL

- Set consist of 5 icing tips for decorating:
 - 2 closed Star tips
 - 1 drop Flower tip
 - 1 french Star tip
 - 1 v-shaped tip






code		
551202		

ICING TIPS SET FILLING & DECORATING

- Set consist of 5 icing tubes for:
 - Filling
 - Macarons
 - Decorating
 - Basket weave
 - Writing







551110

ICING TIPS - SERRATED



- Set of 7 sizes. code mm Ø 3-5-7-9-11-13-15



ICING TIPS - SMOOTH






code	mm	
551011	Ø 5-7-9-11-13-15-17	





ICING TIPS - ASSORTED

- Set of 12 different icing tubes in a storing box.





551417

ICING TUBES - ASSORTED

code





551691

551790

Ø8

Ø4

Ø6



M













- Made of blue polystyrene.
- Comes with storage box.















FOOD RING AND PUSHER SQUARE

code		mm
512166	food ring	65x65x(H)45
512173	food ring	80x80x(H)45
512227	pusher	65x65
512234	pusher	80x80

FOOD RING AND PUSHER ROUND

- Perfect for plating food in refined shapes. - Perfect for plating food in refined shapes. - Perfect for plating food in refined shapes.

512142 food ring	Ø00-(U)/F
312142 1000 mily	Ø80x(H)45
512159 food ring	Ø100x(H)45
512203 pusher	Ø80
512210 pusher	Ø100

FOOD RING ROUND

code	mm
512135	Ø60x(H)45
512104	Ø70x(H)45
512302	Ø90x(H)45



BABA MOULD

code		mm
689608	With rolled rim	Ø 70x(H)68
689806	with smooth rim	Ø 70x(H)68

DARIOLE MOULDS

code	packed per	mm
518519	3	Ø60x(H)45
518533	3	Ø85x(H)50











PASTRY CUTTER SET

– 14-piece set, round model

code		mm
673416	with plain edge, on card	Ø 19-112
674413	with serrated edge, on card	Ø 18-108


BUTTER AND FAT BRUSH FLAT

- With stainless steel bristles.

- High temperature resistant.

code	mm
515389	25x200
515396	50x220









- With wooden handle

BUTTER AND FAT BRUSH FLAT

code	packed per	mm
515228	2	20x210
515327	2	40x210







BUTTER AND FAT BRUSH FLAT SILICONE

- With polypropylene handle

1 71 17		
code	mm	
515358	35x235	
515365	50x235	



























DOUGH CUTTER & SCRAPER



DOUGH SCRAPER

- Trapezoidal packed per



DOUGH SCRAPER FLEXIBLE

- Semi-circular

	code	packed per	mm	
	554166	6	120x88	







DOUGH SCRAPER

- Rectangular

- Nectangulai				
code	packed per	mm		
554364	6	120x96		



5 WHEEL DOUGH CUTTER

- Cutting width can easily adjusted.

- With 5 smooth Ø55 mm stainless steel cutting wheels.

515044

DOUGH CUTTER

- Stainless steel with polypropylene handle

code	mm
855751	150x110

DOUGH CUTTER







NON-STICK BAKING MATS, GRIDS & PAPER



BAKING MAT NON-STICK SILICONE

code	thickness (mm)	mm
677834	0,7	300x400
677810	0,7	530x325
677827	0,7	600x400







677834

677810

677827













for flour and meal

for breadcrumbs





BAKERS' SIEVE

- With hanging loop.

code		mm int.	mm
637791	for powdered sugar	Ø247	Ø250x(H)75
637807	for flour and meal	Ø247	Ø250x(H)75
637814	for bread-crumbs	Ø247	Ø250x(H)75
637821	for powdered sugar	Ø407	Ø410x(H)80
637838	for flour and meal	Ø407	Ø410x(H)80
637845	for bread-crumbs	Ø407	Ø410x(H)80































SILICONE BAKING MOULDS

- Made of 100% non-stick silicone coating
























SEM	II-SPHE	RE

code	mm	per mould		
676202	Ø 70x32(H)	6		


TARTELETTE

code	mm	per mould
676509	Ø 50x17(H)	15

MADELEINES


code	mm	per mould	
676707	70x47x17(H)	9	






mm Ø 80x40(H)









BRIOCHET	ΤE
code	

676806

MINI-MUFFINS


per mould

1141 14101 1		
code	mm	per mould
676905	Ø 53x30(H)	11

MINI-CAKE

code	mm	per mould
677001	80x30x33(H)	9
















MINI-MADELEINES

CANNELE BORDELAIS

code	mm	per mould	code	mm	per mould	code	mm	per mould
677209	Ø 69x40(H)	6	677308	42x29x11(H)	20	677506	Ø 54x48(H)	8




ROLLING PIN

- With slide bearings

code	weight (kg)	mm
515006	1,8	Ø 65x250/470







ROLLING PIN

- Stainless steel with non-stick coating
- With slide bearings
- Including chrome-plated storage stand

code	weight (kg)	mm
515013	1,65	Ø 65x250/470









T



















WOODEN ROLLING PIN

- With ball bearings.

	3	
code	weight (kg)	mm
515020	1.6	Ø75x380/590





DOUGH DOCKER

- 60 mm wide roller with 32 long durable plastic spikes to handle thick doughs.
- Can be used on both pastry and pizza dough.
- Use it to prevent undesired rising or blistering.





CRÈME-BRÛLÉE BURNER ANTI FLARING

- This Crème-Brûlée burner can be used in any angle, even upside down, without flaring.
- The burner is easily and securely attached to the gas cartridge, after emptying the cartridge simply attach the burner to a new cartridge.
- The flame is easy to ignite thanks to the piezo ignition and burns bright blue.

code		mm
198230	Set burner & cartridge	190x65x(H)250
198216	Burner only	190x35x65
199039	Order unit: box with 7 sets	Set of
	of 4 cartridges	4 cartridges



199039

Usable in every angle, even upside down without flaring



Available as set



It's simple to attach the burner to the canister



Suitable for multiple purposes















CRÈME-BRÛLÉE BURNER

- Gas, refillable automatic ignition.
- Burner is supplied empty.
- Complete with base.

CRÈME-BRÛLÉE BURNER

- Gas, refillable automatic ignition.
- Burner is supplied empty.
- Complete with base.

GAS CANISTER

– With various filling nozzles

code	mm	code	mm	code	packed per	ml
198209	145x(H)190	198223	115x(H)155	199046	4	200

GAS LIGHTER

– Refillable

– Supplied empty

code	packed per	mm
198124	2	230







783160



783177































VEGETABLE CUTTER PROFILINE

- Suitable for cutting large quantities of vegetables.
- Contains 5 different discs for different cutting results: slices 2 and 4 mm and graters 3, 5 and 7 mm.
- Big inlet with lever for inserting big pieces.
- Small inlet with pusher for inserting smaller pieces.
- Cast aluminium housing.
- 2 security systems: first screw locks the cover, second - electromagnetic sensor (opening the cover turns off the machine).
- Speed: 295 rpm.
- Weight: 24 kg

code	W	mm
231807	550	540x240x(H)450






see movie

Big inlet for inserting big pieces of vegetables













SLICING DISC

- For vegetable cutter 231807 & 231852

code	thickness (mm)	type
280096	1	DF-1
280102	2	DF-2
280126	4	DF-4
280201	6	DF-6
280218	8	DF-8
280225	10	DF-10



231807







GRATING DISC

- For vegetable cutter 231807 & 231852

code	thickness (mm)	type
280294	2	DT-2
280300	3	DT-3
280416	4,5	DT-5
280317	7	DT-7



280621



RASPING DISC

– For vegetable cutter 231807 & 231852

code		
280621		



VEGETABLE CUTTER HEAVY DUTY

- Designed for cutting large amounts of vegetables.
- Large inlet for large vegetables, up to Ø 165 mm.
- Small inlet for long vegetables, i.e. carrots, cucumbers up to Ø 55 mm.
- Cutting chamber housing made of cast aluminium, bottom part of the housing made of stainless steel.
- Convenient pressing handle.
- 750W = 1hp air-cooled high-performance motor.
- Low-voltage control buttons: STOP, START (24 V).
- 2 security systems: cutter switches off upon lifting of the pressing handle and upon lifting of the upper cover of the chamber.
- Upon lowering of the pressing handle the cutter starts automatically.
- Easy and fast replacement of cutting disks.
- 5 cutting discs included:
 - 2 mm slices (disc with 3 blades)
 - 4 mm slices (disc with 3 blades)
 - 3 mm grater
 - 5 mm grater
 - 7 mm grater
- Evacuation disc.
- 4 rubber anti-slip feet.
- Speed: 300 rpm.
- Weight: 25 kg.



code	W	mm
231852	750	500x250x(H)470











JEW!







DICING DISC

- For vegetable cutter 231807 & 231852.

- Must be used in combination with a slicing disc.

code	thickness [mm]	
234730	8x8	
234747	10x10	








JULIENNE DISC

- For vegetable cutter 231807 & 231852

code	thickness (mm)	type
280423	3x3	DQ-3







FRENCH FRIES CUTTING DISC

- For vegetable cutter 231807 & 231852.

- Must be used in combination with a slicing disc.

code	thickness (mm)	
234754	8	
234761	10	



RACK FOR 18 VEGETABLE CUTTER DISCS

code	mm	
280690	400x250x(H)90	



M

























Transparent





Abrasive disc

Digital timer

POTATO PEELER PROFILINE 5KG

- Made entirely of stainless steel.
- Transparent cover.
- Digital timer.
- Peel trap directly below the appliance.
- Abrasive disc.
- Inside walls lined with removable abrasive material.
- Emergency stop switch.
- Conforms to CE requirements.
- Output 75 kg/h.
- Weight 35 kg.

code		٧	W	mm
226834	5 kg	230	370	530x520x(H)700



FRENCH FRIES CUTTER

- Knives made of stainless steel.
- Comes with 4 blades: 6, 9 and 13 mm, as well as a knife for 8 parts.
- Mountable to working table or wall.
- Handle covered by plastic for easier pressing.
- Stainless steel mounting plate allows easy removal and cleaning.
- With rubber feet to hold firmly when using on table.

code	mm	
630402	430x168x(H)290	
630419	Knife for 11 mm thick fries	NEW!







STICK BLENDER 250VV - WITH ADJUSTABLE SPEED

- Professional version
- Housing made of fiber reinforced nylon

NEW!

222140

160 mm

222164

180 mm

224373

- Stainless steel shaft and blade
- Whisk attachment included (290 mm)
- Easy accessory changing clutch
- Easy to clean
- Ergonomic handle
- Shaft length: 250 mm
- Suitable for dishes up to 20 liters
- Speed control knob
- Speed: 2500 15000 RPM
- Weight 1,9 kg

code	٧	W	mm
224373	230	250	Ø75x555
		I C	1



code 934012



























STICK BLENDERS KITCHEN LINE

- Stainless steel cross shaped blade with

- Powerful 250W motor, 6 speeds with LCD

250

71x71x(H)444

titanium coating.

- Maximum speed 16000 rpm.

- Suitable for processing 1 to 4 liters.

230

display.

code 222157

STICK BLENDER KITCHEN LINE 160 WITH ADJUSTABLE SPEED

- For professional use in ice-cream shops, restaurants, hotel kitchens for preparing ice cream mixes, vegetable soups, purees, sauces, stuffing, mayonnaise, tomato paste, pesto, etc.
- Ventilated motor.
- Housing with ergonomic handle made of durable plastic material.
- Stainless steel shaft and blade: length 160 mm, Ø 25 mm.
- Speed: Approx. 4,000 20,000 rpm
- Weight, including shaft: 1,61 kg.

code	kg	V	W	mm
222140	1,45	230	220	Ø75x464

WHISK ATTACHMENT FOR STICK BLENDER 222140

- Consists of two stainless steel whisks.
- Safe and easy attachment to the driving unit.

code	kg	mm
222164	0,4	185



STICK BLENDERS PROFILINE

- Professional version.
- Housing made of fiber reinforced nylon.
- Stainless steel shaft and blade.
- Easy to clean.













STICK BLENDER PROFI LINE 250 - WITH FIXED SPEED

- Shaft length: 250 mm.
- Suitable for dishes up to 20 liters.
- Weight 1,45 kg.
- Speed 15.000 RPM.

STICK BLENDER PROFI LINE 300 - WITH ADJUSTABLE SPEED

13 -

ixer

- Electronic control panel (9 speeds).
- Shaft length: 300 mm.
- Suitable for dishes up to 50 liters.
- Weight: 3,45 kg.
- Variable speed: 2000 9000 RPM.
- Maximum speed: 13.000 RPM.

STICK BLENDER PROFI LINE 400 WITH ADJUSTABLE SPEED

- Electronic control panel (9 speeds)
- Shaft length: 400 mm
- Suitable for dishes up to 80 liters
- Weight: 4,1 kg
- Variable speed: 2000 9000 RPM
- Maximum speed: 15.000 RPM

code	V	W	mm	code	٧	W	mm	code	٧	W	mm
224328	230	250	Ø75x285	224335	230	300	Ø100x350	224397	230	400	Ø100x350









WHISK ATTACHMENT FOR STICK **BLENDER PROFILINE 300 & 500**

- Consists of two whisks
- Easy and safe to attach.

,		
code	mm	
224342	Ø120x330	

934029

STICK BLENDER PROFILINE 400 - ADJUSTABLE SPEED

- With whisk attachment and wall mounted Electronic control panel (9 speeds). storage rack.
- Electronic control panel.
- 9 Speed settings between 2000 and 9000 rpm. Weight: 4,1 kg.
- Capacity up to 80 liter.
- Shaft length: 400 mm.
- Weight: 4,1 kg.

STICK BLENDER PROFILINE 500 - WITH ADJUSTABLE SPEED

- Shaft length: 500 mm.
- Suitable for dishes up to 100 liters.
- Variable speed: 2000 9000 RPM.
- Maximum speed: 15.000 RPM.

224342 224380

WALL MOUNTED STORAGE RACK

code	٧	W	mm	code	٧	W	mm	code	
224380	230	400	Ø100x350	224359	230	400	Ø100x350	934029	





























HEAVY DUTY MIXER 7 LITER

- High quality cast steel body, injection-molded top cover and plastic bowl quard.
- High performance worm drive and gears.
- Safe to use because of multiple safety switches and overload protection.
- Stainless steel bowl, beater, whisk and dough hook are included.
- Easy to use digital control panel.
- Maximum flour mixing capacity: 1.8 kg.
- With handle to lift the bowl in place.
- Safety switch on the bowl guard, when the bowl guard is opened, the machine stops.
- 3 different speeds: 128/252/545 rpm.

code	liter	٧	W	mm
222829	7	230	650	240x420x(H)425











HEAVY DUTY PLANETARY MIXER 10 LITER

- High quality cast steel body, injection-molded top cover and chrome wire bowl cover.
- High performance worm drive and gears.
- Safe to use because of multiple safety switches and overload protection.
- Stainless steel bowl, beater, whisk and dough hook are included.
- Easy to use mechanical control panel.
- Maximum flour mixing capacity: 2.5 kg.
- With handle to lift the bowl in place.
- Lift and missing bowl safety switch.
- 3 different speeds: 148/ 244/ 480 rpm.

code	liter	٧	W	mm
222836	10	230	600	450x470x(H)600

HEAVY DUTY PLANETARY MIXER 20 LITER

- High quality cast steel body, injection-molded top cover and chrome wire bowl cover.
- High performance worm drive and gears.
- Safe to use because of multiple safety switches and overload protection.
- Stainless steel bowl, beater, whisk and dough hook are included.
- Easy to use mechanical control panel.
- Maximum flour mixing capacity: 5 kg.
- With handle to lift the bowl into place.
- Safety switches for height and presence of bowl.
- -3 different speeds: 197/317/462 rpm.

code	liter	V	W	mm
222843	20	230	1100	490x540x(H)780



ELECTRIC MEAT TENDERIZER

- Perfect for restaurants, butcheries and catering establishments.
- Maximum meat piece size: 160 mm wide x 30 mm thick.
- Stainless steel housing.
- Rollers for beef and pork included.
- Tenderizer knife speed 75 RPM.
- Engine cooled with a built-in fan.
- 4 rubber feet.

code	V	W	mm
975305	230	350	465x220x(H)430







See movie





ROLLERS FOR POULTRY

- Stainless steel case.
- 2 polypropylene pressing rollers.
- Roller length 180 mm.

code	mm
975329	235x130x(H)120



ROLLERS FOR SHOARMA

- Stainless steel case and knives
- 2 sets of knives cutting stripes 4 mm wide
- Roller length 165 mm

code	mm	
975312	235x130x(H)120	



























Made of

stainless steel

Housing made of

stainless steel





MEAT MINCER PROFILINE 12

- High-quality professional device for grinding all kinds of skinless and boneless meat.
- Worm screw made of a special aluminium alloy.
- Body, hopper and meat container made of stainless steel.
- Polyethylene pusher included.
- Oil bathed gears (for smooth and extra quiet operation).
- Mincing disc diameter: 70 mm, holes: Ø 6 mm.
- Weight 19 kg.
- Not for continuous use.

code	٧	W	mm
282199	230	750	370x220x(H)440








282267

PERFORATED PLATE













282304



KNIFE

282359

WORM SCREW

- Made of anodized aluminium







MEAT MINCER PROFI LINE 22

- High-quality professional device for grinding all kinds of skinless and boneless meat.
- Worm screw made of a special aluminium alloy.
- Body, hopper and meat container made of
- Polyethylene pusher included.
- Oil bathed gears (for smooth and extra quiet
- Mincing disc diameter: 82 mm, holes: Ø 6 mm.

code	٧	W	mm
282007	230	1100	430x250x(H)510















PERFORATED PLATE

KNIFE



282076



282069

– Ø 82 mm

code	suitable for	mm
282014	282007	Ø8
282021	282007	Ø6
282038	282007	Ø4,5
282045	282007	Ø3
282052	282007	Ø2

WORM SCREW

- Made of anodized aluminium

code	suitable for	code	suitable for
282076	282007	282069	282007





























MEAT MINCER KITCHEN LINE 12

- Stainless steel feeder tray, hopper made of a special aluminium alloy
- Knife and worm screw made of stainless steel and funnel of cast iron
- Stuffing tube and two Ø70mm mincing discs with \emptyset 6 and 8 mm holes included
- Easy disassembly for easy cleaning
- Motor with an overheat protection mechanism
- Anti-slip feet
- Output 100 kg/h
- Not for continuous use

550	432x261x(H)484
	550



Feeder tray made of stainless steel



See movie



















931257

PERFORATED PLATE

– Ø 70 mm

p / 0		
code	suitable for	mm
931233	210802	Ø8
931226	210802	Ø6
931219	210802	Ø4,5

KNIFE

WORM SCREW

code	suitable for	code	suitable for
931240	210802	931257	210802

MEAT MINCER KITCHEN LINE 22

- Stainless steel feeder tray, hopper made of a special aluminium alloy.
- Knife and worm screw made of stainless steel and funnel of cast iron.
- Stuffing tube and two $\emptyset 82$ mm mincing discs with \emptyset 6 and 8 mm holes included.
- Easy disassembly for easy cleaning.
- Motor with an overheat protection mechanism.
- Anti-slip feet.
- Output 200-220 kg/h.

Not for con				WARNER
code	٧	W	mm	
210819	230	750	427x261x(H)486	
				OHENO!







210819



933350

933367

933343

PERFORATED PLATE KNIFE WORM SCREW - Ø 82 mm

0 02 111111							
code	suitable for	mm	code	suitable for	code	suitable for	
933343	210819	Ø 8	933350	210819	933367	210819	
933336	210819	Ø6					
933329	210819	Ø 4,5					



























MEAT MINCER 198

- Ideal for small amounts and sausage making, not for commercial use.
- Aluminium housing.
- Die cast metal hopper with meat dish/dust cover.
- Pusher made of plastic.
- Aluminium worm screw and stainless steel knife.
- 2 mincing discs, diameter 65,8 mm included: 4 mm and 7 mm diameter holes.
- 3 sausage stuffing tubes: \emptyset 12, 15 and 20 mm.
- Steak tartare attachment.
- On/off/reverse switch.
- Not for continuous use.
- Weight 5,2 kg.

code	٧	W	mm	
210864	230	400	275x190x(H)347	





Meat dish with dust cover



Housing made of aluminium





Three sausage stuffing tubes included

Worm screw made of aluminium, blade made of stainless steel





SAUSAGE CUTTER - ELECTRIC

- Electric sausage cutter with double blade knife and adjustable thickness
- Extra long insertion tunnel for many types of sausages
- Maximum diameter of 48mm

code	V	W	mm
265109	230	135	230x185x(H)325









HAMBURGER PRESS

- Makes Ø130 mm hamburgers.
- Components in contact with meat are made of stainless steel.
- Bottom housing made of anodised aluminium.
- Handy lever for removing prepared hamburger patties from the press bowl.
- Container for patty dividers.

code		weight (kg)	mm
282113	hamburger	5,2	330x250x(H)300



PATTY DIVIDERS

- Made of transparant cellulose.
- High temperature resistant and biodegradable.

code		weight (kg)	mm	
282120	ca. 1400 pieces	1	Ø130	





TORTILLA PRESS

- Makes max. Ø200 mm tortillas.
- Made of aluminium alloy with red powder coating on the exterior.

code	mm	
513033	255x202x(H)95	



- Makes Ø120 mm hamburgers.
- Made of aluminium alloy with non-stick coating.
- Handle made of polypropylene.

code	mm
513026	Ø120

513026

































SAUSAGE FILLING MACHINE PROFILINE

- Body, cylinder and a piston made of stainless steel.
- Equipped with a two-speed filling system that is easy to use.
- The piston can easily be removed for filling and cleaning.
- Equipped with bearings and gear train made of hardened steel, resistant to
- With set of four stainless steel funnels, diameter: 16/22/32/38 mm.

code	liter	mm
282571	3	300x340x(H)570 NEW!
282588	5	300x340x(H)690 NEW!
282090	7	300x340x(H)830
282151	10	370x320x(H)670





SAUSAGE FILLING MACHINE KITCHEN LINE

- Body made of painted steel, cylinder and piston made of stainless steel.
- Equipped with a two-speed filling system that is easy to use.
- The piston can easily be removed for filling and cleaning.
- Equipped with bearings and gear train made of hardened steel, resistant to pressure.
- With set of four polypropylene funnels, diameter: 10/20/30/40 mm.

code	liter	mm
282137	3	300x340x(H)570
282144	5	300x340x(H)690





























SLICER PROFILINE 220 RED EDITION

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 12 mm.
 Maximum slicing diameter: 150 mm.
 Finished with a special red coating.

code	V	W	mm
970294	230	280	440x420x(H)350



Slicing thickness is easy to adjust



Carriage with locking mechanism



Built-in sharpener



Heavy product holder



Acrylic safety shield



MEAT SLICERS PROFILINE

- Intended for professional commercial use.
- Housing made of coated aluminium, with non-slip feet.
- Tilted blade made of hardened stainless steel.
- Air-cooled motor with protection against overheating.
- Motor with extra power for cutting hard meats.
- Fitted with blade guard and built-in sharpener.
- Carriage with safety shield and remnant holder with upright lock.
- Quick and easy to disassemble for cleaning.

- Meets all safety requirements for commercial use, such as:
 - Setting 0 thickness keeps the blade behind the blade guard.
 - Protection against activation while the sharpener or the axle cover is removed.
- Carriage can only be locked and removed while the blade is set to 0 thickness.
- Not suitable for cutting cheese, only possible with separately sold non-stick coated knife.





SLICER PROFILINE 195

- Blade diameter: 195 mm.
- Steplessly adjustable slicing thickness up to 12 mm.
- Maximum slicing diameter: 120 mm.

code	V	W	mm
210031	230	200	400x400x(H)330

SLICER PROFILINE 220

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 150 mm.

code	V	W	mm
210048	230	280	440x420x(H)350



Acrylic safety shield



Carriage with locking mechanism



Built-in sharpener



Blade protection



Sealed safety on/off switch



Air cooled engine protected by metal cover







SLICER PROFILINE 250

- Blade diameter: 250 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 180 mm.

code	٧	W	mm
210000	230	320	485x420x(H)395

SLICER PROFILINE 300

- Blade diameter: 300 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 200 mm.

code	V	W	mm
210017	230	420	600x480x(H)450

NON-STICK COATED BLADE

- For slicing cheese.

_		
code	suitable for	mm
975800	210031	Ø195
975732	210048	Ø220
975749	210000	Ø250
975756	210017	Ø300









B























210215



SLICER KITCHEN LINE 250

- Anodised aluminium housing.
- 0,2 hp air-cooled motor, protected by a plastic cover.
- Transparent safety screen during operation.
- Easily removable parts for fast cleaning.
- Safe blade protection and built-in blade sharpener.
- Tilted model with high-quality blade.
- Blade diameter: 250 mm.
- Estimated maximum diameter of the cut product: 180 mm.
- Steplessly adjustable cutting thickness up to 11 mm.
- Blade secured against rotation during housing removal.
- 4 anti-slip plastic feet.
- Weight: 16,4 kg.

code	٧	W	mm
210215	230	150	494x402x(H)398



SLICER KITCHEN LINE 300

- Anodised aluminium housing.
- -0,3 hp air-cooled motor, protected by a plastic cover.
- Transparent safety screen during operation.
- Easily removable parts for fast cleaning.
- Safe blade protection and built-in blade sharpener.
- Tilted model with high-quality blade.
- Blade diameter: 300 mm.
- Estimated maximum diameter of the cut product: 210 mm.
- Steplessly adjustable cutting thickness up to 14 mm.
- Blade secured against rotation during housing removal.
- 4 anti-slip plastic feet.
- Weight: 24 kg.

code	V	W	mm
210246	230	250	615x494x(H)477









SLICER KITCHEN LINE 250 TEFLON COATED

- Anodised aluminium housing.
- Blade, blade protection and product plate are coated with Teflon for easy cheese cutting.
- 0,2 hp air-cooled motor, secured from below with a plastic cover.
- Transparent safety screen during operation.
- Removable tray for easy cleaning of food leftovers following cutting.
- Blade protection easily removable for cleaning.
- Safe blade protection and built-in blade sharpener.
- Tilted model with high-quality blade.
- Blade diameter: 250 mm.
- Estimated maximum diameter of the cut product: 180 mm.
- Stepless adjustment of cutting thickness, from 0 to 11 mm.
- Blade secured against rotation during maintenance.
- 4 anti-slip plastic feet.
- Weight: 16,4 kg.

code	٧	W	mm
210222	230	150	494x402x(H)398













VACUUM CHAMBER PACKAGING MACHINE KITCHEN LINE

- 295 mm long sealstrip, 3,5 mm wide.
- Body and chamber made of high quality stainless steel.
- Transparent ABS cover to control the packing process.
- For professional use.
- Regulated vacuum and sealing cycle time.
- Digital display of vacuum level.
- Pump capacity: 77 L/min.
- Chamber dimensions: 350x300x(H)110 mm.
- Weight: 24.4 kg.

code	sealing strip (mm)	V	W	mm
975398	295	230	630	429x359x(H)345



975251

VACUUM CHAMBER PACKAGING MACHINE PROFILINE

- Designed for packing food and technical products.
- Body and chamber made of 304 high-quality stainless steel.
- Large recess in the bottom (exclusively in model no.
 975251) and domed cover allow for packing large portions.
- High quality durable transparent cover enables visual control of the packing process.
- V-shaped gasket to guarantee high sealability.
- Digital display.
- User-friendly.
- Automatic operation.
- Adjustable sealing time.
- Pressure indicator.
- Pump capacity: 167 L/min., 975275: 333 L/min.

code	sealing strip (mm)	٧	W	mm
975251	260	230	370	330x480x(H)360
975275	350	230	750	425x560x(H)460
975268	300	230	370	370x480x(H)435

VACUUM COOKING BAGS

- Suitable for sous vide cooking.
- 2-ply, inside layer 60 μm food contact approved Polyethylene, outside layer 15 μm Polyamide (Nylon). Total thickness is 75 μm .
- The used materials act as an UV filter.
- Bags can be used in temperatures from -20° up to 110°C.
- Suitable for chamber vacuum packing machines.

code		mm	
970676	100 pieces	150x200	
970652	100 pieces	150x250	
970683	100 pieces	200x300	
970669	100 pieces	250x350	
970690	100 pieces	300x400	
971314	50 pieces	350x450	NEW!
971321	50 pieces	400x400	NEW!
971338	50 pieces	380x500	NEW!































NEW!



201428



- 260 mm seal strip, sealing bar width: 5 mm.
- Adjustable cycle and sealing time, automatic and manual operation.
- Suitable for vacuum packing liquid and wet food.
- Fitted with a digital display and a manual pressure gauge.
- High quality oil pump which provides high pressures (1009mbar) and fast vacuum speed.
- Body and chamber made of high quality stainless steel.
- Large recess in the bottom and domed transparent cover allow for packing large portions.
- Oil cooled pump capacity: 133,3 L/min.
- Chamber dimensions: 280x393x(H)110 mm

code	V	W	mm
201428	230	1000	330x480x(H)356




201435

VACUUM CHAMBER PACKAGING MACHINE PROFILINE 300

- 300 mm seal strip, sealing bar width: 5 mm.
- Adjustable cycle and sealing time, automatic and manual operation.
- Suitable for vacuum packing liquid and wet food.
- With marinate function.
- Fitted with a digital display and a manual pressure gauge.
- High quality oil pump which provides high pressures (1009mbar) and fast vacuum speed.
- Body and chamber made of high quality stainless steel.
- Large recess in the bottom and domed transparent cover allow for packing large portions.
- Pump capacity: 133,3 L/min.
- Chamber dimensions: 300x350x(H)110 mm

code	٧	W	mm
201435	230	1100	359x425x(H)356











VACUUM PACKING BAGS

- 2-ply, inside layer made from food contact approved Polyethylene, outside layer made from Polyamide (Nylon). Total thickness is 65 µm.
- Suitable for chamber vacuum packing machines.

		mm
970607	100 pieces	140x200
970386	100 pieces	160x230
970614	100 pieces	200x300
970393	100 pieces	250x350
970621	100 pieces	300x400







VACUUM CHAMBER PACKAGING MACHINE PROFI LINE 410

- 410 mm seal strip, sealing bar width: 3 mm.
- Adjustable vacuum, sealing, inflating and cooling time, automatic and manual operation.
- Suitable for vacuum packing liquid and wet food.
- Fitted with a digital display and a manual pressure gauge.
- High quality oil pump which provides high pressures (1009mbar) and fast vacuum speed.
- Body and chamber made of high quality stainless steel.
- Large recess in the bottom and domed transparent cover allow for packing large portions.
- With bag clamp inside the chamber to keep bags in place during operation.
- Pump capacity: 333,3 L/min.
- Chamber dimensions: 425x457x(H)100 mm

code	٧	W	mm
201442	230	1300	495x567x(H)472

201442





B



























VACUUM PACKAGING MACHINE KITCHEN LINE

- 420 mm seal strip, sealing bar width: 5 mm.
- Suitable for bags on roll in combination with bag rolls attachment 970638.
- Digital display of vacuum and sealing cycle.
- Vacuum may be generated in a continuous or pulsating
- Additional buttons for quick start of vacuum and sealing on the handle.
- Automatic switch-off after 10 minutes of idleness energy saving.
- High power of the sealing bar reduces the sealing time to $2-3\,\mathrm{s}$.
- High capacity double pump: 16l/min.
- Stainless steel body.
- Robust handle.
- Only suitable for embossed vacuum bags, up to 406mm width.
- Weight: 6.9 kg.

code	٧	W	mm
975374	230	650	490x260x(H)145

Roll attachment can easily be installed



BAG ROLLS ATTACHMENT FOR 975374 VACUUM PACKAGING MACHINE KITCHEN LINE



- Can be attached to vacuum packaging machine Kitchen Line 975374 or as a stand-alone attachment for other vacuum packaging machines.
- Equipped with a removable knife to cut exactly the needed bag length.
- Internal dimensions: 412x101x(H)101 mm.
- For rolls with maximum dimensions of Ø100x400 mm.
- Base made of ABS.
- Transparent polycarbonate cover for easy control of the roll.

code	mm
970638	487x122x(H)107



970638





EMBOSSED VACUUM BAGS ON ROLL

- 2-ply, inside layer 60 μm food contact approved Polyethylene, outside layer 15μm Polyamide (Nylon). Total thickness is 75 μm.
- The used materials act as an UV filter.
- Embossing improves the air flow out of the bag during the vacuum packing process.
- Bags can be used in temperatures from -20° up to 100°C.
- Suitable for chamber and external vacuum packing machines.

code		mm
971062	set of 2 rolls	200x6000
971079	set of 2 rolls	280x6000





970362



VACUUM PACKAGING MACHINE PROFI LINE

- Made of stainless steel.
- Professional vacuum pump and pressure gauge.
- Manual or automatic operation.
- Digital display.
- Adjustable sealing time.
- Teflon-coated sealing strip.
- Pump capacity: 20 L/min.
- For use with embossed bags only.

code	sealing strip (mm)	٧	W	mm
970362	350	230	250	370x280x(H)170



EMBOSSED VACUUM BAGS

- 2-ply, inside layer 60 µm food contact approved Polyethylene, outside layer 15µm Polyamide (Nylon). Total thickness is $75 \mu m$.
- The used materials act as an UV filter.
- Embossing improves the air flow out of the bag during the vacuum packing process.
- Bags can be used in temperatures from -20 $^{\circ}$ up to 100 $^{\circ}\text{C}.$
- Suitable for chamber and external vacuum packing machines.

code		mm
971017	100 pieces	150×250
971048	100 pieces	150x400
971024	100 pieces	200x300
971055	100 pieces	250x350
971031	100 pieces	300x400
971000	50 pieces	400x500 NEW!









园















HOKKERS







HOKKER BIG FLAME

- Model 'Big Flame' for propane gas.
- Including converter set also suitable for natural gas.
- Very robust stainless steel frame to carry heavy loads.
- Fitted with thermocouple and electronic ignition.
- Fitted with enamelled pan support.
- Gas hose and pressure regulator included.
- Can be expanded with hokker base (147306), wok ring (147207) and wok (626504).

code	kW	mm
147108	6,7	425x425x(H)400

HOKKER KITCHEN LINE

- Model Kitchen Line for propane gas.
- Including converter set also suitable for natural gas.
- Fully stainless steel frame.
- Fitted with thermocouple and electronic ignition.
- Fitted with enamelled pan support.
- Gas hose and pressure regulator included.

code	kW	mm
147801	6,0	425x425x(H)400



626504

wok

- With handles, sheet steel 1.5 mm thick

- Especially suitable for use in combination with stainless steel ring 147207 and Hokker 147108. Also suitable for stainless steel wok holder 149546 in combination with Green Fire barbecues

code	mm
626504	Ø700x(H)235

RING FOR HOKKER

- To adapt Hokker 147108 to use with wok 626504



code	mm	
147207	Ø 360x(H)80	

HOKKER BASE

Suitable for hokkers: 147108

code	mm
147306	425x425x(H)400

147306



GAS COOKERS




GAS COOKER - 5 BURNERS WITH ELECTRIC OVEN

- Suitable for natural gas.
- Conversion set for propane gas included.
- -3 burners of 3.0 kW.
- 1 small burner of 1.8 kW.
- 1 wok burner of 3.5 kW.
- Piezo ignition and thermocouple.
- Three-part cast iron pan support.
- Convection oven 1/1 GN with a capacity of 2.7 kW fitted with two ventilators, thermostat to 275°C and timer.
- Additional upper element of 2.5 kW for grilling.
- Stainless steel oven interior and inner door.
- Height-adjustable feet.
- Weight: 78 kg.

code	V	Power kW [Hs]	mm
225707	230	14.3	900x655x(H)850/900







GAS COOKER - 5 BURNERS, OPEN STAND

- Suitable for natural gas.
- Converter set for propane gas included.
- -3 burners of 3.0 kW.
- 1 small burner of 1.8 kW.
- 1 wok burner of 3.5 kW.
- With electronic ignition and thermocouples.
- Three-part cast iron pan support.
- Weight: 45 kg.

code	٧	Power kW [Hs]	mm
225806	230	14.3	900x600x(H)850


























NEW!










- Burners: 2 x 3.5 kW + 2 x 6 kW
- Pots: Ø120-300 mm
- Cast iron pan support 335x300mm, one for each burner
- Thermocouple
- Cooker top: AISI 304
- Casing: AISI 430
- Adjustable steel feet
- Weight: 82 kg
- CONVECTION OVEN GN 1/1:
- Electric 3 kW/230 V
- Stainless steel chamber: 640x370x(H)350 mm
- 4 rail pairs for GN 1/1
- Distance between rails: 75 mm
- 1 GN1/1 grid included
- Thermostat

code	٧	kW	Power kW [Hs]	mm
225882	230	3	19	800x700x(H)900





GAS COOKER KITCHEN LINE 6-BURNER WITH CONVECTION ELECTRIC OVEN GN 1/1

- Burners: 3 x 3.5 kW + 3 x 6 kW
- Pots: Ø120-300 mm
- Cast iron pan support 335x300mm, one for each burner
- Thermocouple
- Cooker top: AISI 304
- Casing: AISI 430
- Adjustable steel feet
- Weight: 105 kg

CONVECTION OVEN GN 1/1:

- Electric 3 kW/230 V
- Stainless steel chamber: 640x370x(H)350 mm
- 4 rail pairs for GN 1/1
- Distance between rails: 75 mm
- 1 GN1/1 grid included
- Thermostat

code	٧	kW	Power kW [Hs]	mm	
225899	230	3	28,5	1200x700x(H)900	

GAS COOKER KITCHEN LINE 6-BURNER OPEN STAND

- Burners: 3x 3.5kW + 3x 6kW
- Pans: Ø120-300mm
- Cast iron pan support 335x300mm, one for each burner
- Cabinet closed on 4 sides, internal dimensions:
 - 1198x570x(H)470 mm
- Thermocouple
- Cooker worktop: AISI 304
- Housing: AISI 430
- Steel adjustable feet: 100-165mm
- Weight: 95kg

code	Power kW [Hs]	mm
226094	28,5	1200x700x(H)900



NEW!







GAS COOKER KITCHEN LINE 4-BURNER, TABLE TOP

- Burners: 2x 6 kW + 2x 3.5 kW
- Suitable pots and pans: Ø120-300 mm
- Thermocouple.
- AISI 304 cooker top.
- Side and back housing: AISI 430.
- Cast iron grates 335x300 mm, one for each burner
- Cast iron burners.
- GZ50 gas
- Extra LPG nozzles included.
- No igniters or pilot flame match-lit flame.
- Steel feet with non-slip surface, with adjustment from 55 to 65 mm.
- Weight: 35 kg.

code	Power kW [Hs]	mm
227381	19	800x700x(H)310

GAS COOKER KITCHEN LINE 6-BURNER, TABLE TOP

- Burners: 3x 6 kW + 3x 3.5 kW.
- Suitable pots and pans: Ø120-300 mm.
- Thermocouple.
- AISI 304 cooker top
- Side and back housing: AISI 430.
- Cast iron grates 335x300 mm, one for each burner.
- Cast iron burners.
- GZ50 gas.
- Extra LPG nozzles included.
- No igniters or pilot flame match-lit flame.
- Steel feet with non-slip surface, with adjustment from 55 to 65 mm
- Weight: 45 kg.

code	Power kW [Hs]	mm
227398	28,5	1200x700x(H)310

PORTABLE GAS STOVE

- Safe to use through improved air cooling, thermal fuse prevents gas from flowing after the flame has gone out.
- Uses a gas can (butane) that's easy to install and replace.
- The clever design of the gas burner makes the burner wind-protected and therefore the stove can be used indoors and outdoors.
- Compact size and lightweight, comes with a 390x310x(H)130 mm case.
- Suitable for pans with a base diameter of up to 26 cm and a maximum content of 3 liter.

code	kW	mm
147610	2,2	373x290x(H)123

147610

BUTANE GAS CARTRIDGE

- Only suitable for use in combination with portable gas stove (147610) and crème-brûlée burner anti flaring (198216).
- Not suitable for refilling gas lighters etc.
- Packed per 4 canisters.
- Order unit: box with 7 sets of 4 cans.

code	g	
199039	227	



199039























INDUCTION COOKERS DISPLAY LINE

- Very clean design suitable for live cooking.
- Very flat housing with stainless steel frame.
- Surface of ceramic glass with integrated digital display.









INDUCTION COOKER 2000W DISPLAY LINE

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 120 and 230 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.

code	٧	W	mm
239278	230	2000	293x373x(H)56

239278 2000 W min Ø120 mm max Ø230 mm 230 V

DOUBLE INDUCTION COOKER DISPLAY LINE

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- With boost mode which temporarily shifts some power from right hob to the left hob, providing up to 2000W.
- The left side hob can output 1800W, or 2000W while the boost function is active.
- The right side hob can output 1700W, or 1500W while the boost function is active.
- Temperature range: 60-240°C.
- Suitable for pans with bottom diameter between 120 and 230 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.

code	٧	W	mm
239285	230	3500	608x370x(H)61





INDUCTION COOKER 3500W DISPLAY LINE

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 140 and
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating and air filter.

code	٧	W	mm	
239292	230	3500	337x417x(H)85	



INDUCTION HOT PLATE DISPLAY LINE

- Unique induction hot plate with a rectangular induction coil which allows multiple pans to be kept warm simultaneously.
- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.

code	V	W	mm
209523	230	1000	455x333x(H)62



























- Digital power, temperature and timer setting via touchsensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with a minimum Ø of 140 mm and a maximum of 280 mm.
- Height adjustable feet.

code	V	W	mm
239711	230	3500	340x440x(H)120



- -3-ply material
- With stainless steel handle with softgrip
- With stainless steel lid
- Specifically for use with 239766



code	mm	
239773	Ø360x(H)180	







- Stainless steel housing.

- With easily cleanable grease filter.
- Digital power setting.
- Settings immediately respond to high-low.
- Only suitable for use with wok pan 239773.

code		٧	W	mm
239766	induction unit	230	3500	340x450x(H)120
239681	induction wok+wok pan	230	3500	340x450x(H)120 + Ø360











INDUCTION COOKER MODEL 5000 D

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with minimum Ø 140 mm and maximum Ø 280 mm.
- Height adjustable feet.
- Works on 380V, supplied without plug, an electrician is required for the installation.

code	V	W	mm
239322	400	5000	398x515x(H)168

INDUCTION COOKER MODEL 3500 D XL

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with a minimum \emptyset of 140 mm and a maximum of 320 mm.
- Height adjustable feet.

code	٧	W	mm
239698	230	3500	390x500x(H)120

INDUCTION COOKER MODEL 7000

- Stainless steel housing with two hobs.
- Front hob has a maximum power of 5000W, when the front hob operates at 5000W the rear hob can only generate 2000W.
- Rear hob has a maximum power of 3500W only while the front hob doesn't exceed 3500W.
- Electronic protection against overheating.
- With adjustable metal feet and removable air filter.
 Works on 380V, supplied without plug, an electrician is required for the installation.

ide	V	W	mm
239346	400	2x3500	405x698x(H)145
		ĺ	
	2393	346	888
			3500 W



























INDUCTION COOKER MODEL 3500 M

- Steplessly adjustable power dial.
- Stainless steel housing.
- Suitable for use with pans and frying pans from Ø 120 mm up to Ø 260 mm.

code	٧	W	mm
239780	230	3500	327x425x(H)100





INDUCTION COOKER MODEL 3000 M

- Steplessly adjustable power dial.
- Stainless steel housing.
- Suitable for use with pans and frying pans from Ø 120 mm up to Ø 260 mm.

code	٧	W	mm
239315	230	3000	327x420x(H)100





INDUCTION COOKER MODEL 2000

- Very slim housing (32mm) with stainless steel frame.
- Ceramic glass surface.
- Touch-sensitive control.
- Suitable for pots up to 260 mm bottom size.

code	V W		mm
239230	230	2000	296x370x(H)46





INDUCTION COOKER MODEL 1800

- ABS housing.
- Digital power, temperature and timer setting.
- Settings immediately respond to high-low.
- Suitable for cooking pans with at least Ø 120 mm and at most Ø 260 mm, and frying pans with at least Ø 120 mm and at most Ø 200 mm.

code	V	W	mm
239209	230	1800	315x345x(H)70



HOT TRAY

- GN 1/1 aluminium.
- On insulated base.
- Automatically heats itself to 95°C.
- Can be used in combination with Thermobox Kitchen Line GN 1/1 and bigger (707906, 707968, 707951, 707944)

code	V	W	mm
209509	230	190	530x325x(H)30



INDUCTION HEATER 800W

- Black crystal glass top surface and plastic housing.
- Power regulation adjustable in 10 steps, fitted with electronic overheating protection.
- Control panel with LED display and touch control, can be mounted in a countersunk manner.
- Can be used as a heater chafing dishes equipped with special adapter.
- Also suitable for built-in installation with the optional separately available ring (239186).

code	mm	٧	W
239193	Ø245x(H)68	230	800
239186	Mounting ring stainless steel		











QUARTZ HEATED COUNTERTOP DISPLAY TWO LEVELS

- Stainless steel housing, tempered glass sides, curved acrylic glass doors and mirror back panel.
- Access via two curved glass doors at the front.
- The shelves fit up to 4 GN1/2 containers.
- Fitted with two quartz heating elements and an electric heating plate at the bottom.
- With mechanical temperature controller.
- Fitted with lighting at the top.
- Temperature range: 30 up to 90°C

	J 1		
code	mm	٧	W
233962	625x467x(H)650	230	550





HEATED COUNTERTOP CABINET

- Fitted with door at the back and curved front glass.
- ${\sf -Lightbox}$ with room for promotional graphics.
- Stainless steel housing.
- Internal lighting in the ceiling.
- With 3 chrome plated shelves, adjustable in height.
- Temperature controller and display.
- Temperature range: 30 up to 90°C.

code		mm	٧	W
233740	97 Liter	460x448x(v)785	230	800





































HEATED COUNTERTOP DISPLAY THREE LEVELS

- Fitted with double glazing and curved front glass.
- Access via two sliding doors at the back.
- Stainless steel housing.
- Fitted with LED lighting at the top.
- With 3 chrome plated shelves, adjustable in height.
- Temperature controller and display.
- Temperature range: 30 up to 90°C

code		mm	٧	W
233726	120 Liter	678x568x(v)686	230	1100
233733	160 Liter	857x568x(v)686	230	1500







HEATED COUNTERTOP DISPLAY SINGLE LEVEL

- Tempered glass sides and curved glass front.
- Stainless steel housing.
- With infrared heating.

273982

- Large glass door in the rear, full access to the inside.
- Easy to clean.
- With removable crumb tray.
- Temperature adjustable up to 85°C.
- Includes fine mesh GN 1/1 grid suitable for small products.

code		mm	٧	W
273982	single level	554x376x(v)311	230	400



273999



HEATED COUNTERTOP DISPLAY TWO LEVELS

- Tempered glass sides and curved glass front.
- Stainless steel housing.
- With infrared heating.
- Large glass door in the rear, full access to the inside.
- Easy to clean.
- With removable crumb tray.
- Temperature adjustable up to 85°C.
- Includes 2 fine mesh GN 1/1 grids suitable for small products.

code		mm	٧	W
273999	double level	554x376x(v)432	230	400





RISE AND FALL HEAT LAMP CONICAL

- Thanks to the adjustable cord this heat lamp is very flexible, the length of the cord is adjustable from 70 to 150 cm.
- The amount of heat provided can be changed by adjusting the length of the cord.
- On/off switch located on top of the lamp.
- The included light bulb is shatterproof, making it suitable for keeping food warm.

code	V	W	mm	colour
273869	230	250	Ø275x(H)250	Silver
273876	230	250	Ø275x(H)250	Copper

RISE AND FALL HEAT LAMP CYLINDRICAL

- Thanks to the adjustable cord this heat lamp is very flexible, the length of the cord is adjustable from 70 to 150 cm.
- The amount of heat provided can be changed by adjusting the length of the cord.
- On/off switch located on top of the lamp.
- The included light bulb is shatterproof, making it suitable for keeping food warm.

code	٧	W	mm	colour
273883	230	250	Ø175x(H)250	Silver
273890	230	250	Ø175x(H)250	Copper





INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Shatterproof, with normal fitting (E27).

code	V	W	mm
919217	230	250	Ø125x(H)170







INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Shatterproof, with normal fitting (E27).

code	٧	W	mm
919200	230	250	Ø125x(H)170



2 LAMP INFRARED FOOD WARMER BRIDGE

- Designed to keep food warm between preparing and serving.
- Height is easily adjustable.
- Shatterproof lamps included.

code	٧	W	mm
273906	230	500	453x360x(H)590/790























SOUS-VIDE SYSTEM

- Culinary system in which vacuum-sealed food is cooked at a precisely controlled temperature.
- Ideal for à la carte restaurants.
- Exceptionally suitable for preparation outside peak times.
- Consistently high quality results.

- High precision thermostat adjustable (0,1°C) from 35° to 90°C.
- Housing made entirely of stainless steel.
- Can be sealed air- and watertight due to the lid with silicone rim



SOUS-VIDE SYSTEM GN 2/3

- Equipped with handles.
- Stainless steel spacer with 4 compartments included.

code	liter	٧	W	mm
225264	13	230	400	363x335x(H)290

SOUS-VIDE SYSTEM GN 1/1

- Equipped with handles and drain tap.
- Stainless steel spacer with 6 compartments included.

code	liter	٧	W	mm
225448	20	230	600	600x330x(H)300













VACUUM COOKING BAGS

- Suitable for sous vide cooking.
- 2-ply, inside layer 60 μm food contact approved Polyethylene, outside layer 15 μm Polyamide (Nylon). Total thickness is 75 μm .
- The used materials act as an UV filter.
- Bags can be used in temperatures from -20 $^{\circ}$ up to 110 $^{\circ}$ C.
- Suitable for chamber vacuum packing machines.

code		mm
970676	100 pieces	150x200
970652	100 pieces	150x250
970683	100 pieces	200x300
970669	100 pieces	250x350
970690	100 pieces	300x400
971314	50 pieces	350x450
971321	50 pieces	400x400
971338	50 pieces	380x500













- The whole body is IPX7 (submersion) water resistant.
- For safety the sous vide stick turns off when removed from the water bath.
- WiFi control possible, app available for iOS and Android devices.
- The app helps users calculate the perfect time and temperature, pre-loaded with over 600 recipes.
- Temperature can be set between 25°C and 90°C in 0,1°C increments.
- Can heat and circulate up to 20 liters of water.
- Can circulate 8 liters of water per minute.
- Bright screen shows the working temperature and time, easy to operate.

code	V	W	mm
224076	230	800	98x158x(H)350





POLYSCIENCE® CHEF SERIES SOUS VIDE THERMAL CIRCULATOR

- Water circulation provides maximum consistency (compared to non-stirred devices).
- Can be applied to the virtually any vessel by means of a clamp.
- Best performances up to 45 litres.
- Working temperature 20 $^{\circ}\text{C}$ to 95 $^{\circ}\text{C}$, accuracy 0,05 $^{\circ}\text{C}$.
- Timer can be set up to 99 hours.
- Low Level water protection, device switches off the Sous Vide in case of accidental use without water.
- Control cooking liquid circulation level by easily adjustable pump pressure outlet.
- Maximum pressure flow rate of 12 litres per minute.
- Dedicated temperature control enables you to quickly set or adjust cooking temperature.
- Temperature sensor to prevent overload and overheating.
- Detachable power leads, both UK and European plugs included.

code	٧	mm
225608	230	98x187x(H)359





225608

























NEW!





IVIDE PLUS SOUS VIDE STICK

- High precision sous vide thermal circulator with temperature control.
- 4inch Touch Screen interface.
- Designed to fit to any round or flat cooking vessel with a minimum depth of 16.5cm by means of a clamp.
- Best performances up to 80 litres.
- Working temperature 5°C to 99°C, accuracy 0.07°C.
- Timer can be set between 1 minute and 99 hours.
- Multiple Machines can be managed from the App.
- Offers exceptional temperature stability.
- Low level water protection device switches off the sous vide in case of accidental use without water.
- Circulating pump to eliminate cold and hot spots.
- Temperature sensor to prevent overload and overheating.
- Carry Case as Standard.
- IPX7, can withstand splashes and accidental submersion.
- Precise temperature control from anywhere.
- A collection of over 600 recipes.
- Our Sous Vide Calculator: We've done all the testing and research for you, which means no more scouring the internet for information.
- Recipe Memory: Store your own times and temperatures.
- Cook history: For greater HACCP control store your last cook 10 times and temperatures.
- Multi device cooking: Control Several cookers form one app.
- Notifications to confirm when the water is at temperature, and the food is cooked. Cook time complete, don't worry the app will keep the food at the optimum temperature for holding.
- Multi-language Control: The first ever multilingual sous vide cooking app.

code	٧	W	mm
222997	230	2200	130x145x(H)330





EMBOSSED VACUUM BAGS

- 2-ply, inside layer 60 μm food contact approved
 Polyethylene, outside layer 15μm Polyamide (Nylon). Total thickness is 75 μm.
- The used materials act as an UV filter.
- Embossing improves the air flow out of the bag during the vacuum packing process.
- Bags can be used in temperatures from -20° up to 100°C.
- Suitable for chamber and external vacuum packing machines.

code		mm
971017	100 pieces	150x250
971048	100 pieces	150x400
971024	100 pieces	200x300
971055	100 pieces	250x350
971031	100 pieces	300x400
971000	50 pieces	400x500



LOW TEMPERATURE OVEN

- Designed for slowly preparing or regenerating food, by means of a very accurately set and controlled process.
- With core temperature probe, separately adjustable.
- Recessed handles in the sides.
- Easy to clean door seal.
- Oven chamber is heated on 4 sides, uniformly distributing the heat throughout the chamber.
- Energy efficient due to extra insulation.
- Seamless oven chamber with rounded corners, easy to clean.
- Temperature adjustable by 1 degree increments oven chamber up to 120°C, core temperature and keep warm up to 100°C.
- Door hinges left or right, easy to convert.
- Digital setting and readout of time, set temperature, and current core/chamber temperatures.
- Stainless steel pan and tray holder, suitable for GN 1/1 containers, grids and trays as well as 600x400 mm bakery trays, on 3 levels.





































RICE COOKER & WARMER





- Cooks rice and keeps it warm automatically.
- Measuring cup, rice spoon and silicone non-stick pad included.
- When keeping warm the sides of the pan are heated as well.

code	liter	٧	W	mm
240403	5.4	230	1950	455x455x(H)380



240410

RICE COOKER WITH STEAMER COOKING FUNCTION



- Cooks rice and keeps it warm automatically.
- Suitable for 10 measuring cups of dry rice.
- Plastic steam basket included to use during steam function.
- Measuring cup and rice spoon included.
- Easy to clean thanks to removable aluminium pan.

code	liter	٧	W	mm
240410	1,8	230	700	Ø280x(H)285



NEW!





SMOKE OVEN ELECTRIC

- The smoke oven is ideal for smoking a variety of foods such as fish, beef, ham and vegetables.
- Made of stainless steel, with a magnetically closing double-insulated door.
- Temperature adjustable with a thermostat, thermometer integrated in door.
- Equipped with a hot air vent on the rear.
- Supplied with 3 grids (400x279mm) and 3 meat hooks.

code	mm	W
238486 5	540x380(H)720	1600





































199800

199787



199770

SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with integrated filter.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

code	mm
199961	Ø68x(H)158

GLASS DOME

 Ideal to use in combination with the smoke infuser, create a spectacular way to present dishes to customers.

code	mm
199978	Ø245x(H)150

SMOKING GUN PRO - SAGE COMMERCIAL

- The smoking gun pro allows you to infuse a variety of foods and drinks with natural smoky flavours like applewood & hickory without adding any heat.
- Removable stainless steel combustion chamber and smoking barrel, can't be melted by blowtorch use and prevents resin build up.
- The 50 cm flexible rubber hose is easy to install and remove
- Heavy-duty removable fan will not melt when heated. Fan can be removed for cleaning with the supplied Allen key.
- Efficient, low-noise motor with air flow adjustment knob.
- Runs on 4 AA batteries (included).
- Includes two 1/2 OZ sample jars of PolyScience® Hickory and Apple Wood Smoking Sawdust.

code	mm
199985	150x80x(H)165

AROMATIC WOOD CHIPS

- For hot smoking in a smoke box or smoke oven.

code		type
199800	Oak wood	1000ml bag
199824	Bourbon wood	1000ml bag
199831	Hickory wood	1000ml bag
199848	Applewood	1000ml bag
199855	Cherry wood	1000ml bag
199862	Beech wood	1000ml bag
199893	Mesquite wood	1000ml bag

SMOKER WOOD DUST

- Very fine aromatic oak chips.
- For use with cold smoke infusers/smoking guns.

code	type
199787	500 g.

SMOKER WOOD DUST

- Very fine aromatic wood chips.
- For use with cold smoke infusers/smoking guns.
- Set of four different wood types: cherry, oak, hickory and mesquite.

code	type
199770	4 x 250ml tins



SAGE COMMERCIAL BY POLYSCIENCE®

THE CONTROL °FREAK™ INDUCTION HOB

- The Control °Freak™ induction cooking system is the first of its kind to accurately measure, set and hold 397 cooking temperatures from 30-252°C. The unique real-time sensing system uses a through-glass sensor to directly measure surface temperatures and a Probe Control™ remote thermometer to precisely control the temperature of both water and fat-based liquids. The Intensity function gives incredible control over the heat up speed to the set temperature. The Create function stores frequently used custom temperature profiles for simple one-touch recall.
- Temperature range of 30-250 $^{\circ}$ C, precise temperature control within 0,5 $^{\circ}$ C.
- Power can be set between 100-1800W.
- Both temperature probes have a resolution of 0-300°C.
- 72 hour timer with 'Repeat, Continue, Keep Warm and Stop Cooking' functions.
- Control cooking liquid circulation level by easily adjustable pump pressure outlet.
- Durable stainless steel housing with ceramic glass induction hob.
- Dual fan cooling system.
- Clear digital control panel with color display.
- USB port allows for software updates.
- Detachable power leads, both UK and European plugs included.

code	٧	W	mm
239216	230	1800	350x470x(H)110



239216





ANTI-GRIDDLE™

- The PolyScience® Anti-Griddle™ is a traditional cooktop with an amazing twist: the device quickly freezes sauces and purees instead of heating them! Develop solid or semi-frozen creations with stable, crunchy surfaces and cool, creamy centres. The dual-textures create a surprising and unique experience plates. On buffets and at catering events, the Anti-Griddle™ always attracts diners when preparing a frozen appetizer or dessert right in front of their eyes. Within 5–10 minutes the Anti-Griddle™ surface will reach a temperature at -34°C.
- Durable housing out of stainless steel with non-slip feet.
- The freezing surface is made of stainless steels and measures 38,1x22,8 cm.
- Fitted with carrying handles and supplied with freezing surface cover.

code	٧	mm
274248	230	403x477x343



274248


























GRILL MESH NON-STICK PTFE

- For use in combination with barbecues, grills and food dehydrators.

code	thickness (mm)	packed per	mm
678008	1	5	400x300
678015	1	5	530x325
678022	1	5	600x400







FOOD DEHYDRATOR KITCHEN LINE

- For drying fruits, vegetables, herbs, meat, fish, etc.
- Automatic fans circulate the warm air for an evenly dried result.
- Fitted with 6 or 9 stainless steel 330x305 mm trays which can hold up to 500 grams each.
- Trays are evenly spaced at 35 mm intervals and are easy to remove and clean.
- Inside of the housing and the door are made of BPA-free materials.
- Thanks to the transparent door you can keep an eye on the drying process.
- Delivered with a transparent pad which can be used to catch the residue on the bottom of the dryer or to make fruit leather.
- Temperature adjustable from 35° to 70°C.

code		٧	W	mm
229002	6 trays	230	500	450x345x(H)315
229019	9 trays	230	700	450x345x(H)415









9 trays 700 W

230 V









FOOD DEHYDRATOR PROFILINE

- Stainless steel housing.
- For drying fruits, vegetables, herbs, meat, fish, etc.
- Digital control panel.
- Timer adjustable up to 24 hours by 30 minute increments.
- Temperature adjustable from 35°C to 75°C by 5° increments.
- Silent fans circulate the warm air for an evenly dried result, without the need to rotate the trays.
- Fitted with 6 stainless steel grids, 305x330 mm each.
- Grids are evenly spaced and are easy to remove and clean.
- Thanks to the transparent door you can keep an eye on the drying process.

code		V	W	mm
229033	6 trays	230	550-650	340x450x(H)311

FOOD DEHYDRATOR PROFILINE

- Stainless steel housing.
- For drying fruits, vegetables, herbs, meat, fish, etc.
- Digital control panel.
- Timer adjustable up to 24 hours by 30 minute increments.
- Temperature adjustable from 35°C to 75°C by 5° increments
- Silent fans circulate the warm air for an evenly dried result, without the need to rotate the trays.
- Fitted with 10 stainless steel grids, 400x395 mm each.
- Grids are evenly spaced and are easy to remove and clean.
- Thanks to the transparent door you can keep an eye on the drying process.

code		٧	W	mm
229026	10 trays	230	1000	417x535x(H)430








6 trays

600 W

230 V

229033

10 trays





Easy to operate digital control panel



Residu pad included

























DEEP FRYERS MASTERCOOK DIGITAL

- The Mastercook range of tabletop deep fryers is made of 18/0 stainless steel.
- Element with switch-off function when removed.
- Oil container with a V-shaped bottom ensures an optimal cold zone, increases the useful life of the oil.
- Clear digital control panel with temperature and timer function.
- Protected against overheating by means of a re-settable thermal fuse.
- A frying basket with extra long handle turns this model into a fine piece of equipment for intensive use.
- All deep fryers come with frying basket(s) and lid(s).



2x 8 liter







DEEP FRYER MASTERCOOK DIGITAL - 8 L

code	liter	٧	W	mm
207345	8	230	3500	300x455x(H)345

DEEP FRYER MASTERCOOK DIGITAL - 2 X 8 L

code	liter	V	W	mm
207352	2x8	230	2x3500	605x455x(H)345



DEEP FRYER MASTERCOOK WITH DRAIN TAP DIGITAL - 8 L

code	liter	٧	W	mm
207369	8	230	3500	300x515x(H)345


DEEP FRYER MASTERCOOK WITH DRAIN TAP DIGITAL - 2 X 8 L

code	liter	V	W	mm
207376	2x8	230	2x3500	605x515x(H)345



DEEP FRYERS MASTERCOOK

- The Mastercook range of tabletop deep fryers is made of 18/0 stainless steel.
- Element with switch-off function when removed.
- Oil container with a V-shaped bottom ensures an optimal cold zone, increases the useful life of the oil.
- The clear controls with temperature pilot lights can be found on top of the equipment.
- Protected against overheating by means of a re-settable thermal fuse.
- A frying basket with extra long handle turns this model into a fine piece of equipment for intensive use.
- All deep fryers come with frying basket(s) and lid(s).



fried crumbs drop to the bottom where the oil temperature is lower and they do not burn that quickly





code	liter	٧	W	mm
207208	8	230	3500	300x455x(H)345



DEEP FRYER MASTERCOOK - 2 X 8 L

code	liter	٧	W	mm
207307	2x8	230	2x3500	605x455x(H)345



DEEP FRYER MASTERCOOK WITH DRAIN TAP - 8 L

code	liter	٧	W	mm
209202	8	230	3500	300x515x(H)345



DEEP FRYER MASTERCOOK WITH DRAIN TAP

-2X8L

code	liter	٧	W	mm
209301	2x8	230	2x3500	605x515x(H)345


























DEEP FRYER BLUE LINE

- Housing and oil tank made of stainless steel.
- Removable element with switch-off function when removed.
- Removable oil container, making it easier to clean.
- Heating indication lamp to show if the heating element is operating.
- The temperature can be set up to 190°C.
- A security thermostat ensures the deep fryer does not overheat.
- Overheat protection with reset for extra protection.
- A frying basket with heat insulated and extra long handle.
- Cold zone to protect oil quality.
- Supplied with frying basket and lid.

code	liter	٧	W	mm
205808	4	230	3000	217x380x(H)300
205846	2x4	230	2x3000	470x420x(H)330
205815	6	230	3300	265x430x(H)290
205853	2x6	230	2x3300	550x430x(H)290
205822	8	230	3500	265x430x(H)345
205839	2x8	230	2x3500	550x430x(H)345











Cold zone to protect oil quality



Removable oil container, making it easier to clean

Frying basket with heat insulated and extra long handle









2x 6 liter 2x 3300 W 230 V






















INDUCTION DEEP FRYER KITCHEN LINE

- Precise temperature control, induction technology keeps the oil at exactly the set temperature.
- With countdown timer.
- Efficient heat transfer.
- Stainless steel housing for easy cleaning.
- Overheating protection.
- Displays set temperature of the oil.
- Supplied with frying basket and lid.

code	liter	٧	W	mm
215012	8	230	3500	290x485x(H)406

INDUCTION DEEP FRYER KITCHEN LINE - DOUBLE

- Precise temperature control, induction technology keeps the oil at exactly the set temperature.
- With two countdown timers.
- Efficient heat transfer.
- Stainless steel housing for easy cleaning.
- Overheating protection.
- Display of set temperature of the oil.
- Supplied with two frying baskets and lids.

code	liter	V	W	mm
215029	8+8	230	3500+3500	580x485x(H)406







DOUGHNUT DEEP FRYER 12L

- Ideal for frying doughnuts, angel wings, beignets, Dutch doughnuts and other fried dough pastries.
- Entirely made of stainless steel, comes with two frying grids (354x383mm) with cool-touch handle, a heater guard and a lid that can also serve as a drip tray.
- Easy to use and clean, suitable for intensive use and high outputs.
- Fitted with a large welded oil tank (400x400x(H)160 mm) with a max. capacity of 12 liters.
- Tank equipped with drain tap and min/max oil level markings, has a 'cold zone' to improve the oils usetime.
- Removable heat element with switch-off function when removed and overheat protection.
- The temperature can be set from 50° up to 190°C.
- Heating indication lamp to show if the heating element is operating.
- With rubber anti-slip feet.

code	liter	٧	W	mm
205914	12	230	3000	630x860x(H)360



























GRIDDLES BLUE LINE

- Stainless steel housing.
- The hard chromed surface (9mm plate) facilitates cleaning.
- With removable dripping tray and high backsplashes.
- Stepless thermostat adjustable up to 300°C.
- Overheating protection.
- Suitable for continous use.
- Power switch with integrated indication lamp.
- Non-slip feet.

GRIDDLE BLUE LINE

– Griddle area 330x270 mm, entirely smooth.

code	٧	W	mm	
203125	230	2000	450x300x(H)225	





GRIDDLE BLUE LINE

– Griddle area 518x328 mm, left 259 mm smooth and right 259 mm ribbed.

code		٧	W	mm
203156	1/2 flat, 1/2 ribbed	230	2400	550x380x(H)240

GRIDDLE BLUE LINE

– Griddle area 518x328 mm, entirely ribbed.

code		٧	W	mm
203170	entirely ribbed	230	2400	550x380x(H)240



GRIDDLE BLUE LINE

– Griddle area 518x328 mm, entirely smooth.

code		٧	W	mm
203149	flat	230	2400	550x380x(H)240

GRIDDLE BLUE LINE

- 2 independent working areas, 2 heating indication lamps.
- Griddle area 688x410 mm, left 462 mm smooth and right 226 mm ribbed.

code		V	W	mm
203163	2/3 flat, 1/3 ribbed	230	3500	720x530x(H)250

GRIDDLE SCRAPER

code	mm
855201	100x315

SPARE BLADE FOR 855201


– 5 pieces	
code	
855218	





TEPAN-YAKI GRIDDLE









TEPAN-YAKI GRIDDLE

- Griddle surface dimensions: 439x228mm.

code	٧	W	mm
238608	230	1800	439x230x(H)110

TEPAN-YAKI GRIDDLE

- Griddle surface dimensions: 893x217mm.

code	٧	W	mm
238301	230	1800	900x230x(H)110





code

239506

239605



mm

Ø500x(H)190

Ø620x(H)190

230

230

inner pan 400x(H)50mm

inner pan 550x(H)60mm

1400

1600





















- Cast-iron enamelled grills. - Stainless steel frame.
- With wire brush.
- Fitted with fat tray and backsplash.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator light.
- With lifted top (H)530 mm.









CONTACT GRILL - SINGLE VERSION

- Grill surface 220x230 mm

code	٧	W	mm
263501	230	1800	290x370x(H)210



CONTACT GRILL - SINGLE VERSION

– Grill surface 220x230 mm

code	V	W	mm
263600	230	1800	290x370x(H)210







CONTACT GRILL "PANINI"

– Grill surface 340x230 mm

code	٧	W	mm
263655	230	2200	430x370x(H)210



CONTACT GRILL "PANINI"

– Grill surface 340x230 mm

code	٧	W	mm
263662	230	2200	430x370x(H)210









570x370x(H)210

CONTACT GRILL - DOUBLE VERSION

- Thermostats independently adjustable

– Grill surface bottom plate 475x230 mm

3600

230

263808

570x370x(H)210

CONTACT GRILL - DOUBLE VERSION

- Thermostats independently adjustable

– Grill surface bottom plate 475x230 mm

3600

230

263907







Removable grid and dripping tray



Height smoothly adjustable

SALAMANDER 450

- Type 450 stainless steel frame.
- Ideal for grilling or keeping dishes/sandwiches warm and crisp.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator lights.
- Adjustable height by means of smoothly running lifting system.
- Removable dripping/crumb tray with 440x320 mm grid.

code	V	W	mm
264607	230	2800	480x520x(H)530

SALAMANDER 600

- Type 600 stainless steel frame.
- Ideal for grilling or keeping dishes/sandwiches warm and crisp.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator lights.
- 2 independent heating areas.
- Adjustable height by means of smoothly running lifting system.
- Removable dripping/crumb tray with 590x350 mm grid.

code	V	W	mm
264706	230	3600	600x520x(H)530





Removable grid and dripping tray



Height smoothly adjustable







SALAMANDER WITH QUARTZ INFRARED HEATING ELEMENTS

- It is possible to place GN1/1 trays in the chamber.
- Ideal for grilling or heating up dishes or sandwiches.
- With top & bottom Quartz infrared heating element.
- Fitted with thermostat, 15 min. timer and indicator lamp.
- 3 possible grid heights, grid handles fitted with heat shield.
- With crumb tray.
- Conforms to the IPX3 norm.

code	V	W	mm
264409	230	3645	689x397x(H)318



3645 W

NEW!

SALAMANDER WALL MOUNTABLE

- Conforms to the IPX4 norm.
- Can be installed against the wall without requiring additional brackets.
- Ideal for grilling or heating up dishes or sandwiches.
- Continously adjustable from 50°C to 300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and indicator lamp.
- 4 possible grid heights, grid handles fitted with heat shield.
- With crumb tray.

code	V	W	mm
264119	230	2000	610x310x(H)280



SALAMANDER 580

- Type 580.
- Ideal for grilling or heating up dishes or sandwiches.
- Continously adjustable from 50°C to 300°C.
- With top heating element.
- Fitted with power regulator, 30 min. timer and indicator lamp.
- 4 possible grid heights.
- With crumb tray.
- Interior dimensions: 426x345x(H)257 mm.

code	٧	W	mm
264201	230	2200	580x413x(H)376



SALAMANDER 800

- Type 800.
- Ideal for grilling or heating up dishes or sandwiches.
- Continously adjustable from 50°C to 300°C.
- With top heating element.
- Fitted with power regulator, 30 min. timer and indicator lamp.
- 4 possible grid heights.
- With crumb tray.
- Interior dimensions: 646x408x(H)337 mm.

code	٧	W	mm
264300	230	3600	800x472x(H)456



























SAUSAGE ROLLING GRILLS

- Stainless steel housing.
- Quick heating and heat recovery.
- Non-stick coated rollers.
- Removable easy-to-clean drip tray.
- The rollers have a usable width of 42 cm.
- Adjustable temperature up to 150°C.



SAUSAGE ROLLING GRILL - 7 ROLLERS

code	V	W	mm
268506	230	740	520x325x(H)175



SAUSAGE ROLLING GRILL - 9 ROLLERS

code	V	W	mm
268605	230	940	520x400x(H)175



SAUSAGE ROLLING GRILL - 11 ROLLERS

code	٧	W	mm
268704	230	1180	520x477x(H)175



SAUSAGE ROLLING GRILL - 14 ROLLERS

code	٧	W	mm
268735	230	1480	520x591x(H)175









SAUSAGE WARMER



Handles for easy carrying



Sausages placed on the special grid are heated by steam, it prevents sausages from being overcooked

SAUSAGE WARMER 10 LITER

- Stepless thermostat temperature control up to 85°C.
- With handles for transport.
- Lid has a stay-cool handle.

code	٧	W	mm
240502	230	1000	330x280(H)250





SAUSAGE WARMER

- Heats hotdog sausages and keeps them warm.
- Stainless steel housing, sausage container made of anodized aluminum and glass.
- With adjustable power.

code	V	W	mm
265000	230	500	240x300x(H)385





























BAIN-MARIE KITCHEN LINE


- Gastronorm 1/1.
- Thermostat adjustable up to 85°C.
- Stainless steel water container with smooth edges which make it easier to keep the container clean.
- With on/off switch, indicator light.
- Supplied without GN containers.
- Suitable for gastronorm pans up to 150 mm deep.

code	V	W	mm
238905	230	1200	340x540x(H)250

BAIN-MARIE KITCHEN LINE WITH DRAIN TAP







- With on/off switch, thermostat and indicator light.
- Supplied without GN containers.
- Suitable for gastronorm pans up to 150 mm deep.
- With drain tap.

code	V	W	mm
238912	230	1200	340x540x(H)250

2x 4.2 liter

18/0

400 W

230 V





THERMOSYSTEM 1

- Enamelled pan Ø 185mm.
- Stainless steel bain-marie pan with lid.
- Fitted with power regulator and indicator light.

code	liter	V	W	mm
201107	4,2	230	200	265x265x(H)245

THERMOSYSTEM 2

- 2 enamelled pans Ø 185 mm.
- 2 stainless steel bain-marie pans with lids.
- Fitted with two power regulators and indicator lights.

code	liter	٧	W	mm
201206	2x4,2	230	400	505x265x(H)245



18/0

stainless stee

CREPES AND WAFFLE MAKERS





Including wooden spreader

CRÊPE MAKER

- Designed for making crepes.
- Baking plate Ø400 mm made of cast iron with a non-stick coating.
- Very even heat distribution across the surface.
- With storage drawer 400x320x(H)30 mm.
- Including wooden spreader.
- Stainless steel housing.
- Thermostat continuously adjustable from 50 to 250°C
- With protection from overheating and EGO thermostat.

code	٧	W	mm
212004	230	3000	450x470x(H)240



WAFFLE MAKER 'LIÈGE'

- Liège waffles, two 4x6 rectangular patterns.
- Cast iron non-stick coated surface
- Thermostatic temperature control.
- Including waffle fork.
- Insulated handle.







WAFFLE MAKER 'BRUSSELS'

- Brussels waffles, two 3x5 rectangular patterns.
- Cast iron non-stick coated surface
- Thermostatic temperature control.
- Including waffle fork.
- Insulated handle.



212134



WAFFLE MAKER 'HEART'

- Flower waffles, five conjoined heartshaped patterns.
- Cast iron non-stick coated surface
- Thermostatic temperature control.
- Including waffle fork.
- Insulated handle.

code	weight (kg)	٧	W	mm	code	weight (kg)	٧	W	mm	code	weight (kg)	٧	W	mm
212103	28	230	1500	320x437x(H)251	212127	23	230	2200	320×437×(H)277	212134	16	230	2200	320×437×(H)251

























NEW!

CONVEYOR TOASTER SINGLE

- One row of bread slices fit on the conveyor.
- Two separate heating elements.
- Suitable for continuous toasting of sliced bread.
- Supplied with front and back trays.
- Adjustable toasting time up to 5 minutes.

code	V	W	mm
261200	230	1340	288x418x(H)387











CONVEYOR TOASTER DOUBLE

- Two rows of bread slices fit next to eachother on the conveyor.
- Two separate heating elements.
- Suitable for continuous toasting of sliced bread.
- Supplied with front and back trays.
- Adjustable toasting time up to 3 minutes.

code	٧	W	mm
261309	230	2240	418x368x(H)387






NEW!












- Infrared quartz tubes for prompt heating, temperature can reach maximum within 30 seconds. Tubes cool down in seconds.
- Switch for selecting different heating groups.
- 15 Minutes mechanical timer with bell.
- 6 Toaster tongs included.

code	٧	W	mm
262214	230	3000	438x290x(H)402





SANDWICH TOASTER

- Stainless steel housing.
- Tongs fitted with insulated handles made of PF resin.
- Left and right slot separately operable.
- Timer with alarm adjustable to a maximum of 8 minutes.
- Removable crumb tray.

code	٧	W	mm
261163	230	1200	300x200x(H)223





















SAMSUNG





SAMSUNG MICROWAVE PROGRAMMABLE 1780W

- Model: SAMSUNG CM1929A/XEU
- Housing made of stainless steel, door fitted with glass window.
- Chamber is fitted with a ceramic floor and light.
- Input power 3200W, output power 1780W.
- Power can be set in 5 levels: high (100%), medium (70%), low (50%), quick defrost (20%), slow defrost (10%).
- Microwave by means of two rotating microwave tubes in the ceiling.
- Digital touch control panel with option of saving 30 3-step programs.
- Digital display with countdown timer, can be set up to 25/40/50 minutes depending on the program.
- Program lock function to prevent accidental deletion of programs.
- Repeat function to run the last cycle again.
- One touch function which extends the cooking cycle with 30 seconds when touched.
- Program finish signal can be modified.
- With air filter cleaning reminder.
- Stackable, microwaves can stack on each other with the included support plate.
- Removable internal upper quard to ease cleaning.
- Weight: 32 kg.

code	liter	٧	W	mm
281475	26	230	3200	464x557x(H)368

26 liter 1600 W 230 V SAMSUNG

281482

SAMSUNG MICROWAVE 1050W

- Model: SAMSUNG CM1099A/XEU
- Housing made of stainless steel, door fitted with glass window.
- Chamber is fitted with a ceramic bottom and
- Input power 1600W, output power 1050W.
- Power can be set in 5 levels: high (100%), medium (70%), low (50%), reduced (30%), defrost
- Microwave operates on a single microwave tube.
- With two knobs, for selecting power/function and for setting the timer.
- Timer can be set up to 35 minutes.
- Weight: 17,5 kg

code	liter	٧	W	mm
281482	26	230	1600	517x412x(H)297







SAMSUNG

281499

SAMSUNG MICROWAVE 1780W

- Model: SAMSUNG CM1919A/XEU
- Housing made of stainless steel, door fitted with glass window.
- Chamber is fitted with a ceramic bottom and light.
- Input power 3200W, output power 1780W.
- Power can be set in 5 levels: high (100%), medium (70%), low (50%), Quick defrost (20%), slow defrost (10%).
- Microwave operates on two microwave tube.
- With two knobs, for selecting power/function and for setting the timer.
- Digital display with countdown timer, can be set up to 50 minutes depending on the power level selected.
- "ONE TOUCH" function which extends the running program with 20 seconds when touched.
- Stackable, microwaves can be stacked on each other with the included support plate.
- With removable and cleanable air filter.
- Chamber dimensions: 370x370x(H)190 mm
- Weight: 32 kg

code	liter	٧	W	mm
281390	26	230	3200	464x557x(H)368

SAMSUNG MICROWAVE 1450W

- Model: SAMSUNG CM1519A

26 liter

1450 W

230 V

- Housing made of stainless steel, door fitted with glass window.
- Chamber is fitted with a ceramic bottom and light.
- Input power 3000W, output power 1450W.
- Power can be set in 5 levels: high (100%), medium (70%), low (50%), Quick defrost (20%), slow defrost (10%).
- Microwave operates on two microwave tube.
- With two knobs, for selecting power/function and for setting the timer.
- Digital display with countdown timer, can be set up to 50 minutes depending on the power level selected.
- "ONE TOUCH" function which extends the running program with 20 seconds when touched.
- Stackable, microwaves can be stacked on each other with the included support plate.
- With removable and cleanable air filter.
- Chamber dimensions: 370x370x(H)190 mm
- Weight: 32 kg

code	liter	٧	W	mm
281499	26	230	3000	464x557x(H)368

SAMSUNG MICROWAVE PROGRAMMABLE 1050W

- Model: SAMSUNG CM1089A/XEU
- Housing made of stainless steel, door fitted with glass window.
- Chamber is fitted with a ceramic floor and light.
- Input power 1600W, output power 1050W.
- Power can be set in 4 levels: high (100%), medium (70%), low (50%), defrost (30%)
- Microwave operates on a single microwave tube.
- Digital touch control panel with option of saving 20 3-step programs.
- Digital display with countdown timer, can be set up to 30 minutes.
- "ONE TOUCH" function which extends the running program with 30 seconds when touched.
- Program finish signal can be modified.
- Weight: 14,5 kg.

code	liter	٧	W	mm
281451	26	230	1600	517x412x(H)294





281451

























20 liter 700 W 230 V



See movie



281710

25 liter 1000 W

25 liter 1000 W



MICROWAVE WITH GRILL

- Controlled with two knobs, timer and power/ function separately adjustable.
- Input power 1050W, output power 700W microwave or 1000W grill.
- Timer can be set up to 35 minutes.
- Stainless steel front panel and transparent door.
- The coated chamber contains a glass turntable Ø255mm.
- Suitable for plates up to Ø280x(H)160mm.
- Chamber dimensions: 304x306x(H)206mm.
- Volume 20 liter.

code	liter	٧	W	mm
281710	20	230	1050	440x330x(H)259



281352





MICROWAVE 1000W

- Controlled with a single knob, time adjustable from 15 seconds to 6 minutes.
- Uses a rotating antenna under the chamber floor.
- Chamber made of stainless steel with a ceramic
- Transparent door without a lock, easy to open.
- Input power 1550W, output power 1000W.
- Chamber dimensions: 327x346x(H)200 mm
- Volume 25 liter.

code	liter	٧	W	mm
281352	25	230	1550	511x432x(H)311



MICROWAVE PROGRAMMABLE 1000W

- Easy to use control panel with 10 programmable buttons.
- Programmable up to 3 stages of cooking, memory capacity for 100 programs.
- Chamber made of stainless steel with interior light.
- Housing made of stainless steel.
- Suitable for plates up to Ø320 mm.
- Input power 1550W, output power 1000W.
- Energy feed through the bottom by use of a rotating antenna.
- Transparent door without a lock, easy to open.
- Chamber dimensions: 327x346x(H)200mm.
- Volume 25 liter.

code	liter	٧	W	mm
281444	25	230	1550	511x432x(H)311











See movie

MICROWAVE PROGRAMMABLE 1000W

- Easy to use control panel with 10 programmable buttons.
- Housing made of stainless steel.
- Microwave chamber made of stainless steel with a ceramic floor.
- Input power 1500W, output power 1000W.
- Transparent door without a lock, easy to open.
- Chamber dimensions: 370x385x(H)230 mm
- Volume 34 liter.

code	liter	٧	W	mm
281413	34	230	1500	553x488x(H)343



281413





See movie

34 liter 1800 W 230 V

MICROWAVE PROGRAMMABLE 1800W

- Easy to use control panel with 10 programmable buttons.
- Uses twin microwave generators.
- Housing made of stainless steel.
- Microwave chamber made of stainless steel with a ceramic floor.
- Input power 3000W, output power 1800W.
- Transparent door without a lock, easy to open.
- Chamber dimensions: 360x409x(H)225 mm
- Volume 34 liter.

code	liter	٧	W	mm
281369	34	230	3000	574x528x(H)368



281369


























- Burners power 12 kW.
- Delivered with reflection screens.
- Grill length: 900 mm.
- Capacity: up to 80 kg.
- Weight 30 kg.

code	V	mm
226001	230	470x550x(H)1150



CORDLESS KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc..
- 2 stainless steel ø100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Charger with red and green light indicating battery level.
- Two 2,000 mAh battery packs included.
- Blade sharpening stone included.
- Weight 1 kg.

code	V	W	mm
267257	230	80	199x114x(H)184



KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc.
- 2 stainless steel ø100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Overload protection with a reset button.
- Blade sharpening stone included.
- Weight 1 kg.

code	٧	W	mm
267240	230	80	194x113x(H)173





CHEESE-GRATING MACHINE

- Capacity of 30 kilos per hour.
- Functional and practical, stable body.
- Despite its small size, the device offers high performance.
- Ideal for grating Parmesan cheese and other hard cheeses.
- Motor is protected against overloading.
- Provided with grated cheese container 1,3 L.
- Speed: 1400 RPM.
- Cylinder diameter ø110x60 mm.
- Weight 8 kg.

code		٧	W	mm
226827	30 kg/h	230	380	280x250x(H)310























- Housing made of high-quality white-varnished stainless steel.
- Bowl, cover and spiral made of 18/10 stainless steel.
- With built-in timer.
- Movable thanks to 4 wheels of which 2 have brakes.



Fitted with castor wheels



NEW!

SPIRAL MIXER WITH FIXED BOWL - 10 L

- Model with fixed head and bowl.
- Bowl capacity: 10 liter.
- Bowl dimensions: ø260x(H)200 mm.
- Maximum dough load of 8 kg.
- Weight: 42 kg.

code		V	W	mm
226315	35 kg/h	230	370	260x500x(H)500

SPIRAL MIXER WITH FIXED BOWL - 22 L

- Model with fixed head and bowl.
- Bowl capacity: 20 liter.
- Bowl dimensions: ø360x(H)210 mm.
- Maximum dough load of 17 kg.
- -Weight 56 kg.

code		٧	W	mm
226209	56 kg/h	400	750	385x670x(H)725

SPIRAL MIXER WITH FIXED BOWL - 32 L

- Model with fixed head and bowl.
- Bowl capacity: 32 litres.
- Bowl dimensions: ø400x(H)260 mm.
- Maximum dough load of 25 kg.
- Weight 90 kg.

code		٧	W	mm
226308	88 kg/h	400	1100	424x735x(H)805





SPIRAL MIXER WITH REMOVABLE BOWL - 20 L

- Model with liftable head and removable bowl.
- Bowl capacity: 20 litres.
- Bowl dimensions: ø360x(H)210 mm.
- Maximum dough load of 17 kg.
- Weight 73 kg.

code		٧	W	mm
226346	56 kg/h	400	750	385x670x(H)725

SPIRAL MIXER WITH REMOVABLE BOWL - 32 L

- Model with liftable head and removable bowl.
- Bowl capacity: 32 litres.
- Bowl dimensions: ø400x(H)210 mm.
- Maximum dough load of 25 kg.
- Weight 94,6 kg.

code		٧	W	mm
226353	88 kg/h	400	100	424x735x(H)805



























S.S stainless ster

PASTA MAKER ELECTRIC

- Perfect for making fresh pasta (max. width: 170 mm).
- Cover equipped with safety switch.
- Dough thickness adjustable in 7 steps from 0,2 to 2,5 mm.
- Three rollers/cutters: dough roller, tagliatelle cutter (6,25 mm) and fettuccine cutter (2 mm).

code	٧	W	mm
224847	230	70	258x218x(H)232





ELECTRIC DOUGH ROLLERS





226629

ELECTRIC DOUGH ROLLER 300

- Perfect for rolling cold pizza dough, pasta dough and dumpling/ravioli dough.
- Two sets of adjustable rollers shape the dough into a disc of consistent thickness.
- Separate roller guards ensure easy and safe operation.
- Weight 25 kg.
- Rolled dough disc diameter: 14 to 30 cm.

code	weight (kg)	٧	W	mm
226629	0,08-0,21	230	250	440x365x(H)640



ELECTRIC DOUGH ROLLER 400

- Perfect for rolling cold pizza dough, pasta dough and dumpling/ravioli dough.
- Two sets of adjustable rollers shape the dough into a disc of consistent thickness.
- Separate roller guards ensure easy and safe operation.
- Patented model, switches on automatically when you enter the dough.
- Weight 37 kg.
- Rolled dough disc diameter: 26 to 40 cm.

code	weight (kg)	V	W	mm
226636	0,21-0,70	230	370	550x365x(H)750



ELECTRIC DOUGH ROLLER 500

- Perfect for rolling cold pizza dough and pasta dough.
- One set of rollers, electric foot pedal.
- Adjustable dough thickness, diameter adjustable from 26 to 50 cm.
- Roller guard.
- Weight 27 kg.

code	weight (kg)	٧	W	mm
226612	0,21-0,70	230	370	645x360x(H)430





























LID FOR PIZZA DOUGH BOXES

code	mm	
880968	600x400	





code	liter	mm int.	mm
880906	14	565x365x(H)70	600x400x(H)75
880913	18	565x365x(H)90	600x400x(H)95
880920	24	565x365x(H)120	600x400x(H)130







PIZZA SLICER

617014

- Stainless steel knife blade.
- Polypropylene handle.

code	mm
617014	ø100x230



PAN GRIPPER

- Stainless steel.
- Suitable for all types of pizza pans.

code	Dimensions (mm)
617700	190 mm





18/0

CAKE SERVER

– With black polypropylene handle

code	mm
523902	260x60
323702	200,000

CAKE SCOOP/CUTTER

- With black polypropylene handle
- With cutting sides

code	mm
523957	295x75



PIZZA PAN

- Made of blue steel.
- Ideal for uniform heat distribution when baking.

code	mm
17069	ø200x(H)25
17076	ø220x(H)25
17083	ø240x(H)25
17090	ø260x(H)25
17106	ø280x(H)25
17205	ø300x(H)25
17304	ø320x(H)25
17403	ø360x(H)25
17410	ø400x(H)25
17427	ø450x(H)38
17434	ø500x(H)38



PIZZA SCREEN

- Solid construction
- Ideal for uniform pizza baking

code	mm
617502	Ø230
617526	Ø280
617533	Ø300
617540	Ø330
617557	Ø360
617564	Ø400
617571	Ø450
617588	Ø500
617595	Ø600



PIZZA BOARDS

- Made of raw beech wood.
- With grooves to assist cutting into 6 equal parts.

code	mm
505540	ø300
505557	ø350
505564	ø400
505571	ø450
505588	ø500
505595	ø600





ø500 and 600 mm have a reinforced bottom



PIZZA OVEN

- Tray grid suitable for pizzas up to ø 30 cm.
- Timer adjustable up to 15 minutes.
- With top and bottom heating elements and crumbs tray.
- Suitable for frozen pizzas.

code	V	W	mm
220306	230	1300	480x420x(H)195

























PIZZA ACCESSORIES



PIZZA SCOOP


- Wooden handle

code	mm	
617816	305x355x(L)965	
617861	405x457x(L)860	

PIZZA OVEN CLEANING BRUSH

- Brush made of brass wire
- Removable wooden handle ended with a screw
- Steel scraper

code	mm	
525630	255x(L)930	



PIZZA DELIVERY BAGS

- Thermal insulation delivery bags save time and money and help improve the quality of your services
- The product remains hot and tasty all the way to the customer



PIZZA DELIVERY BAG - BOX 350X350 MM

- Tight shutter easy to regulate.
- Made of tough and easy to clean material.
- Side pockets for drinks.

709825

– Top transparent pocket for bills.

709925	/ hoves	350×350
code		Dimensions (mm)
	'	





PIZZA DELIVERY BAG - BOX 450X450 MM

- Tight shutter easy to adjust.
- Made of tough and easy to clean material.
- Side pockets for drinks.
- Top transparent pocket for bills.

code		Dimensions (mm)
709818	4 boxes	450x450




code	packed per	
709900	500	










PIZZA OVEN BASIC 1/40

- Stainless steel front panel and painted steel body.
- With internal lighting.
- Refractory bricks in the cooking chamber.
- Heating elements in the chamber (top and bottom).
- Separate thermostat for each heating element.
- Temperature range: 50°C to 320°C.
- Inside dimensions of the chamber: 410x360x(H)90 mm.

code	V	W	mm
226865	230	1600	568x430x(H)280



226889




PIZZA OVEN BASIC 1/50 VETRO

- Stainless steel front panel and painted steel body.
- Insulation made of rock wool.
- Refractory bricks in the cooking chamber.
- Heating elements in the chamber (top and bottom).
- Separate thermostat for each heating element.
- Temperature range: 50°C to 500°C.
- Inside dimensions of the chamber: 620x500x(H)120 mm.

code	V	W	mm
226889	230/400	5000	915x621x(H)357






PIZZA OVEN BASIC 2/40

- Stainless steel front panel and painted steel body.
- Insulation made of rock wool.
- Refractory bricks in the cooking chamber.
- Heating elements in the chamber (top and bottom).
- Separate thermostat for each heating element.
- Temperature range: 50°C to 320°C.
- Inside dimensions of the chamber: 410x360x(H)90 mm.

code	٧	W	mm
226872	230	2400	568x430x(H)425



226896



PIZZA OVEN BASIC 2/50 VETRO

- Stainless steel front panel and painted steel body.
- Insulation made of rock wool.
- Refractory bricks in the cooking chamber.
- Heating elements in the chamber (top and bottom).
- Separate thermostat for each heating element.
- Temperature range: 50°C to 500°C.
- Inside dimensions of the chamber: 620x500x(H)120 mm.

code	٧	W	mm
226896	230/400	7500	915x621x(H)527



























227060

Two highly efficient fans, distributing hot air evenly



CONVECTION OVEN H90

- Stainless steel body, door with double glazing.
- Cool touch door which can be removed to ease cleaning.
- Inside is partially enamelled and has interior lighting.
- Heating by means of two heating elements and two fans.
- Temperature adjustable from 50°C to 300°C.
- Timer adjustable from 0 to 120 minutes.
- Oven fits 4 trays, distance between the trays is 70 mm.
- Supplied with 4 trays (436x315 mm).

code		V	W	mm
227060		230	2670	595x595x(H)570
801970	grid			433x338
943380	tray			435x315x(H)8

Fits four aluminium trays



Double, heat resistant glass



Fitted with interior lighting








HUMIDIFIED CONVECTION OVEN H90S

- Stainless steel body, door with double glazing.
- Cool touch door which can be removed to ease cleaning.
- Inside is partially enamelled and has interior lighting.
- Heating by means of two heating elements and two fans.
- Temperature adjustable from 50°C to 300°C.
- Direct humidification, manually operated with a button.
- Timer adjustable from 0 to 120 minutes.
- Oven fits 4 trays, distance between the trays is 70 mm.
- Supplied with 4 trays (438x315 mm).

	-			
code		٧	W	mm
227077		230	2670	595x595x(H)570
801970	grid			433x338
943380	tray			435x315x(H)8

Direct humidification





Glass stays cool enough to touch









;;; (i)







CONVECTION STEAM OVEN WITH GRILL 4X GN 2/3

- High-quality stainless-steel body and chamber.
- Manual control panel with knobs for function, temperature, time and amount of steam.
- Has functions for defrost, pre-heat, convection, grill, steam or a combination of those functions.
- Temperature can be set up to 280°C
- Timer can be set up to 120 minutes.
- Convection by means of two heating elements and one fan
- With top grill elements.
- Oven fits 4 GN2/3 trays, distance between the trays is 70 mm.
- Supplied with 1 grid GN2/3.
- Convection 3 kW, grill: 1.8 kW.
- Chamber heaters: bottom 1.6 kW, top 0.7 kW.
- Adjustable feet from 55 to 75 mm.

code	٧	W	mm
225929	230	3000	620x555x(H)585
224823	Stand for oven 225929		580x390x(H)750

CONVECTION SNACK OVENS

- Ideal solution for businesses wishing to add fresh and tasty baked goods to their product range.
- Compact size and cost-effective energy consumption make it fit for installation practically anywhere.
- Built-in humidifier makes the oven suitable for even the most
- sophisticated baked goods.
- Body and cooking chamber made of stainless steel.
- Glass door with gravity ventilation.
- Cooling system for controls.



225165

CONVECTION OVEN MULTIFUNCTIONAL

- Fits 4 trays 429 x 345 mm, 4 trays included.
- One non-reversible fan.
- Body and chamber made of stainless steel.
- Double layer glass door, cools front pane by means of natural convection.
- Tray support spacing 74 mm.
- Temperature range: 50 to 230°C.

code	weight (kg)	٧	W	mm
225165	36,4	230	2600	590x695x(H)590



224670



FLOOR STAND FOR SNACK OVENS

- Capacity: 6x 429x345 mm.
- Compatible with Hendi oven 225165.

code	mm	
224670	540x460x(H)700	



CONVECTION BAKERY OVENS - 600X400 MM

- Ideal solution for businesses wishing to add fresh and tasty baked goods to their product range.
- Compact size and cost-effective energy consumption make it fit for installation practically anywhere.
- Built-in humidifier makes the oven suitable for even the most
- sophisticated baked goods.
- Body and cooking chamber made of stainless steel.
- Glass door with gravity ventilation.
- Cooling system for controls.



BAKERY HUMIDIFIED CONVECTION OVEN

- Two non-reversible fans.
- Indirect humidification, manually operated with a button.
- Fits up to four 600 x 400 mm trays, not included.
- Body and chamber made of stainless steel.
- Double layer glass door, cools front pane by means of natural convection.
- Tray support spacing 83 mm.
- Temperature range: 50 to 230°C.

code	weight (kg)	٧	W	mm
225516	50,4	230	3400	790x750x(H)635



225516

STEAM CONVECTION OVEN

- Two reversible fans.
- Direct humidification, adjustable in 5 steps.
- Fits up to four 600 x 400 mm trays, not included.
- Chamber made of stainless steel 18/10.
- Double layer glass door, cools front pane by means of natural convection.
- Tray support spacing 83 mm.
- Temperature range: 50 to 230°C.

code	weight (kg)	٧	W	mm
225523	58	400 / 2N	6400	790x750x(H)635



225523

FLOOR STAND FOR BAKERY OVENS

- Capacity: 6x 600x400.
- Suitable for ovens: 225516, 225523.

code	mm
225639	760x520x(H)950



225639



















CONVECTION OVENS & COMBI-OVENS NANO 4X 450X340MM

- These ovens are the way to go when you want to create scrumptious baked goods, vegetables with a bite, flavourful roasted meats and poultry or perfectly steamed fish.
- Housing and chamber are made of high-quality stainless steel, the chamber is equipped with a drain in the bottom.
- The powerful 6 bladed fan can spin at two speeds (1400/2800 rpm), this results in ideal distribution of air in chamber and preventing inner turbulence. The fan motor has double bearings and 250W of power.
- Timer can be set up to 120 minutes, temperature up to 260 $^{\circ}\text{C}.$
- The door is fitted with two layers of glass with space for gravity ventilation, this keeps the outside glass cool to the touch. Outside glass can be removed to ease cleaning.





- Door gasket is fitted in the chamber and removable to ease cleaning and replacement.
- Chamber capacity of 4 trays (450x340mm), tray guides are placed 75 mm apart.
- Comes complete with 4 aluminium trays (450x340mm).





223369

MULTI-FUNCTIONAL CONVECTION OVEN MANUAL WITH HUMIDIFIER NANO

- Manual control panel, three knobs for temperature, time and mode.
- With a humidifier button for indirect humidification.
- 4 modes: defrosting, convection, grill and grill with convection.
- Equipped with 1 non-reversible fan.
- Weight: 36 kg.

code	٧	W	mm
223369	230	3100	560x595x(H)530



223376

CONVECTION OVEN MANUAL NANO

- Manual control panel, two knobs for temperature and time.
- Equipped with 1 non-reversible fan.
- Weight: 36 kg.

code	٧	W	mm
223376	230	2850	560x595x(H)530











CONVECTION OVEN MANUAL WITH HUMIDIFIER NANO

- Manual control panel, two knobs for temperature and time.
- With a humidifier button for indirect humidification.
- Equipped with 1 reversible fan.
- Weight: 38 kg.

code	V	W	mm
223352	230	3200	560x595x(H)530



223352

CONVECTION OVEN DIGITAL WITH HUMIDIFIER NANO

- Digital control panel, easy control over the time, temperature and humidification.
- The oven is programmable, possibility to create 99 3-step programs, 4 if pre-heating is added to the program.
- Equipped with 1 reversible fan.
- Weight: 38 kg.

code	V	W	mm
223345	230	3100	560x595x(H)530



223345



223031



- For ovens 223376, 223369, 223352, 223345.

560x510x800 223031















201

CONVECTION STEAM OVENS DIGITAL NANO GN-SIZE

- A convection steam oven combines the efficiency of a convection oven with the capabilities of a steam oven.
 These modes can be used separately or in conjunction with one another. These ovens are the way to go when you want to create scrumptious baked goods, vegetables with a bite, flavorful roasted meat and poultry or perfectly steamed fish.
- Steam is generated by directly spraying water on the heaters. The steam levels in the chamber are controllable and the oven has multiple automated features to maintain the set levels. Works with a direct water connection: 3/4", max 30°C, 150-200 kPa (2 bar), only treated, softened water.
- Housing and chamber are made of high-quality stainless steel, the chamber is equipped with a drain in the bottom.
- The powerful 6 bladed fan(s) have auto-reverse and can spin at two speeds (1400/2800 rpm), this results in ideal distribution of air in chamber and preventing inner turbulence. The fan motor has double bearings and 250W of power.
- The digital control panel has clear readouts for the different functions, time, temperature and cooking program.





223123

NEW!



- Electronic timer can be set up to 999 minutes, temperature up to 260 $^{\circ}\text{C}.$
- The oven is programmable to ensures the same level of quality in day to day operations. It's possible to create
 99 3-step programs, 4 if pre-heating is also added to the program.
- The oven is fitted with a removable temperature probe which can work in conjunction with the incorporated Delta-T cooking function.
- Keeps the chamber warm before pre-heating to ensure quick ready times.
- The door is fitted with two layers of glass with space for gravity ventilation, this keeps the outside glass cool to the touch. Outside glass can be removed to ease cleaning.
- Door gasket is fitted in the chamber and removable to ease cleaning and replacement.
- The chamber is fitted removable GN-tray guides and halogen lighting.
- Automatic chamber heating before "PRE-HEATING" cycle.



CONVECTION STEAM OVEN DIGITAL NANO 5X GN2/3

- Capacity of 5x GN2/3, GN-tray guides are placed 67 mm apart.
- With 1 reversible fan.
- Weight: 64 kg.

code		V	W	mm
223291	5x GN2/3	400	5400	700x714x(H)628
223666		and for	c	700x580x(H)700
	5x GI	12/3 oven:	S	

CONVECTION STEAM OVEN DIGITAL NANO 5X GN1/1

- Capacity of 5x GN1/1, GN-tray guides are placed 67 mm apart.
- With 2 reversible fans.
- Weight: 103 kg.

code		V	W	mm
223123	5x GN1/1	400	13800	920x834x(H)699
223659	-	tand for N1/1 over	ıs	940x640x(H)700





CONVECTION STEAM OVEN DIGITAL NANO 7X GN1/1

- Capacity of 7x GN1/1, GN-tray guides are placed 67 mm apart.
- With 2 reversible fans.
- Weight: 117 kg.

code		٧	W	mm
223109	7x GN1/1	400	13800	920x834x(H)859
223659	S	tand for		940x640x(H)700
	7x G	N1/1 over	ıs	



223109


CONVECTION STEAM OVEN DIGITAL NANO 12X GN1/1

- Capacity of 12x GN1/1, GN-tray guides are placed 67 mm apart.
- With 3 reversible fans.
- Weight: 151 kg.

	٧	W	mm
12x GN1/1	400	13800	920x834x(H)1195
st	and for		940x640x(H)500
	.=, .	12x GN1/1 400 stand for	12x GN1/1 400 13800



223086



CONVECTION STEAM OVEN DIGITAL NANO 20X GN1/1

- Capacity of 20x GN1/1, GN-tray guides are placed 67 mm apart.
- With 4 reversible fans.
- Weight: 250 kg.

code		٧	W	mm
223215	20x GN1/1	400	28000	1050x940x(H)1900









CONVECTION STEAM OVENS MANUAL NANO GN-SIZE

- A convection steam oven combines the efficiency of a convection oven with the capabilities of a steam oven. These modes can be used separately or in conjunction with one another. These ovens are the way to go when you want to create scrumptious baked goods, vegetables with a bite, flavourful roasted meat and poultry or perfectly steamed fish.
- Steam is generated by directly spraying water on the heaters. The steam levels in the chamber are controllable and the oven has multiple automated features to maintain the set levels. A direct water connection is needed: ¾", max 30°C, 150-200 kPa (2 bar), only treated, softened water.
- Housing and chamber are made of high-quality stainless steel, the chamber is equipped with a drain in the bottom.
- The powerful 6 bladed fan(s) have auto-reverse and can spin at two speeds (1400/2800 rpm), this results in ideal distribution of air in chamber and preventing inner





223130





turbulence. The fan motor has double bearings and 250W of power.

- The manual control panel has thermostat and steaming indicator lights and three large knobs for setting the time, temperature and amount of steam.
- Timer can be set up to 120 minutes, temperature up to 260 $^{\circ}\text{C}.$
- The door is fitted with two layers of glass with space for gravity ventilation, this keeps the outside glass cool to the touch. Outside glass can be removed to ease cleaning.
- Door gasket is fitted in the chamber and removable to ease cleaning and replacement.
- The chamber is fitted removable GN-tray guides and halogen lighting.



CONVECTION STEAM OVEN MANUAL NANO 5X GN2/3

- Capacity of 5x GN2/3, GN-tray guides are placed 67 mm apart.
- With 1 reversible fan.
- Weight: 64 kg.

code		٧	W	mm
223307	5x GN2/3	400	5400	700x714x(H)628
223666	stand f	for 5x GN2	2/3	700x580x(H)700

CONVECTION STEAM OVEN MANUAL NANO 5X GN1/1

- Capacity of 5x GN1/1, GN-tray guides are placed 67 mm apart.
- With 2 reversible fans.
- Weight: 103 kg.

code		V	W	mm
23130	5x GN1/1	400	13800	920x834x(H)69
23659	_	tand for		940x640x(H)70
:3659	_	tand for N1/1 oven	ıs	940













CONVECTION STEAM OVEN MANUAL NANO 7X GN1/1

- Capacity of 7x GN1/1, GN-tray guides are placed 67 mm apart.
- With 2 reversible fans.
- Weight: 117 kg.

code		٧	W	mm
223116	7x GN1/1	400	13800	920x834x(H)859
223659	S	tand for		940x640x(H)700
	7x G	N1/1 over	าร	



223116

CONVECTION STEAM OVEN MANUAL NANO 12X GN1/1

- Capacity of 12x GN1/1, GN-tray guides are placed 67 mm apart.
- With 3 reversible fans.
- Weight: 151 kg.

code		٧	W	mm
223093	12x GN1/1	400	13800	920x834x(H)1195
223642	st	and for		940x640x(H)500
	12x GI	N1/1 over	ns	



223093



CONVECTION STEAM OVEN MANUAL NANO 20X GN1/1

- Capacity of 20x GN1/1, GN-tray guides are placed 67 mm apart.
- With 4 reversible fans.
- Weight: 250 kg.

code		٧	W	mm
223222	20x GN1/1	400	28000	1050x940x(H)1900













808214

TRAY - With 3 rims

Al	
aluminium	oven

code	mm	
808207	600x400	

TRAY PERFORATED - With 3 rims





code	mm	
808214	600x400	



TRAY PERFORATED - WITH 3 RIMS





_	With	3	rims.
	A A I C I I	J	111113.

code		mm
808221	Non-stick coating	600x400



TRAY FOR FRENCH BREAD

- With Teflon $^{\text{TM}}$ non-stick coating.
- Perforated.
- Fits 5 loaves of french bread.



code		mm
808245	Non-stick coating	600x400



TRAY FOR FRENCH BREAD



– Fits 5 loaves of french bread		aluminium	oven
code	mm		
808238	600x400		






GRID

code	mm
801994	600x400
801925	Grid transverse
801963	Chrome plated





TRAY PERFORATED GN 1/1 - WITH 4 RIMS

mm	
530x325x(H)10	



TRAY GN 1/1 - WITH 4 RIMS

– With Teflon™ non-stick coating.

15	Al	<250°C	
ing.	aluminium	temp	oven
5			

code	mm	
808429	325x530x(H)10	



GASTRONORM TRAY PROFILINE


code	mm	
809242	GN 1/1 - 530x325x(H)40	
809259	GN 1/1 - 530x325x(H)20	
809150	GN 2/1 - 650x530x(H)20	



TRAY PERFORATED GN 1/1 - WITH 4 RIMS

- With Teflon™ non-stick coating.


code	mm	
808405	530x325x(H)10	



GASTRONORM GRID

- GN 1/1

- ON 1/1		_
code	mm	
801901	530x325	
801918	Stainless steel 18/10	
801956	Chrome plated - transverse grid	



CHICKEN GRID

- For roasting 8 chickens

code		mm
808474	GN 1/1	530x325x(H)150,8























GASTRONORM CONTAINER ENAMELLED

code	mm
890233	530x325x(H)60
890240	530x325x(H)40
890257	530x325x(H)20



CONTAINER WITH NON-STICK COATING

code	mm
805534	530x325x(H)65
805541	530x325x(H)40
805558	530x325x(H)20
00000	



TRAY PERFORATED GN 2/3 - WITH 4 RIMS


code	mm	
808313	354x325x(H)10	



TRAY PERFORATED GN 2/3 - WITH 4 RIMS


- With Teflon™ non-stick coating.

	<u> </u>
code	mm
808412	354x325x(H)10



GASTRONORM GRID GN 2/3

code	mm	
801932	354x325	



GASTRONORM CONTAINER ENAMELLED GN 2/3

code	mm	
890349	345x325x(H)40	
890356	345x325x(H)20	



OVEN MITTS

- Certified protective gloves. CE compliant in accordance with the Personal Protective Equipment Directive 89/686/EEC.



OVEN MITTS, COTTON

code	packed per	mm
556603	2	345



OVEN MITTS, FIBERGLASS

code	packed per	mm
556627	2	430



OVEN MITTS, FLAME RETARDANT COTTON

– Extra long to protect the forearm

code		packed per	mm
556610	cotton with flame retardant coating	2	430



OVEN GLOVE HEAT RESISTANT

– Heat resistant up to $350\,^{\circ}\text{C}.$

– Comfortable fit.

code	packed per	mm
556634	2	300





OVEN MITTS LEATHER

– Made from cow leather.

– Extra long to protect the forearm.

code	packed per	mm
556658	2	460









NEW!



233825

ROUND CAKE DISPLAY 100L

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 3 adjustable glass shelves.
- Bright LED lighting on 2 sides.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 2°/8°C.
- Climate class: N
- Refrigerant: R600a.

code	liter	٧	W	mm
233825	100	230	210	ø480x(H)1030



233207

CAKE DISPLAY 110L

- Housing made of stainless steel fitted with, curved double glazed front cover and glass side panels.
- Accessible through two sliding glass doors.
- 20 mm thick expanded polystyrene foam insulation.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 2 chrome plated shelves (630x230mm and 630x280mm) included. Max. capacity of 5 kg each.
- Bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 2/8°C.
- Climate class: 3
- Refrigerant: R290.

code	liter	V	W	mm
233207	110	230	220	700x557x(H)670





233832

ROUND CAKE DISPLAY 360L

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 4 adjustable glass shelves.
- Bright LED lighting on 2 sides.
- Fitted with 3 castors of which 1 has a brake.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 2°/8°C.
- Climate class: N
- Refrigerant: R290.

code	liter	V	W	mm
233832	360	230	460	ø680x(H)1750



233214

CAKE DISPLAY 130L

- Housing made of stainless steel fitted with, curved double glazed front cover and glass side panels.
- Accessible through two sliding glass doors at the back.
- 20 mm thick expanded polystyrene foam insulation.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 2 chrome plated shelves (830x230mm and 830x280mm) included. Max. capacity of 6,5 kg each.
- Bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 2°/8°C.
- Climate class: 3
- Refrigerant: R290.

code	liter	V	W	mm
233214	130	230	260	900x557x(H)670











See movie

CAKE DISPLAYS



- Accessible through two sliding glass doors at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 2 chrome plated shelves included.
- Bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 0°/12°C.
- Climate class: N
- Refrigerant: R290.

code	liter	٧	W	mm
233702	120	230	160	686x568x(H)686
233719	160	230	160	850x568x(H)686





NEW!

OPEN FRONT MULTIDECK DISPLAY REFRIGERATOR 320L



- Housing made of stainless steels fitted with hardened safety glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with three shelves.
- Fitted with easy to remove lockable sliding doors.
- With LED lighting at the top and under each shelve.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Max. ambient temperature: 28°C.
- Refrigerant: R290.

code	range	٧	W	mm
233252	-1°/10°C	230	1300	920x847x(H)1465



























- Housing made of stainless steel fitted with double glazing.
- Accessible through two sliding doors at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- With bright LED lighting at the top and under each shelve.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Temperature range: 2°/8°C.
- Climate class: N
- Refrigerant: R290.

REFRIGERATED DISPLAY CABINETS WITH 3 SLANTED SHELVES

- Fitted with 3 adjustable slightly slanted glass shelves.

code	liter	٧	W	mm
233306	300	230	480	650x805x(H)1445
233443	500	230	490	900x805x(H)1445
233320	650	230	490	1200x805x(H)1445



REFRIGERATED DISPLAY CABINETS WITH 2 SHELVES

- Fitted with 2 adjustable glass shelves.

233337 30	0 230	480	915x675x(H)1210
			710/070/(11)1210
233450 41	0 230	490	1215x675x(H)1210
233375 51	0 230	490	1515(675x(H)1210
233467 61	0 230	500	1815x675x(H)1210



233276

REFRIGERATED DISPLAY CABINETS

- Housing made of stainless steel fitted with triple glazing.
- With self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 3 adjustable chrome plated shelves.
- Bright LED lighting in the 4 posts.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 2°/8°C.
- Climate class: N
- Refrigerant: R290.

code	liter	٧	W	mm
233276	400	230	495	650x650x(H)1908
233283	550	230	495	850x850x(H)1908







SUSHI DISPLAY GN 1/3 63L

- White coated stainless steel housing, fitted with double glazing and curved glass cover.
- Accessible through two sliding doors at the back or via the curved glass cover.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 5x GN 1/3 trays.
- Fitted with LED lighting and evaporator at the top.
- Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 3

code	range	٧	W	mm
233757	0°/12°C	230	160	1307x450x(H)330







COUNTERTOP FREEZER DISPLAY 77L

- Body made of high-quality stainless steel, fitted with triple glazed cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/4 containers (max. height 150 mm).
- With 4 adjustable stainless steel feet.
- ${\sf -}$ Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 4

code	range	V	W	mm	
233689	-25°/-18°C	230	162	805x666x(H)305	





COUNTERTOP SALAD DISPLAY 67L

- Body made of high-quality stainless steel, fitted with curved glass cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/4 containers (max. height 150 mm).
- With 4 adjustable stainless steel feet.
- Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 4

code	range	V	W	mm
233672	0°/12°C	230	105	767x612x(H)328









- Housing made of coated stainless steel fitted with double glazing.
- With self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Air duct outside of the glass blows air over the glass to remove and prevent condensation.
- Durable PVC coated shelves, adjustable in height.
- With bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 0/12°C.
- Climate class: N
- Refrigerant: R600A.









REFRIGERATED DISPLAY CABINET 58L


– 2 shelves.

code		V	W	mm
233610	white	230	170	452x406x(H)816
233627	black	230	170	452x406x(H)816

REFRIGERATED DISPLAY CABINET 68L

–3 shelves.

code		٧	W	mm	
233634	white	230	170	452x406x(H)891	
233238	black	230	170	452x406x(H)891 NEW	/!



Air duct outside glass to remove and prevent condensation



Double glazing and easy opening door



Digital controller



Adjustable feet



Internal lighting in the ceiling



LED lights







233641





REFRIGERATED DISPLAY CABINET 78L

- 3 shelves.						
code		٧	W	mm		
233641	white	230	170	452x406x(H)966		
233658	black	230	170	452x406x(H)966		

REFRIGERATED DISPLAY CABINET 98L

– 4 shelves.

code		V	W	mm	
233665	white	230	190	452x406x(H)1116	
233269	black	230	190	452x406x(H)1116 NEV	N!

REFRIGERATED DISPLAY CABINET 280L

– With 5 shelves and height adjustable feet.

code		V	W	mm	
233696	white	230	290	556x526x(H)1913	
233290	black	230	290	556x526x(H)1913	NEW!



4 wheels, 2 with brakes



Double glazing and easy opening curved door









BACK BAR REFRIGERATORS

- Powder coated housing, embossed aluminium chamber, plastic lockable door(s) with toughened glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Chamber fitted with LED lighting.
- Digital display and temperature control.
- Fitted with 4 adjustable non-slip feet.
- Coolant: R600a.





BACK BAR REFRIGERATOR SINGLE DOOR 118L

- Single door, with 2 chrome plated shelves.

code	range	V	mm
233900	2°/10°C	230	500x500x(H)900



BACK BAR REFRIGERATOR SINGLE DOOR 293L

– Single door, with 5 chrome plated shelves.

code	range	٧	mm
233924	2°/10°C	230	600x515x(H)1820



BACK BAR REFRIGERATOR SLIDING DOORS 228L

- Double sliding door, with 4 chrome plated shelves.

code	range	V	mm
233917	2°/10°C	230	900x500x(H)900



BACK BAR REFRIGERATOR DOUBLE DOORS 458L

- Double doors, with 10 chrome plated shelves.

code	range	V	mm
233931	2°/10°C	230	900x545x(H)1820



WINE COOLERS DUAL ZONE

- Dual zone allows to set two different temperatures for the two zones.
- Black housing, borderless glass door fitted with stylish stainless steel handle.
- With lockable self-closing door.
- Forced air cooling with auto-defrost, compressor placed behind the chamber.
- Supplied with wooden shelves.
- With bright LED lighting in the ceiling.
- Digital temperature controller and display. Can be set in Celsius or Fahrenheit
- Fitted with 4 adjustable non-slip feet.
- Climate class: N
- Refrigerant: R600a.







Dual zone

Wooden shelves included

Door can be locked



233221



233245

WINE COOLER DUAL ZONE 165L

- Suitable for up to 44 bottles of wine.
- Supplied with 5 wooden shelves.

code	range	٧	W	mm
233221	4°/20°C	230	130	596x654x(H)855

WINE COOLER DUAL ZONE 450 L

- Suitable for up to 165 bottles of wine.
- Supplied with 15 wooden shelves.

code	range	٧	W	mm
233245	4°/20°C	230	150	596x720x(H)1820























- Made of stainless steels, aluminium and polypropylene.
- Doors fitted with triple glazing of which one layer is tempered.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 8 adjustable PVC coated shelves.
- With LED lighting in the chamber and in the lightbox.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Climate class: N
- Refrigerant: R600a.



233788

DISPLAY REFRIGERATOR SINGLE DOOR 360L

– With a lockable door.

code	range	٧	W	mm
233788	2°/10°C	230	220	620x669x(H)1965



DISPLAY REFRIGERATOR DOUBLE DOOR 750L

– With two lockable doors.

code	range	V	W	mm
233795	2°/10°C	230	240	1120x595x(H)1965



NEW!

COUNTERTOP DISPLAY FREEZER 90L

- Inner and outer housing made of high-quality plastic.
- Lockable door is fitted with triple glazing and heating element to prevent fogging up.
- Forced air cooling with auto defrost, compressor placed underneath the chamber.
- Fitted with 2 adjustable PVC coated shelves.
- With LED lighting at the top of the freezer.
- Digital temperature controller and display.
- Climate class: N
- Refrigerant: R290.

code	range	٧	W	mm
233412	-22°/-18°C	230	160	620x575x(H)712



233412

NEW!

ICE CREAM DISPLAY FREEZER 600 L



- Accessible through sliding doors at the back and an up hinged cover at the front.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Possibility to fit up to 12 ice cream containers.
- With bright LED lighting at the top and on the sides.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Climate class: N
- Refrigerant: R404a.

code	range	٧	W	mm
233849	-24°/-18°C	230	1050	1240x1065x(H)1410



NEW!

S.S. stainless steel cooling

CHEST FREEZER ENERGY EFFICIENT

- Housing made of aluminium.
- With self-closing lockable lid.
- Forced air cooling with manual-defrost, compressor placed underneath the chamber.
- 70 mm thick foam insulation.
- Bright LED lighting in the chamber.
- Digital temperature display and manual controller.
- Fitted with 2 wheels and 2 adjustable feet.
- Temperature range: -26/-18°C.
- Climate class: SN-T
- Refrigerant: R600a.

liter	V	W	mm
190	230	85	953x607x(H)840
282	230	90	1116x686x(H)840
354	230	95	1275x785x(H)840
445	230	100	1538x785x(H)840
502	230	115	1655x785x(H)840
	190 282 354 445	190 230 282 230 354 230 445 230	190 230 85 282 230 90 354 230 95 445 230 100



233856





- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Self-closing lockable door(s) with comfortable curved door handle(s).
- Forced air cooling with auto-defrost, compressor placed above the chamber.







- 50 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor wheels.
- Climate class: SN-ST.
- Coolant: R600a.





REFRIGERATOR SINGLE DOOR PROFI LINE 410 L

- Chamber dimensions: 500x540x(H)1380 mm.
- 3 shelves (485x525mm) included. Spread load capacity of 40 kg each.
- Weight: 90 kg.

code	range	٧	W	mm
233108	-2°/8°C	230	245	600x745x(H)1950

FREEZER SINGLE DOOR PROFI LINE 410L

- Chamber dimensions: 500x540x(H)1380 mm.
- 3 shelves (485x525mm) included. Spread load capacity of 40 kg each.
- Weight: 90kg.

code	range	٧	W	mm
233115	-17°/-22°C	230	450	600x745x(H)1950

REFRIGERATOR TWO DOORS PROFI LINE 900 L

- Chamber dimensions: 1100x540x (H)1380 mm.
- 6 shelves (525x530mm) included. Spread load capacity of 40 kg each.
- Weight: 135 kg.

code	range	٧	W	mm
233122	-2°/8°C	230	400	1200x745x(H)1950

FREEZER TWO DOORS PROFI LINE 900L

- Chamber dimensions: 1100x540x(H)1380 mm.
- 6 shelves (525x530mm) included. Spread load capacity of 40 kg each.
- Weight: 135 kg.

code	range	٧	W	mm
233139	-17°/-22°C	230	750	1200x745x(H)1950





REFRIGERATORS & FREEZERS PROFI LINE | 800 SERIES

- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Self-closing lockable door(s) with comfortable curved door handle(s).
- Forced air cooling with auto-defrost, compressor placed above the chamber.







- 60 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 2/1.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor wheels.
- Climate class: SN-ST.
- Coolant: R600a.



REFRIGERATOR SINGLE DOOR PROFILINE 670L

- Chamber dimensions: 610x635x(H)1540 mm.
- 3 shelves GN 2/1 (650x530mm) included. Spread load capacity of 40 kg each.
- Weight: 120 kg.

code	range	٧	W	mm
232118	n°/8°C	230	220	730x805x(H)2065

FREEZER SINGLE DOOR PROFILINE 670L

- Chamber dimensions: 610x635x(H)1540 mm.
- 3 shelves GN 2/1 (650x530mm) included. Spread load capacity of 40 kg each.
- Weight: 120 kg.

code	range	٧	W	mm
232132	-22°/-17°C	230	600	730x805x(H)2065

REFRIGERATOR TWO DOORS PROFI LINE 1300 L


- Chamber dimensions: 1194x635x(H)1540 mm.
- 6 shelves GN 2/1 (650x530mm) included. Spread load capacity of 40 kg each.
- Weight: 171 kg.

code	range	V	W	mm
232125	0°/8°C	230	350	1314x805x(H)2065

FREEZER TWO DOORS PROFI LINE 1300L

- Chamber dimensions: 1194x635x(H)1540 mm.
- 6 shelves GN 2/1 (650x530mm) included. Spread load capacity of 40 kg each.
- Weight: 177 kg.

code	range	٧	W	mm
232149	-22°/-17°C	230	800	1314x805x(H)2065



















- Inner and outer housing are made of high-quality stainless steel.
- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic feet.
- Auto-defrost with condensation evaporator.
- Climate class: SN-T.
- Coolant: R600a.

TWO DOOR REFRIGERATED COUNTER **KITCHEN LINE 300L**

- Chamber dimensions: 830x595x(H)500 mm.
- 2 shelves (335x570mm) included. Spread load capacity of 15 kg each.
- Weight: 70 kg.

code	range	٧	W	mm
232019	-2°/8°C	230	220	900x700x(H)880



Chamber and outer housing made of stainless steel



232026

THREE DOOR REFRIGERATED COUNTER **KITCHEN LINE 380L**

- Chamber dimensions: 1295x595x(H)500 mm.
- 3 shelves (335x570mm) included. Spread load capacity of 15 kg each.
- Weight: 91 kg.

code	range	٧	W	mm
232026	-2°/8°C	230	220	1365x700x(H)880





REFRIGERATOR & FREEZER COUNTERS KITCHEN LINE | 600 SERIES







- Inner and outer housing are made of high-quality stainless steel - Self-closing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 50 mm thick polyurethane foam insulation.

- With adjustable shelving.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.
- Climate class: SN-ST.
- Coolant: R600a.





TWO DOOR REFRIGERATED COUNTER **KITCHEN LINE 220L**

- Chamber dimensions: 800x480x(H)580 mm.
- 2 shelves (390x428mm) included. Spread load capacity of 15 kg each.
- Weight: 71 kg.

code	range	V	W	mm
233344	-2°/8°C	230	300	1200x600x(H)850

THREE DOOR REFRIGERATED COUNTER **KITCHEN LINE 390L**

- Chamber dimensions: 1400x480x(H)580 mm.
- 3 shelves (2x 430x428mm, 1x 490x428mm) included. Spread load capacity of 15 kg each.
- Weight: 81 kg.

code	range	٧	W	mm
233382	-2°/8°C	230	400	1800x600x(H)850

TWO DOOR FREEZER COUNTER **KITCHEN LINE 220L**

- Chamber dimensions: 800x480x(H)580 mm.
- 2 shelves (390x428mm) included. Spread load capacity of 15 kg each.
- Weight: 71 kg.

code	range	٧	W	mm
233351	-12°/-22°C	230	400	1200x600x(H)850

THREE DOOR FREEZER COUNTER **KITCHEN LINE 390L**

- Chamber dimensions: 1400x480x(H)580 mm.
- 3 shelves (2x 430x428mm, 1x 490x428mm) included. Spread load capacity of 15 kg each.
- Weight: 81 kg.

code	range	V	W	mm
233399	-12°/-22°C	230	500	1800x600x(H)850



























232699

- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Self-closing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.
- Climate class: SN-T.



232064

TWO DOOR REFRIGERATED COUNTER **PROFILINE 280L**

- Chamber dimensions: 822x570x(H)580 mm.
- 2 shelves (330x545mm) included. Spread load capacity of 40 kg each.
- Coolant: R600a. - Weight: 95 kg.

code	range	V	W	mm
232040	-2°/8°C	230	250	1360x700x(H)850

THREE DOOR REFRIGERATED COUNTER **PROFILINE 420L**

- Chamber dimensions: 1257x570(H)580 mm.
- -3 shelves (330x545mm) included. Spread load capacity of 40 kg each.
- Coolant: R290. - Weight: 120 kg.

code	range	V	W	mm
232057	-2°/8°C	230	400	1795x700x(H)850

TWO DOOR FREEZER COUNTER PROFILINE 280L

- Chamber dimensions: 822x570(H)580 mm.
- 2 shelves (330x545mm) included. Spread load capacity of 40 kg each.
- Coolant: R290. - Weight: 95 kg.

code	range	٧	W	mm
232064	-18°/-22°C	230	600	1360x700x(H)850

THREE DOOR FREEZER COUNTER PROFI LINE 420L

- Chamber dimensions: 1257x570x(H)580 mm.
- 3 shelves (330x545mm) included. Spread load capacity of 40 kg each.
- Coolant: R290.
- Weight: 120 kg.

code	range	٧	W	mm
232699	-18°/-22°C	230	600	1795x700x(H)850



DRAWER WITH RAILS - 2-PIECE SET

- Set to convert a door of a Profi Line 700 series counter into two drawers.

code			
232071			



REFRIGERATED COUNTERTOP SERVERY

- Inner and outer housing are made of high-quality stainless steel.
- Static air cooling with auto-defrost, compressor placed next to the chamber.
- 40 mm thick polyurethane foam insulation.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- Temperature range: -2/8°C.
- Climate class: SN.
- Coolant: R600a.
- All models delivered without GN containers.











232965

4x GN 1/3



232903 5x GN 1/4





232910 7x GN 1/4



232989 7x GN 1/3



232927 8x GN 1/4



232996 9x GN 1/3

REFRIGERATED COUNTERTOP SERVER GN 1/4

- With hardened glass display.
- Fits GN 1/4 containers with a max height of 150mm.

code	-	٧	W	mm
232903	5x GN 1/4	230	180	1205x335x(H)430
232910	7x GN 1/4	230	180	1505x335x(H)430
232927	9x GN 1/4	230	180	1805x335x(H)430

REFRIGERATED COUNTERTOP SERVER GN 1/3

- With hardened glass display.
- Fits GN 1/3 containers with a max height of 150mm.

code	-	٧	W	mm
232965	4x GN 1/3	230	180	1205x395x(H)430
232972	6x GN 1/3	230	180	1405x395x(H)430
232989	7x GN 1/3	230	180	1605x395x(H)430
232996	9x GN 1/3	230	180	2006x395x(H)430

REFRIGERATED COUNTERTOP SERVER GN 1/3

- With stainless steel lid.
- Fits GN 1/3 containers with a max height of 150mm.

-	V	W
4x GN1/3	230	180
6x GN1/3	230	180
7x GN1/3	230	180
8x GN1/3	230	180
9x GN1/3	230	180
	4x GN1/3 6x GN1/3 7x GN1/3 8x GN1/3	4x GN1/3 230 6x GN1/3 230 7x GN1/3 230 8x GN1/3 230














Arktic*







- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- Climate class: SN-T.
- Coolant: R600a.
- All models delivered without GN containers.



Delivered without GN containers



232804

Chamber and outer housing made of

stainless steel



TWO DOOR SALAD COUNTER 300L

- With stainless steel lid which covers space for 2x GN 1/1 and 3x GN 1/6 containers (max. height 150 mm).
- Chamber dimensions: 830x595x(H)500 mm.
- $-\,2$ shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Plastic work counter: 900x135x(H)20 mm.
- Weight: 68 kg.

code	range	V	W	mm
232804	-2°/8°C	230	310	900x700x(H)888






THREE DOOR SALAD COUNTER 380L

- With stainless steel lid which covers space for 4x GN 1/1 containers (max. height 150 mm).
- Chamber dimensions: 1295x595x(H)500 mm.
- 3 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Plastic work counter: 1365x135x(H)20 mm.
- Weight: 87 kg.

code	range	٧	W	mm
232811	-2°/8°C	230	310	1365x700x(H)888







Electronic













Chamber and outer housing made of stainless steel



TWO DOOR SALAD COUNTER WITH GLASS **DISPLAY 300L**

- With stylish glass display, covers space for 2x GN 1/1 and 3x GN 1/6 containers (max. height 150 mm).
- Chamber dimensions: 830x595x(H)500 mm.
- 2 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Plastic work counter: 900x135x(H)20 mm.
- Weight: 80 kg.

code	range	V	W	mm
232781	-2°/8°C	230	310	900x700x(H)1300

THREE DOOR SALAD COUNTER WITH GLASS **DISPLAY 380L**

- With stylish glass display, covers space for 4x GN 1/1 containers (max. height 150 mm).
- Chamber dimensions: 1295x595x(H)500 mm.
- 3 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Plastic work counter: 1365x135x(H)20 mm.
- Weight: 110 kg.

code	range	V	W	mm
232798	-2°/8°C	230	310	1365x700x(H)1300



Chamber and outer housing made of stainless steel



TWO DOOR SALAD COUNTER WITH RAISED GN **DISPLAY 300L**

- With stainless steel lid which covers space for 5x GN 1/6 containers (max. height 150 mm).
- Chamber dimensions: 830x595x(H)500 mm.
- GN display dimensions: 900x265x(H)195 mm.
- 2 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Weight: 75 kg

code	range	٧	W	mm
232880	-2°/8°C	230	310	900x700x(H)1040

THREE DOOR SALAD COUNTER WITH RAISED GN **DISPLAY 380L**

- With stainless steel lid which covers space for 8x GN 1/6 containers (max. height 150 mm).
- Chamber dimensions: 1295x595x(H)500 mm.
- GN display dimensions: 1365x265x(H)195 mm.
- 3 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Weight: 105 kg

232897 -2°/8°C	230	310	1365x700x(H)1040	

















PIZZA COUNTERS

- Inner and outer housing are made of high-quality stainless steel, with granite worktop.
- Doors fitted with comfortable handles.
- Forced air cooling with auto defrost, compressor placed underneath the chamber.
- With adjustable shelving, fits containers up to GN 1/1.





- Digital display and electronic thermostat.
- Wittidh 4 adjustable plastic non-slip feet.
- Climate class: SN-T.
- Coolant: R600a.
- All models delivered without GN containers.



Chamber and outer housing made of stainless steel



232873



TWO DOOR PIZZA COUNTER 300L

- With stainless steel cover around the GN space which fits 5x GN 1/6 containers (max. height 150 mm).
- Chamber dimensions: 830x595x(H)500 mm.
- 35 mm thick polyurethane foam insulation.
- 2 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Weight: 94 kg.

code	range	٧	W	mm
232859	-2°/8°C	230	310	900x700x(H)1100



THREE DOOR PIZZA COUNTER 380L

- With glass cover around the GN space which fits 8x GN 1/6 containers (max. height 150 mm).
- Chamber dimensions: 1295x595x(H)500 mm.
- 35 mm thick polyurethane foam insulation.
- 3 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Weight: 180 kg.

code	range	٧	W	mm
232873	-2°/8°C	230	310	1360x700x(H)1120







Countertop servers on page **225**



232996

TWO DOOR PIZZA COUNTER WITH SEVEN DRAWERS 280L

- Equipped with 7 uncooled drawers of 400x620x(H)65 mm.
- Chamber dimensions: 1480x670x(H)570 mm.
- 60 mm thick polyurethane foam insulation.
- 2 shelves (600x400mm) included. Spread load capacity of 15 kg each.
- Weight: 367 kg.

code	range	V	W	mm
232842	-2°/8°C	230	250	2020x800x(H)1110



Chamber and outer housing made of stainless steel



THREE DOOR PIZZA COUNTER WITH COOLING DISPLAY 380+40L

- With separate cooling display which fits 6x GN 1/4 containers (max. height 150 mm).
- Cooling display cools by means of static cooling.
- Cooling display dimensions: 1405x335x(H)255 mm.
- Chamber dimensions: 1295x595x(H)500 mm.
- $-\,35\ mm$ thick polyure thane foam insulation.
- -3 shelves (335x570 mm) included. Spread load capacity of 15 kg each.
- Weight: 190+41 kg.

code	range	٧	W	mm
232033	-2°/8°C	230	220+180	1405x700x(H)1445



232033











- Enables quick chilling or freezing of prepared dishes.
- Chilling from 70°C to 3°C (90 mins), from 70° C to -18°C (240 mins) or within a pre-set time (without indicating the target temperature).
- Outer housing and inner chamber made of high-quality stainless steel.
- Inner chamber with rounded corners for easier cleaning.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.







- 60 mm thick polyurethane foam insulation.
- Removable top cover.
- Self-closing door with magnetic gasket.
- Digital temperature controller and display.
- Probe included.
- Fitted with 4 adjustable stainless steel feet.
- Climate class: SN-T
- Coolant: R404a/R507.

Blast chilling from +90°C to +3°C

This process helps lower the food temperature to safe +3°C in a suitably short time, in line with HACCP standards.


The adequate chilling speed helps reduce bacteria growth in the range from $+65^{\circ}\text{C}$ to $+10^{\circ}\text{C}$.


Blast chilling helps retain the quality, colour and smells of food and extends the storage period.

Blast freezing from +90°C to -18°C

Powerful chilling system and blowing air of -40°C into the chamber makes the core temperature of food quickly drop to -18°C. It prevents large ice crystals from occurring, which damage the internal structure of food.

Blast freezing results in a large number of small crystals which preserves the original properties of food: flavour, colour, texture and nutrients, and helps extends the storage period.





Probe included



Chamber with rails (70 mm apart) compatible with GN 1/1 and 600x400 mm baking sheets.







232163

BLAST CHILLER 3 X GN 1/1

- Chamber capacity: 3 x GN 1/1 or 3 x 600x400 mm trays.
- Inside dimensions of the chamber: 610x410x280 mm.
- -3 sets of rails, 70 mm apart.
- Output at chilling to +3° C: 14 kg.
- Output at freezing to -18°C: 11 kg.
- Weight: 50 kg.

code	V	W	mm
232163	230	1150	750x740x(H)720/750



232170

BLAST CHILLER 5 X GN 1/1

- Chamber capacity: 5 x GN 1/1 or 5 x 600x400 mm trays.
- Inside dimensions of the chamber: 610x410x410 mm.
- -5 sets of rails, 70 mm apart.
- Output at chilling to +3° C: 20 kg.
- Output at freezing to -18°C: 15 kg.
- Weight: 71 kg.

Chamber and outer

code	٧	W	mm
232170	230	1420	750x740x(H)850/880



232194

BLAST CHILLER 7 X GN 1/1

- Chamber capacity: $7 \times GN 1/1 \text{ or } 7 \times 600 \times 400 \text{ mm}$ trays.
- Inside dimensions of the chamber: 610x410x760 mm.
- 7 sets of rails, 105 mm apart.
- Output at chilling to +3° C: 25 kg.
- Output at freezing to -18°C: 20 kg.
- Weight: 90 kg.

code	٧	W	mm	
232194	230	1490	750x740x(H)1260/1290	



BLAST CHILLER 10 X GN 1/1

- Chamber capacity: $10 \times GN 1/1 \text{ or } 10 \times 600 \times 400 \text{ mm}$ trays
- Inside dimensions of the chamber: 610x410x760 mm
- 10 sets of rails, 70 mm apart
- Output at chilling to +3° C: 25 kg
- Output at freezing to -18°C: 20 kg
- Weight: 90kg

code	٧	W	mm	
232187	230	1490	750x740x(H)1260/1290	























code	mm
808511	600x400x(H)20
808504	400x300x(H)20



DISPLAY TRAY GOLD COLOR

code	mm
808573	600x400x(H)20
808566	400x300x(H)20



ΜE - BI

EAT TRAY	
Black melamine	melamine

code	mm
568101	290x160x(H)35
568200	350x250x(H)40
568309	420x280x(H)60



MEAT TRAY


- Black melamine

code	mm
568408	290x160x(H)60
568507	300x190x(H)80



MEAT TRAY

- Black melamine





DISPLAY TRAY

- Black melamine

code	mm
569009	270x210x(H)17
569016	300x150x(H)17
569108	300x190x(H)17
569207	350x240x(H)17





DISPLAY TRAY



With feet	stainless ste	el] wash
code	mm	
/ 07202	240×170	



407400

DISPLAY TRAY

DISFLAT TRAT		
code	mm	
407400	345x245	



code	mm
408308	310x230
400300	3103230



MEAT TRAY

code	mm
508107	260x200x(H)48
508206	310x240x(H)48
508305	360x275x(H)52



BREADROLL DISPENSER



- For 7 rolls	LNOLK	stainless steel
code	mm	
429419	475x105x(H)60	


























CLEARING TROLLEY - 7 X GN 1/1

- Designed to fit GN 1/1 Trays/containers
- With working surface
- Tray locks on either side
- brakes







- GN 1/1 with 15 layers interspaced at 80mm
- Tray locks on either side
- Fitted with four castors of which two have Fitted with four castors of which two have Fitted with four castors of which two have brakes
 - Flatpack delivery



CLEARING TROLLEY 15 - 600X400

- 600x400 mm 15 layers interspaced at 80mm
- Tray locks on either side
- brakes
- Flatpack delivery

code	work top (mm)	mm	code	mm	code	mm
810668	GN 1/1 - 530x325	380x550x(H)925	810613	615x450x(H)1695	810651	690x515x(H)1695





In order to save space during storage trolleys can be pushed into one another



CLEARING TROLLEY COMPACT STORAGE

- 15 X GN 1/1
- In order to save space during storage trolleys can be pushed into one another.
- GN 1/1 with 15 layers interspaced at 80mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.

code	mm
810606	380x550x (H)1700







SERVING TROLLEY

- Made of stainless steel.
- Fitted with 2 shelves and sound insulation material underneath.
- Maximum load per tray 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between trays 550 mm.
- Flatpack delivery.

code	work top (mm)	mm
810002	830x510	910x590x(H)950



SERVING TROLLEY

- Made of stainless steel.
- 3 shelves with noise reducing material underneath.
- Maximum load per tray 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between trays 295 mm.
- Flatpack delivery.

code	work top (mm)	mm
810101	830x510	910x590x(H)950



























SERVING TROLLEYS WITH WOOD PATTERN PRINT

- Made of stainless steel.
- Fitted with 3 shelves.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code		work top (mm)	mm
810149	oak wood pattern print	830x510	910x590x(H)950
810156	dark oak wood pattern print	830x510	910x590x(H)950 NEW!







PLATFORM TROLLEY

- Despite its low weight it can carry up to 150 kg.
- Collapsable to minimize transport dimensions.
- With two castor wheels.

code	mm	
810514	730x480x(H)825	



810514



SERVING TROLLEY POLYPROPYLENE

- Made of polypropylene
- Fitted with 3 shelves
- Maximum load per tray 50 kg
- Includes 4 castors, of which 2 with brakes, fitted with corner protection $% \left(1\right) =\left(1\right) \left(1\right$
- Distance between trays 340 mm

code	work top (mm)	mm
810200	615x400	800x410x(H)950





STORAGE RACK WITH 5 SHELVES - Maximum load per shelf 80 kg - Fitted with adjustable feet

- Chrome-plated iron

code	mm
812204	910x455x(H)1830































ALUMINIUM STORAGE RACK FOR GN CONTAINERS

- GN 1/1 containers fit directly between the aluminum supports.
- Anodized aluminium frame.
- With dishwasher safe polypropylene shelves.
- Easily expandable.
- Carrying capacity 150 kg, distributed across the surface.





812266

expandable

Easily



Plastic shelves can be cleaned in a dishwasher



STORAGE RACKS

- Anodized aluminium frame.
- With dishwasher safe polypropylene shelves.
- Easily expandable.
- Carrying capacity 150 kg, distributed across the surface.












1280x405x(H)1685

connecting hook

812273


812280



812273





















AMER★**BOX**





INGREDIENT TROLLEY

- Useful in any large kitchen to store, transport and quick measure of quantities of dry food such as: flour, sugar, salt, groats, rice.
- One-piece, solid and sturdy polyethylene structure.
- Rounded corners and smooth inner walls are ideal for easy cleaning.
- Guides located in the upper, inner part of the trolley permit the comfortable fitting of the scoop.
- Transparent polycarbonate lid for easy identification or product type and quantity.
- Four wide, rubber wheels ø75 mm, including two castor wheels with brakes for easier transport.
- Ergonomic height of 71 cm ideal to put under a worktable.

code	liter	mm ext.	
877920	98	394x749x(H)711	
877913	81	333x743x(H)711	NEW!









SERVING TROLLEY 3 SHELVES

- Designed for restaurants, bars, catering establishments and wherever it is necessary to quickly, efficiently and safely take tableware
- Polyethylene shelves, aluminium frame
- Easy to clean
- Distance between shelves 270/290mm
- Allowed load: 103kg

	-	
code	work top (mm)	mm
877937	750x500(H)20	1280x500x(H)960





INSULATED ICE CONTAINER - 110 L

- Ideal to transport ice cubes or flakes over long distances.
- Robust polyethylene housing resistant to shocks and impact.
- Thick foam insulation to keep ice temperature as long as possible.
- Inner walls resistant to scratches and stains.
- Sliding, sealed lid allowing easy scooping of ice.
- Ergonomic grip integrated with housing.
- Two large wheels resistant to uneven ground and two smaller castor wheels with brake.
- Profiled drain for melted ice in chamber, with tap.
- Delivered ready-to-use, does not require assembly.
- 4 wheels, 2 with brakes (large ø20 mm, small ø10 mm).
- Tap, scoop and drip tray included.

code	liter	mm ext.
877883	110	585x800x(H)745





2 torsion wheels



drip tray with brakes

tap

scoop



PLATE TROLLEY

- Assures safe transport of tableware.
- Mobile polyethylene guards make it possible to load plates of various sizes.
- Extremely robust design made of polyethylene protects the tableware from chipping or breaking.
- Number of plates stacks: 6.
- Number of plates per stack: 50.
- Wheels resistant to uneven ground, non-marking even at full load.
- Two castor wheels with brakes ø10 mm, large wheels ø20 mm.
- Shock and impact resistant.
- Vinyl cover to meet strict sanitary standards included.
- Plates diameter from ø170 to ø330 mm.

code	mm ext.	
877906	930x720x(H)800	





up to 50 plates Includes vinyl



cover with every caddy for sanitary storage

front wheels with in one stack brakes







4 columns - plates of ø230-335mm



6 columns - plates of ø118-230 mm



2 columns - plates of ø230 mm



4 columns - plates of ø115 mm 5 columns - plates of ø128 mm 2 columns - plates of ø140 mm 2 columns - plates of ø231 mm 2 columns - plates of ø334 mm





ø330

















AMER★**BOX**







INSULATED CATERING CONTAINER GN 1/1, TOP-LOADED

- Made of HDPE polyethylene.
- Double walls filled with high quality polyurethane foam assure perfect insulation and long holding of food temperature.
- Tight lid with 4 clamps made of tough nylon.

code	mm int.	mm ext.
877845	GN 1/1 - 150	630x440x(H)260
877852	GN 1/1 - 200	630x440x(H)305

Example of sets

















1x GN 1/1

Initial temperature

877869

2x GN 1/2

2x GN 1/4 1x GN 1/2

1x GN 2/3 1x GN 1/3

3x GN 1/3


4x GN 1/4

2x GN 1/6 2x GN 1/3

6x GN 1/6

Temperature retention

1 h



2 h

3 gh

4 h



4 heavy duty clamps

place for sticker







- Ideal for storage, transport and serving of hot and cold drinks.
- Robust LDPE polyethylene housing.
- Good polyurethane foam insulation.
- 4 heavy duty clamps, 25 mm wide, at either side of the jug, for easy and quick opening and closing.
- Comfortable transport grips.
- Tap distance from the floor: 95 mm.
- Recessed tap protection against transport damage.
- Delivered with stickers for quick identification of drinks.
- Vent for easier lid opening.
- Shock and impact resistant.
- Rounded chamber with grooves leading to the tap.

- 1		
code	liter	mm ext.
877869	9,4	230x420x(H)470
877876	18	230x420x(H)620














Temperature retention











vent cup













THERMO CATERING CONTAINER 2X GN 1/1 200

- Double-walled insulated polyethylene LDPE impact resistant hard polyethylene.
- Keeps hot and cold.
- With 2 sturdy carrying handles.
- Press-formed guides fitted in chamber housing.
- Inside dimensions: 335x533x(H)590 mm.
- Suitable for 1/1 Gastronorm trays:
- Gastronorm tray 10 mm deep: 12 pieces.
- Gastronorm tray 65 mm deep: 6 pieces.
- Gastronorm tray 100 mm deep: 4 pieces.
- Gastronorm tray 150 mm deep: 2 pieces plus 1 Gastronorm tray 100 mm deep.
- Gastronorm tray 200 mm deep: 2 pieces.

code	mm int.	mm ext.
877814	335x533x(H)590	477x680x(H)620

TROLLEY FOR THERMO CONTAINER

code	mm ext.
877821	530x710x(H)230

HEATING ELEMENT GN 1/1

- Can be heated up to 90°C.
- For use in: 707814, 707609, 707999, 707661.
- To heat the element, place it in a stainless steel container and place in a convection oven, max 90°C for max.
 40 minutes.

code	mm	
707845	560x325x(H)30	

COOLING ELEMENT GN 1/1

- Can be cooled to -18°C.
- For use in: 707814, 707609, 707999, 707661.

code	mm	
707821	530x325x(H)30	

















- Ultra-lightweight, durable container with perfectly sealable opening.
- Removable door even if the boxes are stacked
- With 5 grooves spaced 65 mm apart to slide in containers, fits GN1/1 containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.
- Fits perfectly on Euro pallets four boxes per layer

code	liter	mm int.	mm ext.
707661	66	535x310x(H)400	600x400x(H)490



- Can be heated up to 90°C.
- For use in: 707814, 707609, 707999, 707661.
- To heat the element, place it in a stainless steel container and place in a convection oven, max 90°C for max.

40 minutes.


code mm

707845 560x325x(H)30













THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Suitable for Gastronorm 1/1 containers.
- With 8 grooves spaced 61 mm apart to slide in GN containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.

code	liter	mm int.	mm ext.
707999	100	550x335x(H)545	635x465x(H)660




– Can be cooled to -18°C.

- For use in: 707814, 707609, 707999, 707661.

code	mm
707821	530x325x(H)30



707999

























- Expanded polypropylene (EPP) boxes have a sealed
- better than other Hendi thermoboxes.
- Temperature resistant from -20°C up to 110°C
- Practical integrated handles allow for comfortable carrying.
- The thermoboxes are stackable both with and without lids.

code	-	liter	mm int.	mm ext.
707982	Gastronorm 1/1	39	538x338x(H)217	674x400x(H)287















- Place this adaptor with cooling element on top of your Thermobox Kitchen Line GN 1/1 and keep the goods cold for extra long periods of time.
- Supplied without cooling element.
- Fits on top of 707906 and 707968.

code	mm
707814	600x400x(H)85



COOLING ELEMENT GN 1/1

– Can be cooled to -18°C.

- For use in: 707814, 707609, 707999, 707661.

code	mm	
707821	530x325x(H)30	







707975





























INSULATED PORTABLE CONTAINER

- Space between the walls is filled with special insulating material which keeps hot or cold temperature of food for up to 6-8 hours
- Double lid secured with a seal and equipped with 6 latches
- Air valve
- Two handles for transport
- Flexible material protects the container and the floor against damage
- Stackable

code	liter	mm ext.
710104	10	ø330x(H)220
710203	20	ø330x(H)360
710302	35	ø330x(H)570






















WORK TABLE

- Height-adjustable legs.
- Both top and bottom shelf reinforced.
- Robust construction.

code	mm	
810705	1000x700x(H)850	
810712	1200x700x(H)850	
810729	1400x700x(H)850	
810736	1600x700x(H)850	
810743	1800x700x(H)850	

810705

DOUBLE ADJUSTABLE WALL SHELF

- Two levels.
- With backsplash for maintaining hygiene.
- 1800 mm wide shelf supplied with 3 reinforced brackets.
- Removable for cleaning.

code	mm	
970232	1000x355x(H)600	
970249	1200x355x(H)600	
970256	1400x355x(H)600	
970270	1800x355x(H)600	



















GLASS DISHWASHER K40

- Suitable for baskets of 400x400 mm, max glass height 290 mm.
- Separate stainless steel rotating spray arms for washing and rinsing.
- Fitted with solid double skinned door with two hinges, needs 325mm of space to open completely.
- Boiler capacity of 6 liter (2,5kW), tank capacity of 35 liter (2.5kW).
- Water pump (0,1HP) with IP44 protection class.
- With thermometer for reading the boiler temperature.
- Weight: 39 kg.
- Accessories supplied with the dishwasher
- basket for glasses (400x400x(H)150 mm)
- basket for glasses with 40 support pins (400x400x(H)110 mm)
- cutlery basket (110x110x(H)130 mm)
- water hose with 3" inner thread connection (150cm)
- drain hose ø25mm (200cm)
- power cord without plug
- rinse aid dispenser

code		٧	kW	mm
230299	dishwasher K40	230	2,8	470x510x(H)710
233009	with detergent pump	230	2,8	470x510x(H)710
233016	with drain pump	230	2,8	470x510x(H)710
233023	with drain & detergent pump	230	2,8	470x510x710

DISHWASHER K50

- Suitable for baskets of 500x500 mm, max glass height 325 mm, max plate height 335 mm.
- Fitted with multiple sprayers and spray arms.
- Separate rotating spray arms for washing (plastic) and rinsing (stainless steel), and fixed upper sprayers for washing.
- Fitted with solid double skinned door with two hinges, needs 370mm of space to open completely.
- Boiler capacity of 6 liter (6kW), tank capacity of 35 liter (6kW)
- Powerful water pump (0,75HP) with IP44 protection class
- With thermometer for reading the boiler temperature.
- Weight 57 kg
- Accessories supplied with the dishwasher
 - basket for glasses (500x500x(H)105 mm)
 - basket for plates (500x500x(H)105 mm)
 - cutlery basket (110x110x(H)130 mm)
 - water hose with 3" inner thread connection (150cm)
 - drain hose ø25mm (200cm)
 - power cord without plug
 - rinse aid dispenser

code		٧	kW
230305	dishwasher K50	400	6,6
233030	with detergent pump	400	6,6
233047	with drain pump	400	6,6
233054	with drain & detergent pump	400	6,6
231050	stand for dishwasher K50	560x560x	(H)500



NEW!



NEW!





LOADING TABLE WITH SINK FOR DISHWASHER

- Made of durable stainless steel, with a 510 mm wide basket guide, backsplash and integrated sink (400x400mm).
- Equipped with a catch for hood dishwashers.
- The legs are adjustable in height to guarantee a level installment.
- Flat pack delivery, needs assemblage.
- Versions available for left & right side instalment.

code	mm	model
231777	1000x700x(H)880	left side
231791	1000x700x(H)880	right side

HOOD DISHWASHER K1500

- Easy to open thanks to a spring supported raising system for the hood.
- The dishwasher is 1830 mm high when the hood is raised.
- Suitable for baskets of 500x500 mm, max glass height 395 mm, max plate height 400 mm.
- Separate stainless steel rotating spray arms for washing
- Boiler capacity of 7,4 liter (7,5kW), tank capacity of 58 liter (6kW)
- Powerful water pump (1,5HP) with IP44 protection class
- With separate thermometer for reading the boiler and tank temperature.
- With 4 surface filters in the tank and a sieve filter covering the pump inlet.
- Weight 111 kg
- Accessories supplied with the dishwasher
 - basket for glasses (500x500x(H)105 mm)
 - basket for plates (500x500x(H)105 mm)
 - cutlery basket (110x110x(H)130 mm)
 - water hose with 3" inner thread connection (150cm)
 - drain hose ø25mm (200cm)
 - power cord without plug
 - rinse aid dispenser

code		٧	kW	mm
230312	dishwasher K1500	400	8,6	750x880x(H)1390
233061	with detergent pump	400	8,6	750x880x(H)1390

NEW!



UNLOADING TABLE FOR DISHWASHERS

- Made of durable stainless steel, with a 510 mm wide basket guide and backsplash.
- Equipped with a catch for hood dishwashers.
- The legs are adjustable in height to guarantee a level installment.
- Flat pack delivery, needs assemblage.
- Versions available for left & right side installment.

code	mm	model
231760	1000x600x(H)880	left side
231784	1000x600 x(H)880	right side



















DISHWASHER BASKET FOR GLASSWARE

077050		
877050	9-compartment	500x500x(H)104
877043	16-compartment	500x500x(H)104
877036	25-compartment	500x500x(H)104
877029	36-compartment	500x500x(H)104
877012	49-compartment	500x500x(H)104

EXTENDER FOR DISHWASHER BASKET

code		mm
877548	9-compartment	500x500x(H)45
877531	16-compartment	500x500x(H)45
877524	25-compartment	500x500x(H)45
877517	36-compartment	500x500x(H)45
877500	49-compartment	500x500x(H)45







DISHWASHER UNIVERSAL BASKET

- Suitable for cups, pots, bowls, etc.
- The structure allows for maximum flow of water between the dishes in all directions - With pre-shaped pins
- With coarse mesh bottom

DISHWASHER BASKET FOR PLATES

- water between the dishes in all directions
- The spaces between separators create the optimum tilt of plates necessary for effective washing

DISHWASHER BASKET FOR CUTLERY

- The structure allows for maximum flow of The structure allows for maximum flow of water between the dishes in all directions
 - The fine mesh bottom prevents cutlery from falling through

code	mm	code	mm	code	mm	
877005	500x500x(H)100	877104	500x500x(H)100	877203	500x500x(H)100	





water between the dishes in all directions

500x500x(H)100

500x500

DISHWASHER BASKET FOR CUPS

877128

877111

DISHWASHER BASKET FOR TRAYS

- The structure allows for maximum flow of The structure allows for maximum flow of DISHWASHER BASKET water between the trays in all directions
 - With pre-shaped pins
 - With one open end to trays and other long

code	mm	
877111	500x500x(H)100	



FOR GLASSES

- The structure allows for maximum flow of water between the glasses in all directions.

code		mm
871331		400x400x(H)150
871348	with 40 support pins	400x400x(H)110

NEW!

- 16 sections

code 877128

code 877180























RY BASKET	
ons with handle	

code	mm	
871102	425x205x(H)150	



871324 871300



code	colour	mm
871300	white	110x110x(H)140
871324	blue	125x84x(H)135
871324	blue	125x84x(H)135

CLIPS FOR RACKS

code	colour	
877234	white	
877241	black	
877258	blue	
877265	yellow	
877272	red	
877289	green	
877296	brown	



TROLLEY FOR DISHWASHER RACKS WITH HANDLE

- 4 wheels, 2 revolving with brake and 2 fixed.
- Stainless steel handle.

code	mm
877197	575x545x(H)920





TROLLEY FOR DISHWASHER RACKS

- 4 wheels, 2 revolving with brake and 2 fixed

code	mm	
877173	575x545x(H)210	













NEW!

WATER SOFTENERS

- Using water softeners helps extend the life cycle of catering equipment.
- The softeners are based on an ion-exchange process wherein the calcium and magnesium ions that cause water hardness are captured by ion exchange resin inside the softener. It helps reduce maintenance costs thanks to effective prevention of lime scale deposits
- The device is fitted with a control head that makes it possible to configure working parameters of the water softening system as required.
- The elements inside the head are made of high quality ceramics, resistant to abrasion, corrosion and build-up of impurities (e.g. iron). This technology assures perfect seal

- inside the controller and therefore long and trouble-free operation.
- Navy blue housing.
- Water connection diameter 3/4".
- Working pressure: 1.5-6.0 bar.
- Working ambient temperature: 5 38°C.
- Max. supply water temperature: 38°C.
- Regeneration time: 37 min.
- Output for 10°dH 1200 L.
- Resin bed 4,0 L.
- Regeneration tank: 8 kg.
- Maximum water flow: 5 L/min.
- Regeneration salt consumption per 1 cycle: 0.5 kg.



WATER SOFTENER, SEMI-AUTOMATIC

- The semi-automatic resin bed regeneration process using brine is initiated manually.
- Weight: 8 kg.

code	mm	٧	W
230442	195x360x(H)x510	230	18



WATER SOFTENER, AUTOMATIC

- The automatic resin bed regeneration process using brine is initiated automatically.
- Using the control panel the working time, regeneration time and water amount to be treated can be set.
- Automatic lock prevents unwanted access.
- Weight: 7.7 kg.

_	-			
code	mm	٧	W	
230459	206x380x(H)480	230	18	





SALT TABLETS FOR WATER SOFTENING

- Ingredients: sodium chloride NaCl

code		
231265	bag 25 kg	



WATER SOFTENERS

- Hard water contains dissolved minerals calcium and magnesium compounds, among others. Calcium and magnesium ions cause scale build-up, which is risky for objects and tools in contact with water or steam. Water ftening is a process in which all calcium and magnesium compounds causing water hardness are removed. When passing through the resin column, calcium and magnesium ions are absorbed by resin particles. When ion-exchange ability of the resin wears off, it ought to be restored in an appropriate regeneration process with the use of a salt solution
- Water softener may be installed wherever water temperature

- is below 45°C and the water input pressure does not exceed 2 bars
- Regeneration: uniodised salt only
- For drinking water only
- Suitable for softening water for coffee makers, combi steamers, dishwashers and ice cubers.
- Thanks to its small size it is perfect for bars and restaurants

NEW!

- Thanks to highest quality components used, the device remains fail-safe and operational for many years.
- Optimum working water pressure: 1-2bar



WATER SOFTENER

- During softener regeneration the connected machine must not be used.
- Maximum/minimum water pressure: from 1 to 8 bar.
- Nominal flow: 1000 L/h.
- Ambient temperature: from 4°C to 35°C.
- supply water temperature: from 4°C to 25°C.
- Connection size: 3/8".

code		weight (kg)	liter	mm
231210	Filter capacity (20°F/30°F/40°F) 1200/1000/900	1	8 l /7,5 kg	ø185x(H)400
231227	Filter capacity (20°F/30°F/40°F) 2520/1680/1260	1,5	12 l / 8,4 kg	ø185x(H)500
231234	Filter capacity (20°F/30°F/40°F) 3360/2240/1680	2	16 l /11,2 kg	ø185x(H)600





SALT TABLETS FOR WATER SOFTENING

- Ingredients: sodium chloride NaCl

•	
code	
231265	bag 25 kg

























- Suitable for use in food preparation and serving areas.

ABS

- ABS fire-resistant casing suitable for wall mounting.
- 1x18W UV-A shatter-proof fluorescent tube.
- Adhesive plate at the rear to catch the insects.
- Lamp and adhesive plate are easily replaceable.
- Maximum range approx. 80m².
- Adhesive plate (310x108mm) included.

code		٧	W	mm
270189		230	18	375x140x(H)196
270219	adhesive plate 10 pcs			310x108
270226	replacement lamp	230	18	44x23x220





INSECT KILLER WITH ADHESIVE PLATE 100M2

- Suitable for use in food preparation and serving areas.
- Metal casing including wall mounting.
- 2x15W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Maximum range approx. 100m2.
- Adhesive plate included.

code		٧	W	mm
270080		230	30	480x100x(H)285
270073	adhesive plate 10 pcs			395x210
270028	replacement lamp 2 pcs.	230	2x15	







INSECT KILLER WITH ADHESIVE PLATE 120M²

- Suitable for use in food preparation and serving areas.
- ABS fire-resistant casing, back panel of metal, suitable for wall mounting.
- 1x36W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Lamp and adhesive plate are easily replaceable.
- Maximum range approx. 120m2.
- Adhesive plate (390x270mm) included.

code		V	W	mm
270196		230	36	475x80x(H)283
270233	adhesive plate 10 pcs			390x270
270240	replacement lamp	230	36	42x23x410



INSECT KILLERS FOR OUTDOOR USE



The insects are attracted by the light and sucked into a container by a powerful fan where they will die by dehydration





INSECT KILLER WATER RESISTANT

- The insects are attracted by the light and sucked into a container by a powerful fan where they will die by dehydration.
- High quality 25W BLB 3U tube produces 100% invisible UV-A light.
- ABS fire-resistant casing.
- IPX4 waterproof, can be used indoor or outdoor.
- Removable collection container, easy to clean.
- Maximum range approx. 300m².
- Chain mounting.

code		٧	W	mm
270202		230	30	ø330x(H)570
270257	replacement lamp	230	25	ø50x175





934159



Removable collection tray

INSECT KILLER WATER RESISTANT

- ABS fire proof material for high safety.
- 2x UV-A tube.
- Insects are electrocuted with 2000 V.
- IPX4 waterproof, can be used indoor or outdoor.
- Removable collection tray, easy to clean.
- Chain mounting.

Onam moa	mang.			
code		٧	W	mm
270134	75 m²	230	26	360x135x(H)270
270066	100 m²	230	40	510x105x(H)315
270141	150 m²	230	45	680x135x(H)310

REPLACEMENT LAMP FOR FLY KILLERS

- UV-A fluorescent tube.

code		V	W
934159	for 270134 & 270158	230	8
934166	for 270141 & 270172	230	20



















Chain included





HIGH VOLTAGE INSECT KILLER

- For indoor use.
- Body made of special treated aluminum alloy and ABS, fire resistant materials for high safety.
- 2x UV-A tubes.
- Insects are electrocuted with 2000 2500 $\rm V$
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code		٧	W	mm
270158	Coverage: 50 m²	230	26	335x90x(H)260
270165	Coverage: 100 m²	230	40	485x90x(H)310
270172	Coverage: 150 m²	230	45	640x90x(H)360



- Replacement lamps for Prod. No. 270066/270165.

code	٧	W
935286	230	2x15





WET FLOOR SIGN

- Warning in 5 languages

code	mm	
663950	300x(H)615	

WET FLOOR SIGN

- Pyramid shaped.

- Warning in 5 languages.











- Fully made of stainless steel.
- The basin has a diameter of 350 mm and a depth of 123 mm.
- Easy to operate with a knee.
- Connecting materials included.

code	mm	
810316	400x400x(H)450	



KITCHEN SINK





- 1/2" water connection.
- Basin and backsplash made of 18/10 stainless steel.

code	mm
810309	400x335x(H)200/570



281246

UV STERILIZER

- Perfect for sterilizing knives, capacity for 14 knives.
- Made of stainless steel with plexiglass door.
- Fitted with stainless steel knife holder.
- Sterilizes by means of bactericidal ultraviolet light.
- Equipped with a microswitch to prevent operation while the door is open.
- Integrated timer adjustable up to 60 minutes.

code	٧	W	mm
281246	230-240	25	510x160x(H)610



HAND DRYER

- Electric
- Activation by motion detector
- Fitted with lead and plug
- Impact resistant metal casing in white epoxy finish

code	٧	W	mm
221808	230	1500	240x210x(H)265






















TAP WITH PULL OUT RINSER

- Single-hole pillar tap.
- Rinser resistant to high pressure water flow.
- Plastic rinser casing.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2".
- Table hole required: Ø 30 mm.
- Spout reach 280 mm.

code

970515



NEW!



- Single pedestal pillar tap.
- Rinser resistant to high pressure water flow.
- Maximum water flow: 17 L/min. at a pressure of 4 bar.
- Plastic rinser handle.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2", 400 mm long each.
- Table hole required: ø 27 mm.

970300



NEW!







TRASH BIN 43 L

- Made of stainless steel.
- With swivel lid.

code	mm	
691120	360x360x(H)770	

TRASH BAG HOLDER

- Frame made of stainless steel.
- Foot-operated clamping mechanism keeps the bag closed.
- 2 caster wheels with brakes.

code	mm
691021	420x580x(H)960



CHEF'S HAT - 10 PCS

- Pleated nonwoven PP material
- Perforated crown
- Adjustable size

code	mm
560044	280x(H)230

NEW!



FORAGE HAT - PAPER - 100 PCS.

- White with blue strip
- Perforated crown
- Fits all sizes

code	mm	
560037	290x(H)100	



















WAITER'S CORKSCREW

- Chrome plated, with ABS handle
- 4 functions

596807

- With separate bottle-opener



WAITER'S CORKSCREW

- Curved model
- -3 functions

code


597200

	CORKSCREW
	– Lever model
3.3.	– Chrome-plate
stainless steel	- With bottle-op

110

597507

- Chrome-plated
- With bottle-opener



170





- Made of stainless steel, ABS grip.
- 3 functions.
- Patented lever, spiral for long corks and foil cutter.

code	mm	
597323	37x130x14	



WAITER'S CORKSCREW

- With metal handle.
- 3 functions.
- With extra kink in lever for long corks.

code	mm	
597316	120	



BAR BLADE

code	mm	
596746	40x2x179	







BOTTLE OPENER WITH CATCHER BIN

- This bottle opener is intended to be mounted on the wall.
- Bin can be easily removed to ease emptying.
- Supplied with two screws and wall plugs.

code	mm
643914	135x70x(H)295



POURERS



FREE-FLOW POURER

- EVA plastic with chrome-plated nozzle





FREE-FLOW POURER

I ILL I LOW	CONEN		
code	model	packed per	
599464	Slow flow	6	
599471	With flip top	6	
599488	Fast flow	6	

NEW!



FREE-FLOW POURER

- EVA plastic

- LVA plastic		
code	model	packed per
599402	Blue	4
599419	Red	4
599426	Transparent	4
599433	Yellow	4



NEW!





FREE-FLOW POURER

– EVA plastic

•		
code	model	packed per
599440	2 black, 2 white, 2 red	6
599457	2 blue, 2 red , 2 green	6



















NON-DRIP BRACKET

– For bottle height from 240 to 350 mm.

code	type of mounting
598719	shelf mounted
598818	wall mounted



CHAMPAGNE STOPPER

- For storing opened bottles.
- With silicone gasket.

- With Siticone gasket.	
code	
595589	



NON-DRIP POURER

code	ml
598016	20
598214	35
598313	40
598412	50



BALL MEASURING POURER

code	ml	packed per
599013	20	2
599112	35	2
599198	40	2 NEW!
599211	50	2



BOTTLE CAP PERFORATOR

- "Prikit".
- Peforates bottlecaps and cans easily with a ø 5 mm hole.
- ${\operatorname{\mathsf{--}}}\operatorname{\mathsf{Passing}}$ a straw through the hole keeps insects out of the drink.
- Reduces spillage if a drink is knocked over.

code	packed per
595572	16



SIL

WINE COOLERS AND STANDS







WINE COOLER

- Double-walled stainless steel.

- For use without ice cubes.



WINE COOLER

- With ring handles

S.S.
stainless steel

WINE COOLER

- With tulip handles



code	mm
593806	Ø120x(H)180

code	liter	mm
593202	3,3	Ø220x(H)190

code Ø210x(H)210 593103 3,5



WINE COOLER EPP

593813

- Made of EPP, highly insulating.
- Stable heavy bottom, unbreakable.
- The temperature of the wine rises at about 1.5°C per hour, keeps wine cool longer than regular steel coolers.

code	mm
593813	ø142x(H)210



WINE COOLER

- Transparent

code	mm
593158	220x185x226





WINE COOLER TABLE BRACKET

– Ring ø185 mm.

- Wine cooler not included.

code	mm	
593905	Ø195x(H)510	



WINE COOLER STAND

- Very compactly packed

- 5-part assembly

593608	

MHENDI















Ø370x(H)230

471524		
CHAMPAGN	E COOLER ECONO	MIC

code	liter	mm
471524	9,5	ø350x(H)230



13,5

471500

ICE BUCKET D	OUBLE-WALLED
--------------	--------------

code	liter	mm
594704	5	Ø200x(H)230



P	ARTY	TUB
-	Transp	arent

– Uval		plastic
code	mm	
593165	470x290x230	





ICE BUCKET WHITE DOUBLE-WALLED

code	liter	mm
594742	5	ø190x(H)200
594759	10	ø292x(H)220





523520

– Packed per 2.

code	mm	
523520	180	





- Ideal for cocktails, a must have for bar professionals.
- Creates 6 gem-shaped ice cubes.
- Made of durable, food-grade silicone.

code	mm
679012	190x105x(H)30



- Ideal for whiskey, a must have for bar professionals.
- Creates 6 big (±5x5x5 cm), slow melting ice cubes.
- Made of durable, food grade silicone.

code	mm
679036	170x110x(H)52



ICE SHOT GLASS MOULD

code

679005

- Ideal for serving shots, a must have for bar professionals.
- Creates 6 shot glass shaped ice cubes.
- Made of durable, food grade silicone.

code	mm	
679050	125x190x(H)60	



ICE CUBE MOULD SMALL CUBE

- Ideal for cold drinks, a must have for bar professionals.
- Creates 15 cubes (±3x3x3 cm).
- Made of durable, food grade silicone.

code	mm	
679043	190x120x(H)35	



ICE BALL MOULD WHISKY BALL

- Ideal for whisky, a must have for bar professionals.
- Creates 6 big spherical shaped (± ø4,5 cm), slow melting ice
- Consists of 2 parts with locking ring so the balls can be made without leaking.
- Made of durable, food grade silicone.

code	mm
679029	180x125x(H)50



- Ideal for serving shots, a must have for bar professionals.
- Creates 4 shot glass shaped ice cubes.
- Made of durable, food grade silicone.

code	mm	
679067	122x122x(H)60	



mm 335x180















SIL







ICE CUBE MACHINE - KITCHEN LINE 15

- Tabletop model
- Casing made of stainless steel
- Capacity of 15 kg per 24 hours, buffer stock of 4,5 kg
- 12 cubes per cycle
- No fixed water connection coolant: R134A
- Choice of 3 ice cube sizes, cubes are formed around cooling rods
- Holds 150 ice cubes

code	٧	W	mm
271551	230	160	380x435x(H)431

ICE CUBE MACHINE - KITCHEN LINE 12

- Tabletop model
- Casing entirely made of ABS
- Capacity of 12 kg per 24 hours, buffer stock of 3,2 kg
 - 9 cubes per cycle
- No fixed water connection coolant: R600A
- Choice of 3 ice cube sizes, cubes are formed around cooling rods
- Stores 100 ice cubes

code	V	W	mm
271568	230	120	297x367x(H)378



ICE CUBE MACHINE

- Stainless steel casing suitable for installation under the counter
- Can produce up to 35 kg of ice per day and has buffer stock for 15 kg.
- Produces 45 square ice cubes per cycle of 13-16 minute.
 Cubes need to be separated from each other.
- Comes with supply hose and ice scoop.
- Air-cooled injection system, coolant R134A.

code	٧	W	mm
271575	230	300	448x400x(H)798





NEW!








BULLET ICE CUBE MAKER

- Makes bullet shaped ice cubes that are partially hollow.
- Housing completely made from stainless steel.
- Can store up to 7 kg. of ice.
- Inlet & outlet hoses and ice scoop included.
- Climate class: N.
- Refrigerant: R290.

code	-	٧	W	mm
271773	~26kg/day	230	241	398x546x(H)682
271780	~50kg/day	230	293	398x546x(H)682

FLAKE ICE MAKER



- Housing completely made from stainless steel.
- Can hold up to 20 kg. of ice.
- Inlet & outlet hoses and ice scoop included.
- Climate class: N.
- Refrigerant: R290.

code	-	٧	W	mm
271797	~85kg/day	230	430	548x612x(H)867















BACK BAR REFRIGERATORS

- Powder coated housing, embossed aluminium chamber, plastic lockable door(s) with toughened glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Chamber fitted with LED lighting.
- Digital display and temperature control.
- Fitted with 4 adjustable non-slip feet.
- Coolant: R600a.





233900

233917

BACK BAR REFRIGERATOR SINGLE DOOR 118L

- Single door, with 2 chrome plated shelves.

code	range	V	mm
233900	2°/10°C	230	500x500x(H)900



code	range	V	mm
233917	2°/10°C	230	900x500x(H)900



BACK BAR REFRIGERATOR SINGLE DOOR 293L

– Single door, with 5 chrome plated shelves.

code	range	٧	mm
233924	2°/10°C	230	600x515x(H)1820



BACK BAR REFRIGERATOR DOUBLE DOORS 458L

– Double sliding doors, with 10 chrome plated shelves.

code	range	٧	mm
233931	2°/10°C	230	900x515x(H)1820





WINE COOLERS DUAL ZONE

- Dual zone allows to set two different temperatures for the two zones.
- Black housing, borderless glass door fitted with stylish stainless steel handle.
- With lockable self-closing door.
- Forced air cooling with auto-defrost, compressor placed behind the chamber.
- Supplied with wooden shelves.
- With bright LED lighting in the ceiling.
- Digital temperature controller and display. Can be set in Celsius or Fahrenheit
- Fitted with 4 adjustable non-slip feet.
- Climate class: N
- Refrigerant: R600a.







Dual zone

Wooden shelves included

Door can be locked



233221



233245

WINE COOLER DUAL ZONE 165L

- Suitable for up to 44 bottles of wine.
- Supplied with 5 wooden shelves.

code	range	٧	W	mm
233221	4°/20°C	230	130	596x654x(H)855

WINE COOLER DUAL ZONE 450 L

- Suitable for up to 165 bottles of wine.
- Supplied with 15 wooden shelves.

code	range	٧	W	mm
233245	4°/20°C	230	150	596x720x(H)1820





















ICE CRUSHER

- Large ABS plastic ice chute and brushed stainless steel housing.
- Stainless steel blades and durable grinding mechanism.
- Clear, break resistant container with capacity for 12 cups of crushed ice.
- Crushes up to 12 kilos of ice per hour.
- Not for continuous use.







code	٧	W	mm
271520	230	80	170x260x(H)460

ICE CRUSHER - ELECTRICAL

- Professional ice crusher perfect for preparing ice for granitas, mojitos, iced coffee and other iced beverages.
- Coated cast aluminium engine housing.
- Microswitch in the closing mechanism.
- Cup, a set of stainless knives.
- Various ice chip sizes.
- Cup capacity 3 L
- -Speed: 800 RPM
- Output 120 kg/h
- Weight: 5 kg

CC
5.5.
stainless steel

code	٧	W	mm
271513	230	150	210x380x(H)490





See movie

ICE CRUSHER

- Chrome-plated zinc alloy with stainless steel blades.
- Including ice scoop.
- With removable container.

code	mm
695708	160x140x(H)270





SODA SPLASH BEVERAGE CARBONATING SYSTEM

- The Soda Splash is a simple device in which you can carbonate all kind of beverages like cocktails, syrups, water, wine, etc.
- Making fizzy cocktails is easy and fast, put all the ingredients into the bottle and follow a few simple steps.
- High polished stainless steel bottle, filling head fitted with pressure release button and overpressure release valve.
- Comes with funnel, bottle cap and charge holder.
- Only suitable for cold liquids, not intended for creamy or thick liquids.
- Requires carbon dioxide chargers for use.

code	liter	mm
588567	0,75	ø80x(H)370

Making fizzy cocktails is easy and fast, put all the ingredients into the bottle and follow a few simple steps







- Stainless steel soda siphon.
- Makes fresh carbonated water in no time.

- Requires	carbon dioxide	chargers	tor use.
code	liter		

code	liter	mm
588574	1,0	ø100x(H)320

SODA CHARGERS

– Contains 8 grams of CO_2 , a single filling of a 1L soda siphon

code	packed per
588406	10













CENTRIFUGAL JUICE EXTRACTOR

- For making juice of hard fruits and vegetables.
- Housing, bowl, juicer basket and grating disk made of stainless steel.
- Feeder tube and pusher made of ABS, pulp container and lid made of polypropylene.
- Motor spins the grating disk at 3000rpm.
- Safe to use, will only work if the lid and safety arm are locked into place.
- Not suitable for ice or frozen fruits/vegetables.

code	V	W	mm
221082	230	700	250x410x(H)530







SLOWJUICER

- Ideal for: fresh juices, mousses, paste and fruit cocktails.
- Suitable for soft (blueberries, raspberries, strawberries) as well as hard fruit and vegetables (beetroot, turnip, ginger) and herbs, grass, sprouts (nettle, wheatgrass, dandelion).
- In comparison to traditional juicers, this device squeezes much more juice and the remaining fruit and vegetable pulp is almost completely dry which proves the exceptional performance of the device.
- The juice squeezing process is similar to mechanical coldpressing.
- Number of rotations: 45 rpm.
- Reverse function to unblock the auger.
- Strong induction motor assuring high power and durability of the device.
- Very quiet at work: 65 dB.
- Magnetic protection prevents switching on if the head is incorrectly fitted.
- Maximum continuous work time: up to 20 min.









- Large feed chute with mechanism preventing the insertion of hands Ø83 mm (e.g. apples, pears, turnip).
- Small feed chute Ø42 mm with a pusher for long vegetables (e.g. carrots, parsnip, leek).
- Juice spout with a practical and tight cap.
- Inner strainer made of AISI 304 steel.
- Auger, strainer frame and strainer elements made of TRITAN - BPA free.
- Housing with a practical handle made of satin aluminium and ABS.
- Easy to use and clean.
- Weight: 7.2 kg.
- Two polycarbonate containers for pulp and juice, 850 ml each.
- Cleaning brush with nylon bristles.

SLOWJUICER

code	٧	W	mm
221044	230	250	260x175x(H)545

Large feed chute ø 83 mm with mechanism preventing the insertion of hands

(e.g. apples, pears, turnip)

Small feed chute ø 42 mm with a pusher for long vegetables (e.g. carrots, parsnip, leek)



























CITRUS JUICER ELECTRIC

- Made of rust-resistant material.
- With stainless steel squeeze bowl.
- Including 3 interchangeable ABS cones for small and large citrus fruit.
- ABS sieve.
- Speed 1500 rpm.
- Manually operated by means of on/off switch.
- Including polycarbonate anti-splash cover.All elements except the body are dishwasher safe.

code	٧	W	mm
221204	230	180	308x218x(H)463










3 cones for different sizes of fruit









Squeeze bowl made of stainless steel


























MILKSHAKER 1 LITER

- Supplied with 1 stainless steel malt cup, 1 polycarbonate malt cup, 2 stainless steel mixing disks and 4 polycarbonate mixing disks.
- Stainless steel frame.
- Micro switch activates the machine when the cup is placed.
- Powerful motor spins the carbon steel rod at 15000 rpm.
- Capacity of cup: 1000 ml.

code	٧	W	mm
224038	230	180	170x170x(H)520
942758		Malt cup stai	nless steel
942765		Malt cup poly	/carbonate





CITRUS JUICER

- Lever model, chrome-plated
- Made of high quality zinc alloy
- With handle for increased stability
- Lever folds back easily using a spring
- Stainless steel juice bowl and cone

code	mm	
695906	225x180x(H)510	















BAR STORERS

- Interchangeable spout and lid.
- For storage, mixing and serving of drinks.
- Upper part removable.

- - - - - - - - - - - - - -			
code	-	liter	mm
557600	red	0.8	Ø 90x(H)300
557617	blue	0.8	Ø 90x(H)300
557624	green	0.8	Ø 90x(H)300
557631	brown	0.8	Ø 90x(H)300
557648	yellow	0.8	Ø 90x(H)300

















See movie



SLUSH MACHINE 2X12L

- Two 12 liter containers with quick dispense tap, the lids are lit.
- Digital temperature controller with cold beverage and slush modes.
- Efficient compressor, in slush mode temperature varies between -7 $^{\circ}$ C and -2 $^{\circ}$ C.
- Containers can be removed to ease cleaning.
- Day and night mode.
- Refrigerant: R404a.
- Drip tray included.

code	liter	٧	W	mm
274224	2x12	230	850	470x520x(H)810



NEW!







JUICE DISPENCER 2X12L

- Two 12 liter containers with quick dispense tap.
- With temperature controller, temperature can be set between 2°C and $8^{\circ}\text{C}.$
- Containers can be removed to ease cleaning.
- Refrigerant: R290.
- Drip tray included.

code	liter	٧	W	mm
425206	2x12	230	395	430x430x(H)640





HIGH POWER BLENDER

- This high power blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Comes complete with 2,5L break-resistant jug, pusher and firm lid.
- Detachable jug made of polycarbonate, which can withstand temperatures of -40°C up to 90°C.
- Replaceable knife made of stainless steel, housing and lid made of ABS plastic.
- Hi-speed motor with variable speed and pulse function drives the knife from 8350 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.

code	V	W	mm
230718	230	1680	270x250x(H)550

Comes complete with 2,5L break-resistant jug, pusher and firm lid













BLENDER JAR BPA FREE

- Replacement jar for blender 230718/230695/230688, made of BPA-free Tritan copolyester.
- The jar is fitted with the blender blades and is supplied with a lid.



BLENDER JAR

- Replacement jar for blender 230718, made of polycarbonate.
- The jar is fitted with the blender blades and is supplied with a lid.








BLENDER JAR

- Replacement jar for blender 230718/230695/230688.
- 2,5L break-resistant polycarbonate jug, firm lid made of PBT and a small polycarbonate lid cover.
- The jar is fitted with the blender blades made of stainless steel knife with titanium coating.







code	mm	code	mm
942642	200x170x(H)360	943489	200x170x(H)360

















- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel knife with titanium coating.
- Manual control panel power setting knob and a pulse switch.
- Noise cover made of polycarbonate, the blender only works when the cover is completely closed.
- Comes with 2,5L break-resistant polycarbonate jug, firm lid made of PBT and a small polycarbonate lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives the knife from 8350 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.

code	٧	W	mm
230688	230	1680	252x258x(H)547



- 1 Power switch 0N/0FF
- 2 Speed dial (Low to High)
- 3 Pulse button





Stainless steel knife with titanium coating



Solid construction of the gear





Break-resistant

polycarbonate jug







DIGITAL BLENDER WITH NOISE COVER

- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel knife with titanium
- Digital control panel has touch control for three power settings, three time settings and a pulse function.
- Noise cover made of polycarbonate, for safety the blender only works when the cover is completely
- Comes with 2,5L break-resistant polycarbonate jug, firm lid made of PBT and a small polycarbonate lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives the knife from 8350 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.

code	٧	W	mm
230695	230	1680	252x258x(H)547




- 1 switch ON/STANDBY
- 2 Speed control: Low/Medium/High
- 3 Digital Control Display
- 4 Timer
- 5 Pulse Button



See movie

































JIGGER

MUDDLER

code

596739

- 2 sides: 25 ml and 50 ml

code 596722 ø40x(H)85





Ø40x(H)75

– 2 sides: 25 ml and 35 ml

code

596715



27x27x266







STRAINER

code	mm	
596753	82x28x165	







BAR CADDY

- 6 compartments for organizing straws, napkins, stirrers etc.
- Container for napkins 130x130 mm.

ABS
plastic

code	mm
596760	240x145x(H)105

3-TIER GLASS RIMMER

code

596777

- For decorating the edge of glasses.
- Three tiers marked with lime juice, salt, sugar.
- Sponge for lime juice to prevent spilling.



ABS



- Black ABS with transparent polycarbonate lid.
- Including 5 polypropylene storage containers.

code	mm	
552131	495x160x(H)100	



INGREDIENT BOX

- Stainless steel with transparent polypropylene lid
- Including 5 white polypropylene storage containers

code	mm	
552100	375x140x(H)90	

CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.
- Both sides suitable for cutting.

Both sides saltable for eathing.		
code	mm	colour
826348	250x150x(H)10	white
826478	250x150x(H)10	black
826355	300x200x(H)10	white
826485	300x200x(H)10	black













552681

GLASS BRUSH ROUND

552681

- Aluminium with nylon brush.
- Bottom plate fitted with 4 suction pads.





GLASS BRUSH STANDARD

- Polypropylene with 3 nylon brushes.
- Bottom plate fitted with 4 suction pads.

code	mm	
696002	190x100x(H)180	








696040

code	mm
696040	190x100x(H)180/250/180



RUBBER BAR MAT

code	mm
597965	605x85x(H)15
597972	495x160x(H)10



DRAINAGE MAT

- Connectable
- White polypropylene
- HACCP compliant

code	packed per	mm
597958	5	313x209










598955

665381



TABLE BEER TAP

– Plexiglas



PMMA





code	mm	
696200	Ø315	



COIN TOKEN	IS		$\left[\begin{array}{c} ABS \\ plastic \end{array}\right]$
code	colour	packed per	Ø mm
665121	blue	100	25.09
665138	green	100	25.09
665145	red	100	25.09
665152	white	100	25.09
665169	black	100	25.09

yellow

100





25.09





















208632



208625



208731

PALM TAMPER ADJUSTABLE

- Suitable for most portafilters.
- Pre-tamper made of stainless steel, handle made of black aluminium.

Ø58x(H)35

- The depth is adjustable.

COFFEE TAMPER WITH SPRING	j
---------------------------	---

- Used to compact coffee, suitable for most - Used to compact coffee, suitable for most portafilters.

Ø58x(H)105

- Tamper made of stainless steel with spring.
- Black aluminium handle.

|--|

- espresso machines.
- Tamper made of stainless steel.
- Wooden painted handle.
- Weight: 380 g.

code	mm
208731	Ø58x(H)95

NEW!

code 208632



NEW!

code

208625











- Made of silicone, with recess for placing a portafilter during tamping.
- With a socket to place the tamper in.

code	mm
208670	150x100x(H)45



TAMPING MAT DOUBLE

- Made of silicone, with recess for placing 2 portafilters during tamping.
- With two sockets to place the tampers in.

	oto to place the tampero h
code	mm
208649	205x150x(H)45





- With recess for placing a portafilter during tamping.
- With a socket to place the tamper in.

code	mm
208687	110x170x(H)65



HEND



NEW!

NEW!

NEW!









KNOCK BOX RECTANGULAR

code 208694

- Drawer model made from carbon steel
- Fitted with removable knock bar and perforated top.

KNO	OCK	BOX	GN

- Made from stainless steel.
- Removable knock bar fitted with silicone sleeve.

KNOCK BOX IN WOODEN FRAME

- Frame made from dark wood, with a stainless steel GN 1/4 knock box.
- Removable knock bar fitted with silicone sleeve.

mm	code	-	mm	sieeve.		
350x250x(H)90	208335	GN 1/6	176x162x(H)100	code	mm	
	208342	GN 1/4	265x162x(H)100	208380	275x175x(H)120	



MILK FROTHING THERMOMETER

- With clip to fasten the thermometer to the milk jug.
- Green marking indicates the ideal milk temperature for cappuccino etc.
- Temperature range -10 to 110°C.
- Gradation 1°C.
- Stainless steel probe with protective cover.
- Easy to read.

code	range	mm
271247	-10/110°C	Ø44x140







ROUND KNOCK BOX

- Made from stainless steel.
- Fitted with removable knock bar.

code	mm	
208618	153x185x(H)165	



GROUP HEAD CLEANING BRUSH

- Easily brush coffee residue from the group head and portafilter of espresso machines.
- Tough brush made of nylon.
- Measuring spoon for cleaning agents.
- Splash screen keeps the handle dry.
- Set of 2 pcs.

<u>'</u>		
code	mm	
20872/	225	



428245

MULTI RACK

- 3 Layers for holding cups and bags of condiments.
- Polished stainless steel stand with three 1 liter bowls.

code	mm	
428245	190x240x(H)410	















- Top and bottom hotplate, indicator light
- Fast filtering system with flow-through element 1.8 litres in 5 minutes
- Continuous temperature of 93 96°C
- Casing and filter holder made of stainless steel
- -2×1.8 l decanters and 50 (110/250) filters are included

code	W	٧	mm
208304	2100	230	200x385x(H)430



DECANTER

– Toughened glass with polypropylene handle and lid.

code	liter	mm
445907	1,8	Ø160x(H)185









COFFEE MACHINE PROFILINE

- Makes a can of coffee in about 6 minutes.
- Design casing made of polypropylene with black rubber coating.
- With 1.8 liter glass decanter, polypropylene filter holder and lid.
- With 2 separately operated warming plates.
- With indicator light that shows when the coffee is ready.
- Suitable for 110/250 filters.

code	W	V	mm
208533	2020	230	204x380x(H)425



COFFEE FILTERS Ø 25 CM

- Unbleached
- For i.e. Hendi, Bravilor en Animo coffee machines
- Diameter of the entire filter 250 mm
- Bottom diameter of the filter 110 mm

code	-	packed per	mm
208656	for e.g. Hendi, Bravilor & Animo	1000	Ø250x(H)70



PERCOLATOR SINGLE WALLED

- Single-walled stainless steel housing and lid with safe "Twist-lock" system.
- Inner filter for coarse ground coffee made of stainless steel, use of paper filters is recommended.
- Fitted with cool-touch grips, cover handle and anti-drip spout, all made of polypropylene.
- Clear level indicator in liters,
- Maximum cup height: 110mm (without drip tray).
- Reaches up to 96 $^{\circ}$ C during coffee brewing, keeps the temperature at 90 $^{\circ}$ C (±5°C) afterwards.
- With silicone protected power switch and indicator lights for heating, keep warm and the need of descaling.
- Scale-protected heating element under the tank with overheat protection.
- Drip tray and measuring cup included.



211267	11	230	1,650	350×350×(H)//5
code	liter	٧	W	mm

With non-drip tap





Twist-lock



















PERCOLATORS DOUBLE-WALLED

- Insulated double-wall polished stainless steel structure reduces heat loss through conduction, convection and radiation
- Up to 20% lower energy consumption compared to similar single-walled percolators
- Body and tank made of stainless steel
- Welded stainless steel handles with silicone grip
- Anti-drip tap
- Glass gauge
- Descaling indicator
- Dripping tray with stainless steel grid



PERCOLATOR DOUBLE WALLED

code	liter	V	W	mm
211106	6	230	1500	Ø241x(H)480
211205	10	230	1500	Ø288x(H)530
211304	15	230	1500	Ø288x(H)602

Built-in filter for

coarsely ground coffee













PERCOLATORS SINGLE-WALLED

- Single walled stainless steel body.
- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.
- With graduated glass, non-drip tap and fitted with automatic reset.
- The indicator light signals the end of the brewing process and if descaling is needed.






PERCOLATOR

code	liter	V	W	mm	
208007	6	230	1500	336x310x(H)465	
208106	10	230	1500	384x355x(H)530	
208205	15	230	1500	384x355x(H)600	

With non-drip















HOT DRINKS BOILERS DOUBLE-WALLED

- Insulated double-wall polished stainless steel structure reduces heat loss through conduction, convection and radiation
- Thermostatic temperature control adjustable up to 110°C
- Up to 20% reduction in energy consumption compared to similar single-walled boilers
- Body and tank made of stainless steel
- Maintenance-free heating element under the tank
- Parts can be easily disassembled to facilitate cleaning
- Welded stainless steel handles with silicone grip
- Anti-drip tap
- Glass water gauge
- Descaling indicator
- Dripping tray with stainless steel grid
- Not suitable for chocolate milk





HOT DRINKS BOILER DOUBLE-WALLED

code	liter	٧	W	mm	
211403	9,0	230	2200	Ø241x(H)480	
211502	18,0	230	2200	Ø288x(H)602	

Double walled - up to 20% lower energy consumption Maintenance-free heating element under the tank













HOT DRINKS BOILER

- Single-walled.
- Ideal for mulled wine and boiling water for tea.
- Time to boiling ± 50 min.
- Maximum temperature 94-99°C.
- Protected against boiling dry.
- Not suitable for hot chocolate.









HOT DRINKS BOILER

code	liter	٧	W	mm
209882	10	230	2200	336x221x(H)474
209899	20	230	2200	384x268x(H)602

With non-drip tap



















HOT DRINKS BOILER

- Kettle made from stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling \pm 75 min.
- Not suitable for chocolate milk.

code	liter	٧	W	mm
240700	28	230	2500	447x441x(H)485



HOT DRINKS BOILER

- Kettle made from enemalled stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling \pm 75 min.
- Not suitable for chocolate milk.

code	liter	٧	W	mm
240601	28	230	2500	447x441x(H)485



HOT DRINKS BOILER

- Single-walled
- With polypropylen non-drip tap
- Fitted with automatic reset
- Operates automatically and keeps drinks at serving temperature
- Cleaning indicator
- Temperature adjustable up to 110°C
- Not suitable for hot chocolate
- Suitable for mulled wine
- Reversible lid can be used as tray and to keep the glasses/ cups warm

cape warm							
code	liter	٧	W	mm			
209905	30	230	2200	Ø520x(H)500			



HOT DRINKS BOILER

- Single-walled brushed stainless steel housing and lid with
- Ideal for mulled wine and boiling water for tea, operates automatically and keeps drinks at serving temperature.
- Temperature adjustable up to 110°C.
- Time needed for boiling \pm 45 min.
- Protected against boiling dry.
- With external water gauge and polypropylen non-drip tap.
- Not suitable for hot chocolate.

code	liter	٧	W	mm
211243	6,8	230	950	320x310x(H)425
211250	12	230	950	320x290x(H)580





HOT CHOCOLATE DISPENSER

- Bain-Marie heating system prevents hot chocolate from being burned to the bottom.
- Bottom of the container is made of stainless steel.
- Side walls are made of Polycarbonate.
- Drip tray with float indicator warning when full.
- Protection against overheating.
- Continuous stirring guarantees homogeneous consistency of chocolate.
- Special anti-drip tap.
- Temperature range: 65 to 85°C.
- Required temperature of environment: 10 to 32°C.

code	liter	٧	W	mm
274125	5	230	1006	410x280x(H)465
274149	10	230	1006	410x280x(H)580



ELECTRIC KETTLE - 4,2 L

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.

code	liter	V	W	mm
209998	4,2	230	2000	340x234x(H)290



See movie











External water level indicator

ELECTRIC KETTLE - 1,8 L

- Housing and heating element made of 304 stainless steel.
- Handle, lid and base made of polypropylene.
- 360-degree swivel base.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- External water level indicator.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.
- Only suitable for boiling water, boiling other liquids will damage the appliance.

code	liter	٧	W	mm
209981	1,8	230	1800	221x163x(H)249








PROFILINE

- Elegant yet sturdy.Hand polished, high gloss mirror finish.







code				length (mm)
764404	1	Table knife	set of 6	225
764411	2	Table fork	set of 6	205
764428	3	Tablespoon	set of 6	205
764435	4	Dessert knife	set of 6	205
764442	5	Dessert fork	set of 6	186
764459	6	Dessert spoon	set of 6	186
764466	7	Cake fork	set of 12	136

			length (mm)
8	Coffee spoon	set of 12	111
9	Tea spoon	set of 12	138
10	Ice spoon	set of 12	135
11	Sundae spoon	set of 6	198
12	Butter knife	set of 12	158
13	Steak knife	set of 6	215
	9 10 11 12	· · · · · · · · · · · · · · · · · · ·	9 Tea spoon set of 12 10 Ice spoon set of 12 11 Sundae spoon set of 6 12 Butter knife set of 12












- Hand polished mirror finish.



code				length (mm)
764206	1	Table knife	set of 6	215
764213	2	Table fork	set of 6	197
764220	3	Tablespoon	set of 6	197
764237	4	Cake fork	set of 12	150
764244	5	Tea spoon	set of 12	146
764251	6	Coffee spoon	set of 12	131
764268	7	Sorbet spoon	set of 6	198









BUDGET LINE

– Machine polished







code				length (mm)
764039	1	Table spoon	set of 12	198
764022	2	Table fork	set of 12	198
764015	3	Table knife	set of 12	214
764084	4	Tea spoon	set of 24	138
764091	5	Coffee spoon	set of 24	115
764077	6	Cake fork	set of 24	148
764138	7	Sorbet spoon	set of 12	214











STEAK CUTLERY











781456

STEAK KNIFE

– Stainless steel with ABS handle.

code	packed per	blade/knife length (mm)
781449	6	215

STEAK FORK

– Stainless steel with ABS handle.

code	packed per	blade/knife length (mm)
781432	6	200

STEAK KNIFE XL

– Stainless steel with ABS handle.

code	packed per	blade/knife length (mm)
781456	6	250





SET LOBSTER FORKS AND TONGS

- 4 stainless steel forks
- 1 chrome-plated tongs

code	length (mm)
403709	205



LOBSTER FORKS





code	packed per	length (mm)
403716	6	205







SNAIL FORK

code	packed per	length (mm)
402221	6	130



SNAIL TONGS

– Squeeze model

code	packed per	length (mm)
402528	2	170











KARIZMA

- White hotel porcelain
- Strengthened edges, high quality glazing
 High impact and wear resistance
 10 years supply guarantee









FLAT PLATE

,,	
code	mm
795101	Ø160
795309	Ø200
795507	Ø240
795705	Ø280
795903	Ø320



DEEP PLATE

code	mm
794500	Ø300



OVAL DISH

code	mm	
796306	290x200	
796405	340x235	



SALAD BOWL

code	mm	
796603	Ø150	
796702	Ø190	
796801	Ø250	



SOUP BOWL

code		ml	mm
798805	soup bowl	380	
798904	saucer		Ø180



CUP AND SAUCER

code		ml	mm
798010	mocha cup	90	
798034	saucer		Ø125
798164	coffee cup	170	
798249	cappuccino cup	230	
798171	saucer for coffee- and cappuccino cups		Ø149



















FLORA

- White hotel porcelain
- Strengthened edges, high quality glazing
 High impact and wear resistance
 10 years supply guarantee









FLAT PLATE

code	mm	
787007	Ø160	
787014	Ø200	
787021	Ø255	
787038	Ø270	
787045	Ø300	



DEEP PLATE

code	mm
787052	Ø235



OVAL DISH

code	mm	
787069	280x180	
787076	330x225	



SALAD BOWL

ml	mm
250	Ø145x(H)45
1000	Ø230x(H)65
	250



SOUP BOWL

code		ml
787267	bowl	250
787182	saucer	Ø158



CUP AND SAUCER

code		ml	mm
787113	mocha cup	120	
787120	saucer		Ø130
787144	coffee cup	180	
787151	saucer		Ø138
787175	cappuccino cup	250	















SATURN

- White hotel porcelain.
- Strengthened edges, high quality glazing.
- High impact and wear resistance.
 10 years supply guarantee.









FLAT PLATE

code	mm	
794319	Ø 200	
794326	Ø 240	
794333	Ø 260	
794340	Ø 280	
794357	Ø 300	
794364	Ø 320	



DEEP PLATE

code	mm	
794395	Ø 220	
794517	Ø 300	



OVAL DISH

mm	
290x200	
340x240	
	290x200



SALAD BOWL

code	mm	
794463	Ø 150	
794524	Ø 190	
794470	Ø 250	



SOUP BOWL AND SAUCER

code		ml	mm
794449	bowl	380	
797754	saucer		Ø190



CUP AND SAUCER

code		ml	mm
794425	mocha cup	90	
794432	saucer		Ø125
794401	coffe cup	170	
794418	saucer		Ø150
794487	cappuccino cup	230	



MUG

code	ml	
794531	300	

















GOURMET

- Hotel porcelain
- Strengthened edges, high quality glazing High impact and wear resistance
- 10 years supply guarantee









FLAT PLATE

code	mm	
780008	Ø 190	
780015	Ø 210	
780022	Ø 230	
780039	Ø 270	
780046	Ø 290	
780107	Ø 320	





code	mm	
780053	Ø 240	





PASTA PLATE

code	mm	
780060	Ø 270	



OVAL DISH

code	mm
780077	240x170
780084	310x220
780091	360x260



SALAD DISH

code	ml	mm	
780114	250	Ø 130x(H)40	
780121	500	Ø 160x(H)60	
780138	1200	Ø 230x(H)70	
780145	2500	Ø 250x(H)95	



SOUP BOWL

code		ml	
780152		350	
780169	saucer		



CUP AND SAUCER

	ml	mm
cup	100	
saucer		Ø115
cup	250	
saucer		Ø160
	saucer cup	cup 100 saucer cup 250















DELTA

- White hotel porcelain.
- Strengthened edges, high quality glazing.
 High impact and wear resistance.
- 10 years supply guarantee.











FLAT PLATE

code	mm
794050	Ø 160
794067	Ø 200
794074	Ø 240
794081	Ø 270
794098	Ø 300



DEEP PLATE

code	mm
799420	Ø 230



PASTA PLATE

mm	
Ø 260	
Ø 300	
	Ø 260



OVAL DISH

code	mm	
799437	290x200	
799444	340x240	



SALAD BOWL

code	mm
799451	Ø 120
799468	Ø 140
799475	Ø 230
799482	Ø 270



SOUP BOWL

code		ml	mm
799383		380	160x(H)55
799390	saucer		Ø 170



CUP AND SAUCER

code		ml	mm
799161	cup	90	
799178	saucer		Ø83
799147	cup	230	
799154	saucer		Ø115


























785669

GARNISH BOWL SLANTED

code	mm	
785645	170x163x(H)134	
785652	138x138x(H)118	

BOWL

code	mm	
785669	280x190x(H)120	
785676	235x160x(H)98	
785683	180x125x(H)80	
785690	140x102x(H)65	

LIONHEAD

- Special, toughest porcelain type available on the market
- High-impact and wear resistance and still relatively light-weight
- Shining white















code	ml	mm
784778	125	Ø90x(H)60
784761	250	Ø120x(H)78
784754	500	Ø138x(H)95
784747	1000	Ø175x(H)120
784730	2000	Ø215x(H)155





PLATE TORRO – Rectangular		PLATE BARK – Rectangular		BOWL VANILL	A
code	mm	code	mm	code	mm
783658	360x240x(H)30	785546	218x105x(H)23	785560	225x111x(H)62
		785553	352x146x(H)40	785577	290x136x(H)80

OVEN DISHES WHITE PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Extremely pure and brilliant white.





TAPAS DISH OVAL

code	mm
784006	165x105x(H)30
784013	215x140x(H)35
784020	270x180x(H)40



RUSTICA OVEN DISH OVAL

code	mm
786321	220x130x(H)40
786338	245x145x(H)55
786345	340x205x(H)70



RUSTICA OVEN DISH RECTANGULAR

code	mm	
786369	280x185x(H)65	
786376	330x225x(H)70	
786383	375x260x(H)75	

OVEN DISHES CREAM PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively lightweight.
- Cream white.

OVEN DISH ROUND

code	mm	
785904	185x152x(H)40	



TAPAS DISH RECTANGULAR

code	mm
784105	100x140x(H)45
784112	120x190x(H)50
784129	185x260x(H)55



786352

RUSTICA OVEN DISH SQUARE

code	mm
786352	165x165x(H)70



786307

RUSTICA OVEN DISH ROUND

code	mm
786307	Ø100x(H)50



























CHILDREN'S PLATE "BEAR"

- Ø190 mm without ears

786499

code	mm	
786499	Ø265	


ICE CREAM BOWL CLOWN

code	mm
786239	226x145x(H)37



MILK JUG

- Shining white







code	packed per	liter
786451	2	0,08



GRAVY BOAT

- Shining white

- Special, toughest porcelain type available on the market







code	mm
786437	180x55x(H)130



CONDIMENT SET

– 2-piece set: salt, pepper











-3 piece set:salt, pepper,







code		mm
786420	pepper, salt & toothpick	125x54x(H)90



toothpick holder





TAPASMINI

- Special, toughest porcelain type available on the market.High-impact and wear resistance and still relatively light-weight.
- Shining white.

















TAPAS DISH CUADRADO

TAPAS DISH REDONDO

code	packed per	mm	code	packed per	mm	code	packed per	mm
784426	6	Ø100x(H)25	784327	6	80x80x(H)35	784365	6	Ø75x(H)30





TAPAS DISH LEON

code	packed per	ml	mm
784433	6	50	Ø55x(H)45





784334

TAPAS DISH CONCHA

code	packed per	mm
784334	6	90x50x(H)20



784396

TAPAS DISH TRIANGOLO

code	packed per	mm
784396	6	100x100x(H)25



784419

code	packed per	mm
784419	6	59x59x(H)37







TAPAS DISH CACEROLE

code

784389

RULE		IAPAS DISH HUEV			,
mm	1	code		packed per	

784372

Ø60x(H)25

EV0		TAPAS DISH CUCHARA			
ed per	mm	code	packed per	mm	
5	Ø65x(H)15	785324	6	133x43x(H)26	











GARNISH BOWL SLANTED

code	mm	
785645	170x163x(H)134	
785652	138x138x(H)118	









Ss steel wash

DEEP FRYING BASKET MINIATURES

code	mm	
426425	100x80x(H)70	
426432	120x100x(H)80	
426449	Ø90x(H)90	
426456	275x130x(H)45	









CHIPS BAG HOLDER





CHIPS BAG HOLDER
- Black wire frame, with room for a saus bowl. - Black wire frame, fits 3 chips bags.

- Melamine ramekin 80 ml fits perfectly

(561713), not included.

code	mm	code	mm	code	mm	
630907	Ø95/110x(H)175	630914	210x110x(H)172	630921	270x270x(H)280	







GREASEPROOF PAPER – Packed per 500 sheets.

code	colour	mm
678107	newspaper print	250x350
678114	plain	250x350
678121	newspaper print	200x250
678138	plain	250x200
678121	newspaper print	









ENAMELLED

- Enamelled tableware has made a comeback.
- White enamelled steel with a nice blue border.
- High quality enamel.
- Abrasion resistant.



BOWL RECTANGULAR

- Dishes and desserts can be prepared in the bowl.

code	mm
621202	175x130
621219	215x160



FLAT PLATE

code	mm	
621226	Ø200	
621233	Ø240	



DEEP PLATE

code	mm
621240	Ø180
621257	Ø200
621264	Ø220
621271	Ø240



SALAD BOWL

code	mm
621288	Ø160



М	U	G	

code	ml	mm
621295	360	Ø90x(H)80
621301	520	Ø100x(H)90



CUP

code	ml	mm
621318	120	Ø70x(H)50



621332

TUMBLER

code	ml	mm
621325	300	Ø90x(H)90
621332	400	Ø90x(H)120

BUCKET WITH HANDLE **NEW!**

code	mm
621349	Ø160x(H)140
621356	Ø220x(H)186









625804

625705

SOUP & GRAVY PAN - WITH LID

- Enamelled
- Flanged stainless steel rim
- Low lid

code		liter	mm
625804	blue	0,3	Ø120x(H)95
625705	black	0,6	Ø135x(H)103















ENAMELLED PAELLA PANS

- With 2 handles
- Enamelled sheet steel

code	mm
622704	Ø100x(H)20
622711	Ø120x(H)25
622728	Ø150x(H)27
622735	Ø200x(H)36
622742	Ø240x(H)40



ENAMELLED PAELLA BOWLS - Deep model

- Enamelled sheet steel

code	mm
622810	Ø145x(H)40
622827	Ø170x(H)40
622834	Ø185x(H)43
622841	Ø205x(H)57
622858	Ø245x(H)70





















426463

WINE COOLER MINIATURES

code	mm
426326	Ø97x(H)98
426333	Ø115x(H)110
426340	Ø135x(H)130

BUCKET MINIATURES

DOUNET PHINIATURES		
mm		
Ø70x(H)77		
Ø87x(H)93		
Ø125x(H)127		
	^{mm} Ø70x(H)77 Ø87x(H)93	

SNACK CAN

code	mm
426463	45x50
426470	70x100



426326

STRAINER MINIATURES

code	mm
426388	Ø100x(H)54
426395	Ø130x(H)64



SNACK PAN

code	mm	
426487	185x95x(H)45	





COLANDER SQUARE PERFORATED

- Square model, with base and 2 handles.

code	mm
535271	169x169x(H)55
535288	218x218x(H)70

NEW!



COLANDER PERFORATED

- With base and 2 handles.

code	mm		
535295	Ø160x(H)65		
333273	p rock(ri)ou		











- **SMALL SAUCE PAN WITH SPOUT** Made of 2.5 mm thick 3-ply material, copper/aluminium/ stainless steel.
- Handle attached by rivets.

code	mm
607015	Ø50x(H)30
607022	Ø75x(H)40
607039	Ø85x(H)50



SMALL FRYING PAN

- Made of 2.5 mm thick 3-ply material, copper/aluminium/ stainless steel.
- Handle attached by rivets.

code	mm		
607046	Ø120x(H)30		















DOUBLE BUCKET WITH HANDLE

– Handle is made of wood.

code	mm
425947	200x100x(H)
425954	120x240x(H)



CUTLERY & NAPKIN CADDY

– With handle which is fitted with a wooden grip.

code	mm
425978	245x167x(H)132



3 BUCKETS WITH TRAY

code	mm
425961	365x130x(H)125



PARTY TUB

code	mm
425992	400x330x(H)220



FLARED TUB

code	mm	
425930	100x100x(H)80	



BUCKETS WITH HANDLE

- Fitted with a handle.







783153

783177

783177

RAMEKIN - Ribbed	porcelain temp oven micro wash				
code	mm				
783153	Ø70x(H)35				
783160	Ø90x(H)48				
783627	Ø100x(H)25				

Ø120x(H)55



RAMEKIN

code	colour	packed per	ml	mm
565605	black	12	45	60x60x(H)35
565612	ivory	12	45	60x60x(H)35
565629	transparent	12	45	60x60x(H)35
565636	terracotta	12	45	60x60x(H)35



RAMEKIN	
Ribbed	



	_		
code		packed	mm
565643		4	Ø60x(H)25
561706	50 ml		Ø70x(H)35
565650	50 ml	4	Ø70x(H)35
561713	80 ml		Ø80x(H)40
565667	80 ml	4	Ø80x(H)40
561720	100 ml		Ø85x(H)45
565674	100 ml	4	Ø85x(H)45











VELOCITY SLANTED BOWLS

code	mm
564578	70x70x(H)60
564585	97x97x(H)80
564592	110x110x(H)100















BUTTER & SAUCE DISH

code	colour	packed per	mm
564608	terracotta	3	80x80x(H)30
564561	black	3	80x80x(H)30



















MINI SAUCEPAN LITTLE CHEF

564509

– Melamine presentation bowls and trays, shaped like cookware.

code	mm
564509	162x121x(H)30



MINI GRIDDLE PAN LITTLE CHEF

– Melamine presentation bowls and trays, shaped like cookware.

code	mm
564516	320x162x(H)20



MINI ROUND PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm	
564523	150x115x(H)37	
564530	189x147x(H)37	



MINI OVAL PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm
564547	155x80x(H)37
564554	263x140x(H)37



SLATE PLATEAUS

- Natural presentation items for serving elegant and exclusive hot or cold dishes.
- Cut out of stone and fitted with anti-slip feet.

SLATE PLATEAUS ROUND

code	packed per	mm
424629	2	Ø250x(H)5
424636	2	Ø300x(H)5



SLATE PLATEAUS SQUARE

code	packed per	mm
424643	2	200x200x(H)5
424650	2	250x250x(H)5
424667	2	300x300x(H)5



SLATE PLATEAUS RECTANGULAR

code	packed per	mm
424681	2	200x100x(H)5
424698	2	300x100x(H)5



BREAD BAGS

PAPER BAGS

– Made of food grade washable kraft paper.

code	colour	mm
429211	black	170x170x(H)150
429228	beige	170x170x(H)150





429228

BREAD BAG ROUND

- Made of durable cotton.
- Available in the color combinations gray/beige and gray/dark gray.

code	colour	mm
429006	Beige	Ø150x(H)150
429013	Dark grey	Ø150x(H)150
429020	Beige	Ø200x(H)200
429037	Dark grey	Ø200x(H)200
429044	Beige	Ø250x(H)160
429051	Dark grey	Ø250x(H)160













BREAD BASKET - OVAL		BREAD BASK	BREAD BASKET - RECTANGULAR		BREAD BASKET - ROUND	
code	mm	code	mm	code	mm	
426500	225x130x(H)55	426807	225x150x(H)65	426609	Ø200x(H)65	

BREAD BASK	ET - OVAL	BREAD BASK	BREAD BASKET - OVAL		
code	mm	code	mm		
426708	225x110x(H)60	426906	375x140x(H)70		











– Chrome-plated wire	

code		couc		•		
425701	Ø150x(H)40	425503	200x140	code	mm	
425800	Ø200x(H)50	425602	230x180	426418	Ø 215x(H)205	



SOUP AND SAUCE BOWLS



SOUP TUREEN

– With lid and serving spoon.

code	liter	mm
434208	2,7	Ø270x(H)120

SOUP BOWL

– With handles

code	liter	mm
430002	0,35	Ø120x(H)50



VEGETABLE DISH

- With handles

·······		
code	mm	
401002	Ø120x(H)30	
401101	Ø140x(H)35	
401200	Ø160x(H)40	



SAUCE BOAT

– On foot

code	liter	mm
432143	0,085	120x(H)50
432006	0,14	135x(H)70
432105	0,23	160x(H)90
432129	0,28	200x(H)105
432136	0,46	240x(H)120









- Seamless structure.
- Vacuum insulation.
- Metal chromed cover, lever, spout and handle.
- High insulation value.





VACUUM JUG

code	liter	ØxH mm
445815	0,6	120x168
445822	1	136x188
445839	1,5	136x258





VACUUM JUG

- Double walled stainless steel.
- With black push-button cap.
- Top and lid made of polypropylene.

code	liter	ØxH mm
446508	1	145x205
446607	1,5	145x230
446706	2	145x260









446522









VACUUM JUG

- Double walled stainless steel.
- With yellow push-button cap.
- Top and lid made of polypropylene.

code	liter	ØxH mm		
446522	1	145x205		
446621	1,5	145x230		
446720	2	145x260		









AIR POT

- Stainless steel mantle
- With press system to tap drinks

code	liter	ØxH mm
448908	2,2	150x340







VACUUM JUG WITH GLASS INNER BOTTLE

code	colour	liter	ØxH mm
449608	black	1	140x268





AIR POT

- Double wall vacuum body and PP head
- Rotatable on base
- Zinc alloy lever designed for extra strength
- Lid opens to 125 degrees for brewing and is also detachable for cleaning
- Secure carrying handle
- Drip tray optional

1		
code	liter	
445877	3	
445891	drip tray	



















MIII TIPLIRPOSE ILIGS



MOLIN OKI OSE 3003			
code	liter	mm	
451502	0,35	Ø76x(H)93	
451519	0,6	Ø90x(H)112	
451526	0,9	Ø102x(H)125	
451533	1,5	Ø112x(H)161	



CAPPUCCINO STEAM JUG





- with nandle		(33311335 33335) (33311)	
code	liter	mm	
458228	0,3	Ø80x(H)80	
458211	0,5	Ø85x(H)110	
458204	0,7	Ø95x(H)115	
458006	0,9	Ø115x(H)115	



CREAM JUG

- Straight model






ott arg.nt modest			
code	liter	mm	
450109	0,03	Ø35x(H)35	
450208	0,04	Ø40x(H)40	
450307	0,07	Ø50x(H)55	
450406	0,12	Ø60x(H)60	
450505	0,25	Ø75x(H)75	



MILK JUG









COFFEE/ TEA POT WITH LID

- With hinged lid.
- Straight model.

Straight mot		
code	liter	mm
453001	0,3	Ø74x(H)95
453100	0,5	Ø74x(H)123
453209	1	Ø97x(H)142
453308	1,5	Ø120x(H)158
453407	2	Ø126x(H)185





TEA BOX

- Wood with acrylic window

- 12 compartments

code	mm
456514	300x280x(H)90







TEA STRAINER - WITH HINGED HANDLE

– For herbs and tea

- With hinged handle

3		
code	mm	
570807	Ø40x150	





TEA & HERB STRAINER

- For herbs and tea

– With wire handle

code	mm	
638101	Ø70x225	





code	packed per	mm
592038	6	80x70





SUGAR CUBE TONGS

code	packed per	mm
523629	2	160
523636	2	113



18/10

SUGAR/WHIPPED CREAM DISH

code	packed per	mm	
452714	6	Ø65	
452325	4	Ø100	















code

452400

18/0 SUGAR DISPENSER – Glass dispenser. - Spout made of stainless steel 18/0.

200

HONEY DISPENSER

– Glass dispenser.

code

452424

– Stainless steel lever.

CHEESE/SUGAR DISH

– With glass dish

- including staintess steet spoon		Stallitess steet
code	mm	
445370	Ø130x(H)90	

18/0



Ø80x(H)140

Ø55x(H)75

Ø55x(H)75 Ø55x(H)75



Ø80x(H)115



SHAKER

code 631201

631102

631300

CONDIMENT SET

- 2-piece set: salt, pepper

code		mm
786413	pepper & salt	Ø42x(H)80

CONDIMENT SET

- 3 piece set:salt, pepper, toothpick holder

code		mm	
786420	pepper, salt & toothpick	125x54x(H)90	

TOOTHPICK HOLDER

- Glass holder

- Stanitess steet cap			
code	packed per	mm	
468821	6	Ø40x(H)70	

pepper & salt shaker

parmesan shaker

wire mesh powder shaker



468821



452103

SUGAR BOWL

- with ninget	(Stanicss steet) (Wa	
code	ml	mm
452103	300	Ø85x(H)80



SUGAR BOWL

– Without lid

code	ml	mm
452202	300	Ø85x(H)65





OIL AND VINEGAR SET

- Holder made of chrome-plated iron.
- Two oil/vinegar bottles with stainless steel pourers.

code	ml	mm
460245	2x 237	115x60x(H)325
460252	2x 470	130x70x(H)370





465301

CONDIMENT SET

- 2-piece salt, pepper
- Matt finish

code



465349

18/0

CONDIMENT SET

- 2-piece oil, vinegar
- Matt finish



465332

CONDIMENT SET

- -3-piece salt, pepper, mustard
- With stainless steel mustard spoon
- Matt finish

code	ml	mm	code	mm
465349	150	120x75x(H)185	465332	100x95x(H)115

18/0

18/0



85x75x(H)115

85x55x(H)115

465318

- Matt finish

code

465318

CONDIMENT SET

CONDIMENT SET

toothpick holder - Matt finish code 465363

465325 **CONDIMENT SET**

-3-piece - salt, pepper, toothpick holder

- Matt finish code

465325



18/0

18/0 tainless ste



- 4-piece salt, pepper, oil, vinegar
- Matt finish

code	mm
465356	130x110x(H)185



-5-piece - salt, pepper, oil, vinegar,

130x110x(H)185

-3-piece - salt, pepper, napkin holder

18/0



90x90x(H)115









SALT AND PEPPER SHAKER SET

- Glass shaker.
- Stainless steel lid with S and P shaped dispensing opening.

code	mm
465387	Ø40x(H)70



461167

461266

SALT AND PEPPER SHAKER

- Glass shaker
- Stainless steel lid with S or P shaped dispensing opening.

code		packed per	mm
461167	pepper	6	Ø40x(H)70
461266	salt	6	Ø40x(H)70













PEPPER MILLS

- Durable ceramic grinding mechanism, the precise placement of the grinding wheel leaves a gap between the teeth which reduces wear.
- Fitted with a unique grinding adjustment mechanism at the bottom of the mill, adjustable in 4 steps from fine to coarse.
- The cap is easy to remove for refilling, its screw tension does not influence the grinding mechanism.
- Available with the appearance of either beech wood (light) or walnut wood (dark).

code		mm
469408	light wood	(H)100
469453	dark wood	(H)100
469415	light wood	(H)215
469460	dark wood	(H)215
469422	light wood	(H)310
469477	dark wood	(H)310

SALT MILLS

- Durable ceramic grinding mechanism, the precise placement of the grinding wheel leaves a gap between the teeth which reduces wear.
- The grinding mechanism is not adjustable, which gives consistent results.
- The cap is easy to remove for refilling, its screw tension does not influence the grinding mechanism.
- Available with the appearance of either beech wood (light) or walnut wood (dark).

code		mm
469439	light wood	(H)100
469484	dark wood	(H)100
469446	light wood	(H)215
469491	dark wood	(H)215



ABS



- Made of acrylic (PMMA).
- Durable ceramic grinding mechanism, the precise placement of the grinding wheel leaves a gap between the teeth and reduces abrasion.
- Pepper mill fitted with unique grinding adjustment mechanism at the bottom of the mill, adjustable in 4 steps from fine to coarse.
- The grinding mechanism of the salt mill is not adjustable, which gives consistent results.
- The cap is easy to remove for refilling, its screw tension does not influence the grinding mechanism of the pepper mill.

code		mm
469385	pepper mill	(H)105
469392	salt mill	(H)105















SERVING DISH

code	mm	
400203	205x155	



ICE-CREAM CUP





RECEPTION BELL

- Chrome-plated with metal base



code	ØxH mm
595008	85x60



444023

TABLECLOTH CLIP

18/0

code	packed per	mm
444023	4	50x(H)40



NAPKIN HOLDER

- Matt finish





NAPKIN HOLDER

- Chrome-plated wire

428528



190x190x(H)65



441466





EGG CUP

- Low model















EGG SPOON – White ABS



337



















- Stainless steel container
- Black ABS tumble cover

IAL	3L	ΕI	UP	LH	11	ΕK	RII	N

TABLETOP LITTERBIN OR CUTLERY HOLDER

code	mm	code	mm	code	colour	mm
440704	Ø120x(H)165	421550	Ø120x(H)180	421574	black	Ø130x(H)160





- Supplied without menu card.

code	packed per	mm
665251	6	80x77x(H)18



TAB HOLDER

– With clamp.

code	packed per	mm
595206	3	152x110



MENU CARD TABLE STAND

code	mm	
665503	100	
665510	200	



TAB GRABBER

– With clamp.



code	packed per	mm
595305	2	Ø40x(H)104







18/8






18/8

NEW!

WALL MOUNTED ASHTRAY



- Easy to empty thanks to the bottom that can be opened and closed with a key.

code	mm
440216	Ø75x(H)460

NEW!

STANDING ASHTRAY POLE

- Very robust design, can be mounted on the floor or stand
- Easy to empty, upper part can be unlocked with a key and then emptied.
- Base is Ø170 mm, pole is Ø80 mm.

code	mm
440223	Ø170x(H)920



ASH COLLECTOR

- With hinged lid
- For fire safe emptying ashtrays

code	mm
440506	202x170x(H)91



















S. ss steel outdoor

ASHTRAY WITH LOWER TRAY

code	mm	
440605	Ø140x(H)40	



ASHTRAY WITH LID

code	packed per	mm
440407		Ø90x(H)28
440490	3	Ø90x(H)28



ASHTRAY WITH FIRE RIM

code	mm	
440001	Ø140x(H)30	
440100	Ø160x(H)30	





ASHTRAY

- Made of black melamine.

code	mm
569757	Ø146



ASHTRAY PROFILINE



code	mm	
440803	Ø75x(H)28	
440858	Ø95x(H)28	
440902	Ø120x(H)28	



ASHTRAY KITCHEN LINE

code	mm
440872	Ø80x(H)30
440865	Ø100x(H)30







ASHTRAY WITH PUSH BUTTON

code	mm	
440209	Ø90x(H)45	



DOOR SIGNS

- With self-adhesive strip










663622





WALL SIGNS ROUND

- With self-adhesive strip.

code	type	mm
663783	smoking	Ø75
663790	no smoking	Ø75
663820	smoking - big	Ø160
663806	no smoking - big	Ø160





TABLE SIGN 'NO SMOKING'

- 2 sides printed

code	mm
663660	50x(H)40



TABLE SIGN RESERVED

– Black - white.

663486

- Printed on 2 sides

Triffica off 2 sides.			
code		packed per	mm
663462	"reserved"	1	130x35x(H)40
663745	"gereserveerd"	1	130x35x(H)40
663479	"reserviert"	1	130x35x(H)40

"réservé"



TABLE SIGN RESERVED



130x35x(H)40



Gereserveerd Réservé 663691

TABLESTAND NUMBERS

- Sets of multiple numbers

- 12 numbers per set





code		mm
663844	Numbers 1-12	50x(H)40
663851	Numbers 13-24	50x(H)40
663868	Numbers 25-36	50x(H)40
663875	Numbers 37-48	50x(H)40
663882	Numbers 49-60	50x(H)40
663899	Numbers 61-72	50x(H)40













664049

WALL BLACKBOARD

- Black, with wooden frame

code	mm
664025	300x400
664032	400x600
664049	600x800

PAVEMENT BLACKBOARD

- Black, with wooden frame

code	mm
664001	500x850
664018	700x1200



PAVEMENT BLACKBOARD

– Black, with steel frame.

code	mm	
664100	700x1100	



PAVEMENT BLACKBOARD

- Black, with steel frame.

code	mm	
664117	500x850	





TABLETOP BLACKBOARD

code	packed per	mm
664087	2	148x97
664094	2	210x150



TABLETOP BLACKBOARD

- Black, with wooden stand

code	packed per	mm
664056	2	150x230
664063	2	210x320



code	mm
664070	220x360



BLACKBOARD MARKERS

-8 Markers with round nib, writing width 3 mm

code	
664278	1 white, 1 red, 1 blue, 1 green, 1 yellow, 1 purple, 1 orange and 1 pink marker



BLACKBOARD MARKERS

– With wide flat nib, writing width 15 mm

code		
664223	3 white markers	
664230	1 pink, 1 green and 1 blue marker	
664247	1 white, 1 red and 1 yellow marker	
664254	1 white, 1 purple and 1 orange marker	



BLACKBOARD MARKERS

664261

- With oblique nib, writing width 2 to 6 mm

664209

	<u> </u>
code	
664216	1 pink, 1 green, 1 blue and 2 white markers
664209	5 white markers
664261	1 white, 1 orange, 1 yellow, 1 red and 1 purple marker



















holder in lid

Digital touch panel with display that alternates between set and actual soup temperature

Thermostat adjustable from 65° to 95°C by 1° increments



Overheating protection - with alarm for low water level

SOUP KETTLE

- Thermal insulation reduces energy consumption and keeps the outside cool.
- These unique advantages can reduce energy consumption by up to 30%.
- Removable lid made of tough, transparent polycarbonate.
- Aluminium water pan for efficient heat transfer.
- Food pan made of stainless steel 18/8.
- Polypropylene housing.
- Ring allows safer and easy removal of food pan to refill water pan.
- Ideal for buffets.

code	liter	٧	W	mm
860502	8	230	450	Ø370x(H)300





SOUP KETTLE

- Bain-marie Hendi
- -8 litres
- Black coated
- With stainless steel inner pan and hinged lid
- Fitted with power regulator
- Ideal for buffets
- Including magnetic signs

code	liter	٧	W	mm
860083	8	230	435	Ø340x(H)360





SOUP KETTLE

- Bain-marie Hendi.
- 8 liter.
- With stainless steel inner pan and hinged lid.
- Fitted with power regulator.
- Ideal for buffets.
- Including magnetic signs.

code	liter	٧	W	mm
860304	8	230	435	Ø340x(H)360











- On/off switch, pilot light.
- On/on switch, pilot light.
- Very silent whilest heating.
- Including GN 1/1 food pan 65 mm deep.

code	liter	٧	W	mm
204825	9	230	900	573x348x(H)284

CHAFING DISH ELECTRIC POLLINA








- On/off switch with integrated indication light.
- Including Gastronorm 1/1 food pan 65 mm deep.
- Suitable for pans up to 100 mm deep.

code	liter	٧	W	mm
204900	9	230	800	615x355x(H)280



CHAFING DISH ELECTRIC TESINO

- Water pan made of heat-resistant polypropylene.



- Very silent whilest heating.
- On/off switch, pilot light.
- Including 6,8 ltr food pan.

204832 6,8	230	500	Ø405x(H)248



CHAFING DISH ELECTRIC SAVOI

- With glass lid.
- Including food pan Ø 400 mm, 65 mm deep.
- Continuous settings up to 85°C.
- On/off switch, pilot light.

code	liter	٧	W	mm
239902	6,8	230	1000	Ø400x(H)250







NEW!

CHAFING DISH GN 2/3 INDUCTION

- High gloss stainless steel chafing dish suitable for induction heaters up to Ø260 mm.
- Induction bottom is encapsulated, also suitable for electric hobs and chafing dish fuel.
- The lid is removable for easy cleaning and is fitted with a sturdy handle, glass window with steam release and damper for soft closing.
- Comes with an integrated spoonholder and a 60mm deep GN2/3 foodpan (6L).
- Two versions, with or without frame.

code	
470084	chafing dish
470091	set chafing dish + stand





INDUCTION HEATER 800W

- Black crystal glass top surface and plastic housing.
- Power regulation adjustable in 10 steps, fitted with electronic overheating protection.
- Control panel with LED display and touch control, can be mounted in a countersunk manner.
- Can be used as a heater chafing dishes equipped with special adapter.
- Also suitable for built-in installation with the optional separately available ring (239186).

code	٧	W	mm	
239193	230	800	Ø245x(H)68	
239186	Mounting ring stainless steel			





CHAFING DISH HEATER FOR UNDERNEATH WATER PAN

- For chafing dish GN 1/1.
- With safety switch.

code		V	W	mm	
809709	Element only	230	400	200x320	



CHAFING DISH HEATER

- For use as an alternative to conventional fuel holder
- Only suitable for chafing dishes with a flat bottom
- Extremely suitable for chafing dishes without preparation for electrical elements
- Specifically suitable for Hendi chafing dishes with item number 470008, 475201, 470206 and 471005

code	٧	W	mm
809600	230	500	Ø130x(H)100















CHAFING DISH GASTRONORM 1/1

- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Suitable for food pans up to 65 mm deep.

code		liter	mm
475904		9	600x358x(H)295
472613	2 pcs.	9	600x358x(H)295








- Model Economic
- High-gloss polished lid and lid stand
- Including chafing dish fuel holder and stainless steel food pan 65 mm deep
- Suitable for food pans up to 65 mm deep.

code	liter	mm
475201	4,5	385x295x(H)310



CHAFING DISH - ROUND





code	liter	mm
470619	3,5	Ø390x(H)270
470017	5,5	Ø370X(11)270





SOUP CHAFING DISH

- Model Economic
- Including chafing dish fuel holder and stainless steel soup pan with lid

code	liter	mm	
472507	8	Ø370x(H)325	





CHAFING DISH GASTRONORM 1/1

- Model Fiora.
- Stackable frame with high-gloss polished lid and lid stand.
- Including two chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Suitable for Gastronorm pans of up to 100 mm deep.

· ·		
code	liter	mm
471005	9	585x385x(H)315





CHAFING DISH SET

- Consists of:
- Chafing Dish "Fiora" as in 471005
- 2 additional GN 1/2 pans 65 mm deep
- 3 additional GN 1/3 pans 65 mm deep







CHAFING DISHES PROFILINE SATIN FINISH

- Ideal for buffets and catering. By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.





BUFFET PRODUCTS







CHAFING DISH GN 1/1 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

code	liter	mm
470251	9	570x405x(H)290



CHAFING DISH GN 2/3 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65 mm deep food pan and chafing dish fuel can holder.

code	liter	mm
470275	6	395x430x(H)290



CHAFING DISH GN 1/2 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65mm deep food pan and chafing dish fuel can holder.

code	liter	mm
470268	4	365x370x(H)280



CHAFING DISH ROUND SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable round water pan, round 65mm deep food pan and chafing dish fuel can holder.

code	liter	mm
470282	6	465x420x(H)320











CHAFING DISHES PROFILINE MIRROR FINISH

- Ideal for buffets and catering. By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.





BUFFET PRODUCTS







CHAFING DISH GN 1/1 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65mm deep food pan and 2 chafing dish fuel can holders.

code	liter	mm
470213	9	570x405x(H)320



CHAFING DISH GN 2/3 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65mm deep food pan and chafing dish fuel can holder.

code	liter	mm
470237	6	395x405x320



CHAFING DISH GN 1/2 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left. The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65mm deep food pan and chafing dish fuel can holder.

code	liter	mm
470220	4	365x345x(H)345



SOUP CHAFING DISH MIRROR FINISH

- The round soup container is placed in a large water pan which provides plenty of heat to easily keep the soup hot.
- Soup container fitted with two handles.
- The lid has a recess for the spoon.
- Supplied with removable water pan, round soup container and chafing dish fuel can holder.

code	liter	mm
470244	10	Ø420x(H)380

















FOOD PAN GN1/1 WITH 2 COMPARTMENTS

– This GN food pan has two compartments of 3,75 liter each.

code	liter	mm
470190	7,5	530x325x(H)65



CONVERSION FOR 2 BAIN-MARIE PANS

- Fits all GN 1/1 types chafing dishes



code		liter	mm
470930	conversion		530x325
470909	bain marie pan	4,2	Ø220x(H)190



DISH WARMER 2 BURNERS

- With stainless steel frame and grips
- Anodized aluminium hotplate
- Scratch-proof
- Including 2 candle light holders

code	mm
463000	330x180x(H)65



DISH WARMER 3 BURNERS

- With stainless steel frame and grips
- Anodized aluminium hotplate
- Scratch-proof

code	mm	
463109	450x180x(H)65	





464809

CANDLE HOLDER









ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable up to 180°.
- Optional installation of electrical heating element.
- Highly polished stainless steel.
- Steel frame 2.3 mm, cover 1.2 mm.
- Set includes two fuel can holders and a GN 1/1 65 mm food pan.

code	liter	mm
470305	5 9	660x490x(H)460





ROLLTOP-CHAFING DISH - ROUND

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable 180°.
- Set includes one fuel can holder and food pan (Ø390x(H)60 mm).
- Highly polished stainless steel.
- Steel frame 2.3 mm, cover 1.2 mm thick.

code	liter	mm
470312	5,6	510x540x(H)480





ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Model Rental-Top.
- Solid base with high-gloss polished roll top lid made of 18/0 stainless steel.
- Includes two chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Bottom fitted with fastening bolts for electric heating element prod. no. 809709.
- Suitable for Gastronorm pans up to 100 mm deep.

code	liter	mm
470206	9	590x340x(H)400









- Burning gel is made of natural (bio) ethanol alcohol, mixed with water and a thickening agent to make it a solid or gel. Hendi burning gel is artificially made to taste so bitter that it is impossible to swallow. To safely and efficiently heat e.g. chafing dishes, we urgently advise burning gel to be used in special fuel holders.
- Hendi offers most common variants of burning gel. The heating capacity is equal through the range while the heating rate is dependent upon the size of the flame, determined by how far open the lid of the fuel holder is kept.
- "Blaze" brand has a shorter, more intense burn it is recommended for applications where the burning time will be around 2 hours. "Hendi" brand burning gel is recommended when over 3 hours of heating will be required.
- All Hendi and Blaze burning gel burns soot and odour free.
- Cartouches and cans without special fuel holders become very hot during use, thus creating a significant risk of burns if they are not placed inside a fuel holder. Danger of burns!
- These fuel holders are both included with Hendi chafing dishes and separately available.
- Always read the instructions on the product before use.
- Make sure there are no open flames or hot objects nearby when working with burning gel. The flammable vapour easily escapes the container.
- Make sure no (condensation) water drips into the burning fuel.

- It can cause dangerous sputtering and splashing of fuel.
- Only light the fuel after the cans inside the fuel holders have been placed in the final location.
- The flames are almost entirely blue, making them very hard to see in light. Caution is advised.
- Only ever extinguish the fuel by closing the lid of the fuel holder.
- Refilling: Always make sure the can and its holder have completely cooled down. Remove the can from the holder to refill the can.
- Storage: Always store in closed containers in a dark, well ventilated location, below 20°C. For storing larger amounts of fuel please consult your local regulations.
- If the instructions above are followed, the risk of accidents will be minimal.
- In case of a starting/small fire: use a fire blanket (or a large, wet blanket) to cover the fire and deprive it of oxygen.
- In case of fire on clothes/body: use a fire blanket or a powder/ CO_a fire extinguisher. Never try to extinguish the fire with a small towel as this would only spread the fuel and the flames!
- After extinguishing the fire keep the body cool for 15 minutes or until medical assistance arrives. Leave clothes in place. Always seek medical assistance immediately.



CHAFING DISH FUEL BLAZE

- Blue Blaze B-B100 can
- 200 grams can
- Burning time ± 2.5 hours per can
- Pallet: 56 x 193310

code		order unit
193310	box 72 pieces	1
193327	set of 12 pieces	6



CHAFING DISH FUEL CAN

- 200 grams pack for chafing dish.
- Burning time: ± 3 hours.
- Pallet: 50x 194355, 140x 194300.

code		order unit
194355	box of 72	1
194300	box of 24	1



CHAFING DISH FUEL CAN HOLDER

code	packed per	mm
470527	2	Ø90x(H)60









CHYEING	DISH FUEL	BIICKET
CHAFING	DISH FUEL	DUCKEI

C	HAFING	DISH	FUEL	JERRY	CAN

CHAFING DISH FUEL BOTTLE

– Bucket 4 kilos

code

order unit 190401

– Jerry can 5 liter. code

code order unit 195505 4

– Bottle 1 liter

195109

order unit 12

FUEL DISPENSER

– Suitable for e.g. can of chafing dish fuel prod. no. 195505

code

length 280 mm 195604





FUEL FOR FONDUE-BURNERS

- For gourmet, fondue, rechauds and stone grills.
- 80 grams portion packs.
- Burning time: ± 2 hours.
- For use with 111420.

code	packed per	
190036	3	



FONDUE-BURNER

- Suitable for fuel for fondue-burners.

code	packed per	mm
111420	2	Ø90







LIQUID FUEL WITH WICK

- Burns without soot or odours.
- This fuel is made of pure diethylene glycol (DEG), which is also used as antifreeze in radiators. By using a wick the DEG can be vaporized and burned despite its relatively high flame point of 143°C.
- Hendi sells this fuel in closed, non-refillable metal cans of 145 or 200 grams. In addition, 198 gram cans of "Blaze" brand aluminium cans are available.
- The burning time of a can is inversely proportional to the intensity of its flame, which may be adjusted by changing the exposed height of the wick.
- Use: place the can directly below a chafing dish or other heating appliance suitable for use with liquid fuel open flames.
- Burning time: ± 4 hours for 145 gram cans, ± 6 hours for 198 and 200 grams cans.
- Heat output: about 50% of ethanol-based burning gel.

- Advantages in comparison to burning gel:
- Safer to use. No hazardous refilling. Flame is more visible and predictable.
- Cans stay cool enough to touch safely. May be used without fuel holder.
- Safer in case of accidents. Any spillage will be minimal and difficult to ignite.
- Properly re-sealable and re-usable.
- Easy to extinguish by blowing or replacing the cap.
- Cost per burning hour comparable to ethanol-based burning gel.
- Less intense flame. Reduces chance that Chafing Dish water pans will boil dry.
- CAUTION:
- Diethylene Glycol is a hazardous irritant. Always wash hands after skin contact with the liquid, preferably wear latex gloves to adjust the wick height.
- A Material Safety Data Sheet (MSDS) is available on the Hendi website, we recommend printing a copy and keeping it nearby.



LIQUID FUEL BLAZE

- Burns soot and odour free

code	order unit	packed per	g
193617	1	24 in box	198
193624	4	set 6 pieces	198







LIQUID FUEL WITH WICK

- Hendi tin with wick, contains 100% diethylene glycol.
- Burns up completely.
- Soot and odour free.
- Special wick provides proper burning temperature and time.
- The can does not overheat, no fuel holder needed.
- Equal flame temperature and height during the whole burning process.
- Box 4x6 tins.
- Due to the special cap, it is possible to use the same can several times, store it and transport it safely.







Burns ± 4 hours

Burns ± 6 hours

code		order unit	packed per
193938	burns ± 6 hours	1	24 in box
193716	burns ± 6 hours	4	6 in tray
193952	burns ± 4 hours	1	24 in box
193761	burns ± 4 hours	4	6 in tray



The can doesn't get hot and doesn't leak when tilted

Use the same can several times















SERVING SPOON

code	mm
529058	60x305
529065	71x321

SLOTTED SPOON

code	mm
529072	71x321

SOUP LADLE

code	liter	mm
529089	0,05	69x270
529096	0,09	85x308

CARVING FORK

code	mm	
720103	325	

SALAD FORK

code	mm
720608	305

SAUCE SPOON

code	liter	mm
720400	0,03	290

SOUP LADLE

code	liter	mm
720509	0,12	Ø90x315
721308	0,06	Ø70x285

SPAGHETTI SPOON

code	mm	
721209	325	

CAKE KNIFE / SERVER

code	mm	
721100	290	

SKIMMER

code	mm	
720905	Ø110x365	

SLOTTED SPATULA

721407

code	mm
721001	325

SERVING SPOON

code	mm	
720806	325	
721407	300	



721100

721209







529010	0,11	Ø80x300				
1	M				CAKE SCOOP	
					code	mm
		,			529027	310
					CARVING FORK	
					code	mm
					code	
					529102	345
			1	529034		345
		1	529409	529034	529102	345
	1	1	529409	529034	529102 SLOTTED SPATU	345 JLA
	The state of the s	529102	529409	529034	529102 SLOTTED SPATU	345 JLA mm 355
	529027	529102	529409	529034	529102 SLOTTED SPATU code 529409	345 JLA mm 355

350



code

529003

0,09

mm

Ø90x335

529300

SPOON HOLDER

code	mm
722107	110x264







mm 370





SALAD CUTLERY

code		colour	mm
563908	Salad spoon	white	305
564004	Salad fork	white	305

SAUCE SPOON

code	colour	liter	mm
563502	white	0,07	235
563557	black	0,07	235
563700	white	0,14	300
563755	black	0,14	300



SALAD SPOON SALAD SPOON SAUCE LADLE

code	colour	liter	mm	code	colour	liter	mm	code	colour	liter	mm
564103	white	0,03	235	564400	white	0,06	335	563632	Ivory white	0,04	180
564158	black	0,03	235	564455	black	0,06	335	563649	Black	0,04	180
54/202	trancharent	U U3	235								



SERVING TONGS

SERVING TONGS

657607

657621



black

transparent





length (mm)

230 230







PASTRY TONG









SPAGHETTI TONGS	5

code	length [mm]
523216	200

















ROLLTOP DISPLAY COOLED - GASTRONORM 1/1

- Cooling by included ice pack, to go below 0°C.
- Stainless steel Gastronorm 1/1 serving tray included.
- With transparent polycarbonate rolltop cover.
- ABS housing.

code		mm
424186	set	555x357x(H)175
424193	Cooling element for use with cooling tray 424186	430x275









THERMO-TRAY RECTANGULAR

- 5-piece set
- ABS with transparent PS plastic cover
- Including stainless steel tray
- 2 cooling elements

code	mm
424155	430x290x(H)150

















ROLL TOP DISPLAY COOLED

- ABS plastic with transparent SAN plastic rolltop cover
- Including stainless steel tray and 2 cooling elements

code	mm
871805	440x320x(H)205



ROLL TOP DISPLAY COOLED

- Double tray
- ABS plastic with transparent SAN rolltop cover
- Including 2 stainless steel trays and 4 cooling elements

code	mm
871812	440x320x(H)440



ROLL TOP DISPLAY

– ABS plastic with transparent SAN plastic rolltop cover



rotttop cover	
code	mm
871706	465x310x(H)190



ROLL TOP DISPLAY

– Double tray, ABS plastic with transparent SAN plastic rolltop cover



	code	mm
8	71713	465x310x(H)410











ROLLTOP PRESENTATION COVER

ROLLTOP PR - Clear polycar	ESENTATION CO	VER PC Note that the second se
code		mm
427507	GN 1/1	540x330x(H)180











ROLLTOP PRESENTATION COVER GN 2/3 – Clear polycarbonate.

code		mm	
427538	GN 2/3	365x335x(H)175	





PRESENTATION COVER

code		mm
427415	GN 1/1	530x325x(H)76





424001

Ø380x(H)240

Ø380x(H)240

980101

523834

523827

ROLL '

424001

427514

- Inclu
- Roll t

IUPSEI	CANI	
ıding stainless steel tray.	SAN	3.3
top cover with chrome button.	plastic	stainless stee
do.	me	^

Plateau & roll-top hood

Top cover only

CAKE PLATE WITH COVER

- With polystyrene cover.
- Stainless steel tray.

code	mm
980101	Ø300x(H)110



CAKE PLATE ROTATABLE

- Stainless steel base.
- Polystyrene cover sold separately.



code		mm
523827	cake plate	Ø300x(H)90
523834	cover	Ø300x(H)110







CAKE SCOOP/CUTTER



- With Cutting sides	(1-1/1-1/1-1)
code	mm
523957	280x75









- With 3 trays



code 429914 Ø 268-220-166x(H)320









SERVING STAND FOR PLATES – For 3 plates



code		mm
425466	plates max. Ø 170 mm	185x120x(H)260
425473	plates max. Ø 275 mm	290x200x(H)440







SEA FOOD TRAY STAND

- With two serving trays.



code		mm
480519		Ø300-400x(H)200
480502	Stand only	Ø250-200x(H)190

















JUICE DISPENSER

- With ice cylinder cooling.
- Easy to clean dripping tray.
- Clear polycarbonate juice container.
- With non-drip tap.

code	liter	mm
425299	8	260x360x(H)560
425411	2x8	580x350x(H)560













- Easy to clean dripping tray.
- Clear polycarbonate juice container.
- With non-drip tap.

code	liter	mm
425428	3	215x315x(H)490
425435	2x3	415x315x(H)490









JUICE DISPENSER

- With ice cube cooling.
- Clear polycarbonate juice container.
- With non-drip tap.

code	liter	mm
425190	5	280x220x(H)510









MILK DISPENSER - 10,5 L - Stainless steel housing.

- With ice cylinder cooling.
- Removable container with non-drip tap.
- Stable bottom plate with dripping tray.

code	liter	mm
425343	10.5	260x360x(H)536







MULTI DISPENSER

- Suitable for dry foods only.
- Stainless steel stand.
- Polycarbonate dispenser.
- Airtight lid to retain long freshness of the ingredients.
- Hygienic, controlled dosing prevents spillage.
- Mountable to working table or wall.

code	liter	mm
557402	4	184x240x(H)600















JUICE JUG

code 425138

- Straight model of scratch resistant pl with lid.



lastic	SAI
	plastic

Ø120x(H)250



PITCHER

- Very break resistant.





code	liter	mm
567906	1,8	Ø125x(H)210











PITCHER WITH ICE TUBE

- Pear shaped model of scratch resistant clear SAN plastic with lid.
- With ice cube tube for cooling.

	•	
code	liter	mm
425107	2,2	Ø150x(H)260
425121	3	Ø170x(H)285





CARAFE

- Cover with pourer

code	liter	mm
425763	1	Ø92x(H)245









Ø210x(H)390

BREAD BOARD

- Solid beech wood

code	mm	
505007	340x200x(H)14	



CARVING BOARD- Solid beech wood

- Grooved

code	mm
505205	390x230x(H)16



CUTTING BOARD WITH GRIP

- Solid beech wood

code	mm
505106	390x160x(H)13
505502	





BAGUETTE BOARD

- Solid beech wood
- Combined model, 1 side grooved and 1 side ribbed

code	mm	
505403	530x325x(H)18	

BAGUETTE BOARD

- Wooden with removable grid

	3	
code	mm	
505502	475x322	



removable grid - easy to clean



BUFFET PRODUCTS



BASKETS







BREAD BASKET GN 1/1

– Rectangular

code	mm
561102	530x320x(H)90



BREAD BASKET

– Oval

code	mm	
561003	380x270x(H)90	



BASKET WITH ROLL TOP COVER





- Roll top hood made of polycarbonate.

	' '	
code	mm	
426968	365x335x(H)245	



BREAD BASKET DISPLAY GN 1/2

- Rectangular.
- Set of 2 with chrome-plated rack.

code	mm	
561201	360x280x(H)90/315	



426951

BREAD BASKET WITH ROLL TOP COVER



- Break resistant
- With stainless-steel wire frame
- Including polycarbonate rolltop cover

code	mm
426951	Ø400x(H)300











561201







CANDLEHOLDER 5 ARMS

- Self-assembly
- Candles not included











MULTI RACK

- 3 Layers for holding cups and bags of condiments.
- Polished stainless steel stand with three 1 liter bowls.

code	mm
428245	190x240x(H)410





NEW!







RETRACTABLE BELT BARRIER

- Barrier system with integrated retractable belt.

810477

red with gold coloured hook

– Easy to set up, belt is connected to the post with a clip system.

code		mm
810422	mirror finish	Ø360x(H)825

BARRIER POST MIRROR FINISH

- Made of stainless steel, very stable and sturdy.
- For use in combination with barrier ropes. For use in combination with barrier ropes.

BARRIER POST GOLD FINISH

- Made of stainless steel, very stable and sturdy.

code		mm	code		mm
810392	post + base		810385	pole + base	
810446	post	ø51x935	810439	pole	ø51x935
810484	base	ø360	810491	base	ø360

810477










- Easy to store and transport foldable furniture for outdoor and indoor use.
- Ideal for fairs, events, catering, rental, etc.
- Table top made of HDPE polyethylene, frame made of powder coated metal.
- Easy to clean and dirt-resistant.








BUFFET TABLE

 Foldable to suitcase model for easy transporting and storage.

code	mm
810910	1830x750x(H)740
810927	1520x700x(H)740







code	mm	
810897	1800x740x(H)740	



BUFFET TABLE

code	mm	
810934	1220x610x(H)740	



TABLE COVER SYMPOSIUM RECTANGULAR

- Fabric: Plain Jersey 160 g/m².
- 90% micro polyester / 10% elastan.
- No ironing needed.
- Fits rectangular buffet tables.

OE	ΚO	-T	EX	R
CONFI	DENC	EIN	TEXT	LES

– Fits rectangular buffet tables.			CONFIDENCE IN TEXTILES
code	colour	suitable for	mm
814352	cream	810934	1200x760x(H)730
814369	white	810934	1200x760x(H)730
814376	black	810934	1200x760x(H)730
814390	white	810927	1500x760x(H)730
814383	cream	810927	1500x760x(H)730
814406	black	810927	1500x760x(H)730
814420	white	810910 810897	1830x760x(H)730
814413	cream	810910 810897	1830x760x(H)730
814437	black	810910 810897	1830x760x(H)730







BUFFET PRODUCTS



BAR TABLE ROUND

 Thanks to the design of the legs the bar table covers fit perfectly.

•	
code	mm
810521	Ø675x(H)1100
810538	Ø860x(H)1100



BAR TABLE ROUND

code	mm	
810958	Ø800x(H)1100	

NEW!







813164

OEKO-TEX®

813171

- **BAR TABLE COVER** Fabric: Plain Jersey 160 g/m².
- 90% micro polyester / 10% elastan.
- No ironing needed.
- Fits bar tables with a table top of Ø80-85cm.

code	colour	suitable for	mm
813157	white	810521 810538	Ø800-850x(H)1050-1150
813171	cream	810521 810538	Ø800-850x(H)1050-1150
813164	black	810521 810538	Ø800-850x(H)1050-1150

NEW!







813850

813836

OEKO-TEX®

BAR TABLE COVER

- Fabric: Plain Jersey 160 g/m².
- 90% micro polyester / 10% elastan.
- No ironing needed.
- Fits bar tables with a table top of Ø70-85cm.

code	colour	mm
813829	white	Ø700-850x(H)1050-1150
813850	cream	Ø700-850x(H)1050-1150
813836	black	Ø700-850x(H)1050-1150







NEW!



BUFFET TABLE ROUND

code	mm	
810941	Ø1800x(H)740	



TABLE COVER SYMPOSIUM ROUND

- Fabric: Plain Jersey 160 g/m².
- 90% micro polyester / 10% elastan.
- No ironing needed.
- Fits round buffet tables.

OEKO-T	EX®
CONFIDENCE IN	TEXTILES

code	colour	suitable for	mm
814444	cream	810941	Ø1800x(H)760
814451	white	810941	Ø1800x(H)760
814468	black	810941	Ø1800x(H)760



CATERING CHAIR

code	mm
810965	540x440x(H)840



CATERING CHAIR - BLACK

code	mm
810989	540x440x(H)840



FOLDING CHAIR COVER

- Fabric: President 170 g/m².
- 100% polyester.
- No ironing needed.

code	suitable for	mm
813096	810965 810989	540x440x(H)840



CUTLERY TRAY

- 4 sections
- GN 1/1



code	colour	mm
552315	black	530x325x(H)100
552322	bordeaux	530x325x(H)100
552308	grey	530x325x(H)100



CUTLERY TRAY

- 6 sections
- Suitable for coffee spoons, teaspoons and cake forks





code	colour	mm
552353	grey	530x325x(H)105
552360	black	530x325x(H)105









- For 4 baskets
- Baskets not included







CUTLERY TRAY WITH STAND

- Set of cutlery tray and matching stand Gastronorm 1/1

- Gastronorm 1/1		potyetriyterie	
code		colour	
552254	4 sections	grey	
552261	6 sections	arev	

552407 255x295x(H)215





Ø97x(H)137



CUTLERY BASKET	stainless steel	
code	mm	
552490	Ø97x(H)137	











BUFFET PRODUCTS





PLATEAUS GN

- With wood appearance.
- With non-slip feet.

	•	
code		mm
561324	Gastronorm 1/1	530x325x(H)10
561331	Gastronorm 1/2	325x265x(H)10
561348	Gastronorm 2/4	525x160x(H)10



PLATEAU ROUND WITH HANDLE

– With wood appearance.

code	mm	
561300	424x300x(H)15	



PLATEAU RECTANGULAR WITH HANDLE

– With wood appearance.

code	mm
561317	530x200x(H)15











MELAMINE

- Hygienic and shock resistant. Light weight.































MELAMINE CONTAINERS

- Melaminware is hygienic and shock resistant.
- Only for presentation.
- Not suitable for chafing dishes.

code		mm	height (mm)
561942	Container only	Ø120	110
561850	Container only	GN 1/3 - 325x176	100
561898	Container only	GN 1/6 - 176x162	100

BUFFET DISPLAY STANDS

- Space saving and elegant solution for diverse condiments on buffets or in the kitchen.
- Chrome plated frame, easy to assemble.
- The included melamine containers are hygienic and light.
- Gastronorm models are suitable for Hendi Polycarbonate Gastronorm lids.

code	size	mm
561935	stand + 3x1L	193x540x(H)270
561911	stand + 3xGN1/3	360x570x(H)270
561928	stand + 3xGN1/6	207x570x(H)265





MELAMINE

- Hygienic and shock resistant. Light weight.











561607

TABLET GN 1/1

code	mm	
561607	530x325x(H)20	
561607	53UX325X(HJ2U	



PLATTER RECTANGULAR

code	mm
561508	360x205x(H)38
561515	495x270x(H)56
561522	560x320x(H)52



PASTA BOWL ROUND

code	mm	
561591	Ø380x(H)90	



PLATE SQUARE

code	mm
561539	305x305x(H)40
561553	405x405x(H)50

561645



















BOWL SQUARE


code	mm
561560	130x130x(H)65
561577	190x190x(H)100
561584	270x270x(H)105



BUFFET AND SERVING STAND

- Bamboo stand with 3 melamine bowls.

code	mm
561294	400x130x(H)60



NON-SLIP DISPLAY STANDS

– Steel frame with PVC coating.

- Supports a variety of display trays and bowls.

code	mm	
561966	260x230x(H)100	
561973	265x230x(H)200	





NON-SLIP DISPLAY STANDS

- Steel frame with PVC coating.
- Supports a variety of display trays and bowls.

code		mm
561980	round	Ø200x(H)100
561997	round	Ø200x(H)200





CURVED PLATEAUS

- Hygienic and shock resistant.Light weight.

code	size	mm	height (mm)
561669	GN 1/1	530x325	40
561676	GN 1/2	325x265	40



CURVED BOWLS

- Hygienic and shock resistant.Light weight.

code		mm
561454	white	250x120x(H)75
561485	white	530x270x(H)107



CURVED BOWLS - Hygienic and shock resistant.

- Light weight.

code		mm
561461	white	315x310x(H)123
561478	black	315x310x(H)123



SLANTED BOWLS

- Hygienic and shock resistant.Light weight.

code	mm
561423	212x208x(H)104
561430	300x291x(H)137
561447	360x349x(H)163









PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Extremely pure and brilliant white.





GASTRONORM PAN GN 1/1

code		mm
783009	GN 1/1	530x325x(H)65



GASTRONORM PAN GN 1/2

code		mm
783016	GN 1/2	325x265x(H)65



GASTRONORM PAN GN 1/3

code		mm
783023	GN 1/3	325x176x(H)65



DRESSING POT

code	ml	
785003	1800	
785010	1000	



FAST FOOD TRAYS PPP Jator Description Standards 878828 878828



878927

code	colour	mm
878903	grey	305x415
878910	red	305x415
878927	blue	305x415
878934	green	305x415
878941	brown	305x415
878958	black	305x415

305

FAST FOOD TRAYS LARGE

878729

7.011 000 110110 271102		
code	colour	mm
878804	grey	350x450
878811	red	350x450
878828	blue	350x450
878835	green	350x450
878842	brown	350x450
878859	black	350x450

350


265

FAST FOOD TRAYS SMALL

AST TOOD TRATS SPIACE		
code	colour	mm
78705	grey	265x345
78712	red	265x345
78729	blue	265x345
78736	green	265x345
78743	brown	265x345
878750	black	265x345













530

325

876602

SERVING TRAY RECTANGULAR

- 'Granite' colour pattern.
- Professional grade quality, high durability.
- Ideal for self-service restaurants and canteens.

code		mm
876619	GN 1/1	530x325
876602	GN 1/2	265x325

Distance between trays for better air circulation





265 325







878507

878552

NEW!

FAST FOOD TRAYS OVAL

code	colour	mm
878507	grey	265x195
878552	black	265x195







WOOD FORM

- Mahogany colour.
- Wood reinforced laminate with non-slip layer.
- Shockproof, break resistant.



507216

507568

SERVING TRAY WOOD FORM

– Rectangular

code		
507216	GN 1/1	
507117	Euronorm	
507018	430x610	
507469	330x430	



SERVING TRAY WOOD FORM

- Round, with low rim

507865 Ø380	



SERVING TRAY WOOD FORM

– Oval

 $\frac{-\operatorname{Black}}{^{\operatorname{code}}}$

878118

878101

507933

code	mm	
507568	200x265	
507964	230x160	
507933	290x210	

SERVING TRAY WOOD FORM

- Round, with high rim

code	mm
507711	Ø320x(H)35
507766	Ø360x(H)30
507773	Ø420x(H)30

POLYPROPYLENE

- Non-slip rubber surface, effective both wet and dry.
- Shockproof, break resistant



255x355

GN 1/1

878101



878125











SERVING TRAY ROUND WITH HIGH RIM

SERVING TRAY RECTANGULAR SERVING TRAY ROUND

– Black		– Black	
code	mm	code	mm
878125	Ø280	878606	Ø320
878132	Ø360	878408	Ø360
878149	Ø410		













- Fibreglass reinforced polyester.
- Ideal for heavy use scenarios.
- Non-slip rubber surface, effective both wet and dry.
- Shockproof, break resistant.







508657

325x530

370x530

508817

508718

SERVING TRAY RECTANGULAR

– Black code 200x280 508657

GN 1/1

Euronorm

508626 508619

– Black		
code	mm	
508824	Ø280	
508817	Ø350	
508800	Ø400	
508794	Ø460	

SERVING TRAY OVAL

– Black

code	mm
508718	160x230
508725	200x265
508732	210x290
300732	210X270









SERVING TRAY OVAL XL

- Black.

code	mm
508831	735x600






- High quality materials, sturdy construction.
- Fitted with black belts, easy to set up.

code	mm
810507	520x410x(H)800













MELAMINE SERVING TRAY WITH WOOD PRINT

- Made of melamine, printed with a wood pattern.
- Excellent resistance to chemicals, stains and scratches.
- Available with 3 different stylish patterns.

code	colour	mm
508909	light oak	240x350
508916	brown oak	240x350
508923	dark oak	240x350
508930	light oak	370x530
508947	brown oak	370x530
508954	dark oak	370x530















code		mm	
807705	GN 1/1	530x325x(H)10	



530x325x(H)13

TRAY RECTANGULAR

 With decorate 	ed rim	stainless steel wash wash	
code		mm	
807804	GN 1/1	530x325	







code

436103

SERVING DISH OVAL



SERVING BISH OVAL	_	
code	mm	
404003	190x140	
404102	240x170	
404201	300x220	
404300	350x240	
404409	400x260	
404508	450x290	
404607	500x350	



SERVING TRAY







– Brushed	<u>stainless steel</u> <u>wash</u>	wash	
code	mm		
480205	Ø300		
480304	Ø350		
480403	Ø400		



PARTY TRAY









code 496206 oval 455x340 496305 Ø350 round 496404 GN 1/1 530x325 410x310 496107 rectangular











405000

480106

COFFEE TRAY OVAL


















– Satin finish

code	mm
405000	200x140
405208	265x195
405307	285x220



- Chrome-plated	nickel-plated iron
code	mm
421291	310x230

BEER TRAY

code	mm	
480106	Ø315x(H)45	





GREEN FIRE

- Much less sensitive to wind thanks to the improved air supply

- Easy to clean, due to e.g. fully removable burners and removable Gastronorm 2/1 dripping tray.

- Improved burners grant 90% of the surface useful heat.

- Technical parts mounted out of sight.

- Very clean burning, low CO emissions.

- Removable legs.







GREEN FIRE WITH 2 BURNERS

- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
 Gas hose and regulator attach to gas bottle improved portability.

code		kW	mm
149508	Enamelled cast iron	11,6	740x612x(H)825
	Gastronorm 1/1 griddle and grid		



149621

GREEN FIRE WITH 2 BURNERS

- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
 Gas hose and regulator attach to gas bottle improved portability.

code		kW	mm
149621	2 Stainless steel Gastronorm 1/1 barbecue grids	11,6	740x612x(H)825









GREEN FIRE WITH 3 BURNERS

- Enamelled cast iron griddle and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
 Gas hose and regulator attach to gas bottle improved portability.

-		
code	kW	mm
149591	17,4	1078x612x(H)825



149607

GREEN FIRE WITH 4 BURNERS

- 2 Enamelled cast iron griddles and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
 Gas hose and regulator attach to gas bottle improved portability.

code	kW	mm
149607	22	1400x612x(H)825



149614

GREEN FIRE WITH 4 BURNERS

- 2 Enamelled cast iron griddles and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
 Gas hose and regulator attach to gas bottle improved portability.

code		kW	mm
149614	on wheeled base	22	1400x612x(H)825







149515











ROLLTOP HOOD FOR GREEN FIRE WITH 2 BURNERS

- With integrated thermometer.

Suitable for: 1495	08, 149621.	stainless steel outdoor
code	mm	
1/9515	706x685x(H)2	139

PROTECTIVE COVER

- Made of UV-resistant PEVA.

code	suitable for	mm
44930	Green Fire 2 burner 149508 149621	745x615x(H)355



REAR TABLE FOR GREEN FIRE BARBECUES

- Suitable voor: 149508, 149621, 149607, 149614.
- Rear top 149539 is half as wide as the Green Fire with 4 burners. Two of these make one full-width rear top for the Green Fire with 4 burners.

code		mm
149539	rear table	650x298x(H)160



SIDE TABLE FOR GREEN FIRE BARBECUES

- Suitable for: 149508, 149591, 149607, 149614, 149621

code	mm
149522	480x298x(H)160



WOK

- With handles, sheet steel 1.5 mm thick.
- Especially suitable for stainless steel wok holder 149546 with Green Fire barbecues, and in combination with stainless steel ring 147207 and Hokker 147108.

code	mm	
626504	Ø700x(H)235	

WOK HOLDER

- Suitable for all Green Fire Profi Line barbecues.



code 149546

DUTCH PANCAKE GRIDDLE

- Suitable for all Green Fire Profi Line barbecues.

code		
149553	GN 2/1	









CAST IRON GRIDDLE

- Suitable for all Green Fire Profi Line barbecues.

code		mm
932001	GN 1/1	325x530

CAST IRON GRID

- Suitable for all Green Fire Profi Line barbecues.

code		mm	
932018	GN 1/1	325x530	



GRID & FLAME TAMER

- Place the flame tamer over the burner element to prevent fat dripping directly on the burner element.
- Chrome plated grid.
- Flame tamer made of stainless steel.
- Suitable for all Green Fire Profi Line barbecues.

code		mm
939949	Grid GN 1/1	325x530
939956	Flame tamer GN 2/1	650x530

LAVA ROCK GRID

- Supplied with lava rocks.
- Suitable for all Green Fire Profi Line barbecues.

code		mm
145777	GN 1/1	535x330x(H)68







152805

LAVA ROCKS - FINE

- Suitable for various types of gas barbecues.
- Fine, relatively small rocks.

code	packed per
152706	3 kg in box

LAVA ROCKS - COARSE

- Suitable for various types of gas barbecues.
- Coarse, relatively large rocks.

code	packed per
152805	5 kg in box
152904	9 kg in bag













- Frame made of 18/0 stainless steel.
- With enamelled frying pan.
- Inner dimensions of frying pan 290x480 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code	Power kW [Hs]	mm
154601	5,8	340x540x(H)300



BAKE-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With enamelled frying pan.
- Inner dimensions of frying pan 590x480 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m³/h.

code	Power kW [Hs]	mm
154618	11,6	650x540x(H)300



ENAMELLED FRYING PAN

– Inner dimensions: 590x480 mm.





LAVA ROCK GRID

- For Grill-Master Maxi.
- Supplied with lava rocks

Supplied With tava rocks.		
code	mm	
145531	630x500	



144923

PROTECTIVE COVER

- Made of UV-resistant PEVA.

code	suitable for	mm
144923	Grill- & Roast-	720x560x(H)360
	Master Maxi 154717 154878	











- Frame made of 18/0 stainless steel.
- With chrome plated grid and enamelled frying pan.
- Inner dimensions of frying pan 590x480 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m³/h.

code	Power kW [Hs]	mm
154717	11,6	650x540x(H)840









ROAST-MASTER HEAVY DUTY

- With chrome plated grid and heavy duty flame tamer.
- Frame and flame tamer made of 18/0 stainless steel.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane or butane gas.
- Consumption 0,430 m³/h.

code	Power kW [Hs]	mm
154878	11,6	650x540x(H)840







- Frame made of 18/0 stainless steel.
- With chrome plated grid and enamelled frying pan.
- Inner dimensions of frying pan 290x480 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code Po	wer kW [Hs]	mm
	F.0 0/0 F	(11)0./0



GRILL-MASTER QUATTRO

- Fully stainless steel frame with 2 dripping trays.
- Suitable for propane and butane gas and fitted with 4 burners which can be regulated independently.
- Supplied with 2 nickel-plated grids and 1 enamelled griddle (590x480 mm internal dimensions).
- Thermocouple and electronic ignition.
- Gas hose and pressure regulator included.
- Consumption 0,8 m³/h.
- On a base with bottom shelf and 4 wheels for easy moving.

code	Power kW [Hs]	mm
154908	22	1270x525x(H)840









XENON PRO

- This stainless steel power grill with folding base is easy to move thanks to its wheels and can be flat-packed into a compact unit during transport.
- The burner develops a high temperature in the windproof unit and therefore this barbecue is suitable for high volume production.
- The unit itself is easy to clean thanks to these high temperatures.
- The grill is fitted with a thermocouple and electronic ignition, gas hose and pressure regulator are included.
- Suitable for propane gas.
- Grid surface area 860x260 mm (2 grids of 430x260 mm).
- Folding and mobile base.
- Gas hose, electronic ignition and pressure regulator included.
- Consumption 536 g/h.

code	Power kW [Hs]	mm
148105	7,5	1120x410x(H)900







18/0





SIDE TOP FOR XENON-PRO

code	mm	
148143	870x(H)180	











FIESTA 600

- Stainless steel base and sheet steel paella pan \emptyset 600 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- The space underneath is suitable for gas cylinders of 5 or 6 kg.
- Suitable for propane gas, consumption 334 g/h.

code	suitable for	Power kW [Hs]	mm
146002	622407	4,8	600x600x(H)870

FIESTA 800

- Stainless steel base and sheet steel paella pan \emptyset 800 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- The space underneath is suitable for gas cylinders of 5 or 11 kg.
- Suitable for propane gas, consumption 489 g/h.

code	suitable for	Power kW [Hs]	mm
146804	622605	7,0	800x800x(H)900



622407





PAELLA PAN

- Top-quality frying pans made of sheet steel
- With two handles

code	suitable for	mm
622407	146002	Ø600x(H)40
622605	146804	Ø800x(H)50





- 18/0 stainless steel with removable stands.





150801

CHARCOAL BARBECUE PATIO

- Model Patio
- Fitted with 2 grids of 345x345 mm each

code	mm	
150603	770x380x(H)760	

CHARCOAL BARBECUE RESTO

- Model Resto
- Fitted with 3 grids of 345x345 mm each

code	mm	
150801	1145x380x(H)770	

BARBECUE ACCESSORIES



170045	

BARBECUE SKEWERS

code	packed per	length (mm)
170045	24	210

GRIDDLE SCRAPER

code	mm
855201	100x315

SPARE BLADE FOR 855201

- 5 pieces

code

855218



BA	RB	EC	UE	SK	EW	/EF	2S

170120

BARBECUE SKEWERS		(Stallitess steet) (Wasii)	
code	packed per	length (mm)	
170120	6	250	
170328	6	350	







code	mm	
525418	70x190x(H)80	



18/0

OVEN MITTS

- Certified protective gloves. CE compliant in accordance with the Personal Protective Equipment Directive 89/686/EEC.





packeu per	mm
2	430
	2





OVEN MITTS, FLAME RETARDANT COTTON

– Extra long to protect the forearm

	-			
	code		packed per	mm
55	6610	cotton with flame	2	430
		retardant coating		



OVEN GLOVE HEAT RESISTANT

- Heat resistant up to 350°C.

- Comfortable fit.

	* * *	
code	packed per	mm
556634	2	300





OVEN MITTS LEATHER

- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm
556658	2	460

BARBECUE APRON

- Canvas 280 g/m².
- Flame retardant coating.

code	mm	
556696	810x660	





<350°C



PATIO HEATER

- Suitable for propane or butane gas
- Easy to transport thanks to its 2 wheels
- Including electronic ignition, gas hose and pressure regulator
- With anti-tilt protection
- Consumption: 785 g/h

code Power kW [Hs] ØxH mm 272602 12,7 770x2200 144916 protective cover Ø790x[H]2220

PATIO HEATER - RETRACTABLE

- Suitable for propane or butane gas.
- Easy to transport thanks to its 2 wheels.
- Retractable shaft to facilitate transport and storage.
- Including electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Retractable to (H)160 cm for storage and transport purposes.
- Consumption: 1048 g/h.

code	Power kW [Hs]	ØxH mm
272701	12,7	770x1580-2200
144916	protective cover	Ø790x(H)2220




















PATIO HEATER PYRAMID

- Heating with a real flame in a glass tube, improves ambiance.
- Aluminium structure with black metal side panels and quartz glass tube.
- Gas tank fits in the base.
- Includes electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Suitable for propane or butane gas.

code	Power kW [Hs]	ØxH mm
272404	11,2	420x420x(H)2220
144909	protective cover	480x480x(H)2220

LOUNGE HEATER

- Suitable for propane or butane gas, max. 15 liter gas bottles.
- Compact design with hinged door for easily replacing the gas bottle.
- With tilt switch, flame failure device and flame guard for enhanced safety.
- Including electronic ignition, gas hose and pressure regulator.
- Easy to transport thanks to the 2 wheels.

272411

code	Power kW [Hs]	ØxH mm
272411	13,5	Ø556x(H)1430
144954	protective cover	Ø580x(H)1460





GENERAL INFORMATION

This product is protected by copyright. Use for commercial activities is only allowed if the original context is left intact, unless explicit permission for adaptation is given in writing by the author. In all cases of (partial) reproduction Hendi BV is to be clearly credited as source. Because of our striving for continuous product development, we reserve the right to change a product's specification, price and appearance without prior warning. Printing and typesetting errors reserved. The printed colors of products in this catalogue may have a limited deviation from the physical product.



For more information see www.hendi.eu

LEGEND OF THE ICONS USED IN THIS CATALOGUE



Energy saving product



HACCP compliant

New product



Not Food Contact compliant

Food Contact compliant



High density polyethylene



Low density polyethylene





Polypropylene



For indoor and outdoor use



Self-assembly

Cooling



Expanded Polypropylene



For indoor use only



Temperature resistance



Polycarbonate



For outdoor use only



Temperature resistance range



ABS plastic



Suitable for gas stoves



Aluminium



POM plastic



Suitable for gas stoves only



Aluminium casting



Polyamide



Suitable for electric stoves



Stainless steel



SAN plastic



Suitable for ceramic stoves



Stainless steel 18/0



Hard polymer heat resistant



Suitable for induction stoves



Stainless steel 18/8

Stainless steel 18/10



Silicone



Not suitable for induction stoves



18/10

German steel X50CrMoV15



BPA

Plexiglas



Microwave proof




Carbon steel



BPA free - no Bisphenol A



Not microwave proof





Not diswasher proof



Suitable for use in ovens



Stackable



Tin plated



Chrome plated



Nickel plated



Polyethylene



Melamine

Porcelain

Fiberglass



Non slip



Magnetic





code	page	code	page	code	page	code	page								
281444	184	425138	372	432136	329	461266	335	5xxxxx		509463	81	521403	86	535516	85
281451	183	425190	371	432143	329	462904	69	505007	39, 374	510001	80	521410	266	535523	85
281475	182	425206	280	434208	329	463000	354	505106	39, 374	510100	80	521502	86	540107	78
281482	182	425299	370	436103	396	463109	354	505205	39, 374	510209	80	521601	86	540305	78
281499	183	425343	371	440001	340	464809	354		39, 374	510308	80	521809	86	540404	78
281710	184	425411	370	440100	340	465301	335		39, 374	510407	80	523018	363	540503	78
282007	127	425428	370	440209	340	465318	335	505540	193	511503	80	523216	363	540602	78
282014	127	425435	370	440216	339	465325	335	505557	193	511602	80	523315	363	540701	78
282021	127	425466	368	440223	339	465332	335	505564	193	511701	80	523520	266	541104	78
282038	127	425473	368	440407	340	465349	335	505571	193	511718	81	523629	333	541203	78
282045 282052	127 127	425503 425602	328 328	440490 440506	340 339	465356 465363	335 335	505588 505595	193 193	511725 511732	81 81	523636 523827	333 367	541302 541500	78 78
282069	127	425701	328	440605	340	465370	334	505618	62	511732	81	523834	367	542200	79
282076	127	425763	372	440704	338	465387	335	505625	62	511747	81		192, 367	542507	79
282090	132	425800	328	440803	340	466070	376	505632	62	512104			192, 367	542606	79
282113	131	425909	324	440858	340	466087	376	505649	62	512135		524008	72	542705	79
282120	131	425916	324	440865	340	466117	376	505656	62	512142		524039	72	547304	83
282137	132	425923	324	440872	340	466124	376	505663	62	512159		525005	77	547502	83
282144	132	425930	324	440902	340	466131	376	505670	62	512166	96, 110	525142	77	550106	108
282151	132	425947	324	441107	337	468821	334	505687	62	512173	96, 110	525418	406	550113	108
282199	126	425954	324	441367	337	469385	336	505694	62	512203	96, 110	525517	406	550120	108
282229	126	425961	324	441466	337	469392	336	506011	62	512210	96, 110	525630	194	550205	108
282236	126	425978	324	441503	337	469408	336	506905	39	512227	96, 110	526101	79	550229	108
282243	126	425985	324	443002	58	469415	336	506912	39	512234		526118	79	550304	108
282250	126	425992	324	444023	337	469422	336	507018	393	512302		526200	79	550328	108
282267	126	426326	322	445815	330	469439	336	507117	393	513002	63	526309	79	550403	108
282304	126	426333	322	445822	330	469446	336	507216	393	513019	63	527108	79	550427	108
282359	126	426340	322	445839	330	469453	336	507469	393	513026	131	527207	79	550502	108
282571 282588	132 132	426357 426364	322 322	445877 445891	331 331	469460 469477	336 336	507568 507711	393 393	513033 513538	131 62	527306 528105	79 79	550526 551011	108 109
4xxxxx	132	426364	322	445907	290	469484	336	507766	393	513545	62	528204	77	551011	107
400203	337	426388	322	446508	330	469491	336	507773	393	513552	62	529003	361	551202	107
401002	329	426395	322	446522	330	470084	347	507865	393	513569	62	529010	361	551400	109
401101	329	426418	328	446607	330	470091	347	507933	393	513705	56	529027	361	551417	109
401200	329	426425	318	446621	330	470190	354	507964	393	513712	56	529034	361	551592	109
402023	303	426432	318	446706	330	470206	355	508107	233	515006	115	529041	361	551691	109
402221	303	426449	318	446720	330	470213	353	508206	233	515013	115	529058	360	551790	109
402528	303	426456	318	448908	331	470220	353	508305	233	515020	115	529065	360	551806	93
403709	303	426463	322	449608	331	470237	353	508503	15	515037	115	529072	360	551813	93
403716	303	426470	322	450109	332	470244	353	508510	15	515044	112	529089	360	552001	253
404003	397	426487	322	450208	332	470251	351	508527	15	515105	55	529096	360	552100	285
404102	397	426500	328	450307	332	470268	351	508619	394	515228	111	529102	361	552131	285
404201	397	426609	328	450406	332	470275	351	508626	394	515327	111	529201	361	552254	381
404300	397	426708 426807	328	450505	332	470282	351	508657	394	515358	111	529300	361	552261	381
404409 404508	397 397	426807	328 328	451007 451106	332 332	470305 470312	355 355	508718 508725	394 394	515365 515389	111	529409 530108	361 82	552308 552315	381 381
404607	397	426751	375	451100	332	470512	356	508723	394	515396	111	530207	82	552322	381
405000	397	426968	375	451519	332	470619	348	508794	394	515501	82	530306	82	552353	381
405208	397	427415	366	451526	332	470909	354	508800	394	516102	86	530405	82	552360	381
405307	397	427507	366	451533	332	470930	354	508817	394	516201	86	530504	82	552407	381
407202	233	427514	367	452103	334	471005	349	508824	394	516300	86	530603	82	552490	381
407400	233	427538	366	452202	334	471050	349	508831	394	516676	68	530702	82	552681	286
408308	233	428245 2	89, 376	452325	333	471500	266	508909	395	516683	68	532003	81	553404	112
421291	397	428511	337	452400	334	471524	266	508916	395	516690	68	532102	81	554166	112
421550	338	428528	337	452424	334	472507	348	508923	395	516706	68	532201	81	554364	112
421574	338	429006	327	452714	333	472613	348	508930	395	516713	68	532300	81	554432	112
424001	367	429013	327	453001	332	475201	348	508947	395	516720	68	535103	85	556603	
424155	364	429020	327	453100	332	475904	348	508954	395	516737	68	535202	85	556610	
424186	364	429037	327	453209	332	480106	397	509005	80	516744	68		85, 322	556627	
424193	364	429044	327	453308	332	480205	397	509012	80	517109	82		85, 322	556634	
424629	327	429051	327	453407	332	480304	397	509104	80	517208	82		85, 322	556641	200 (07
424636 424643	327 327	429211 429228	327 327	456514 458006	333	480403 480502	397 369	509203 509302	80 80	517307 517406	82 82	535301 535400	85 85	556658 556696	209, 407 407
424643	327	429228	233	458204	332 332	480502	369	509401	80	517406	82	535400	85 85	556719	68
424667	327	427417	368	458211	332	496107	397	509418	81	517604	110	535424	85	557105	108
424681	327	430002	329	458228	332	496206	397	509425	81	518533	110	535431	85	557112	108
424698	327	432006	329	460245	334	496305	397	509432	81	518700	69	535448	85	557303	108
425107	372	432105	329	460252	334	496404	397	509449	81	521205	86	535455	85	557402	371
425121	372	432129	329	461167	335			509456	81	521304	86	535509	85	557600	279



code	page	code	page	code	page										
557617	279	561676	389	566909	369	593042	284	611609	9	622735	, .	635155	84	663486	341
557624	279	561706	325	567104	86	593066	284	611708	9		17, 321	635209	84	663608	341
557631	279	561713	325	567203	86	593097	284	612002	9		17, 321	635308	84	663615	341
557648 557808	279 94	561720 561850	325 386	567302 567401	86 86	593103 593158	265 265	612101 612200	9		17, 321 17, 321	635407 635605	84 84	663622 663639	341 341
557815	94	561898	386	567500	86	593165	266	612309	9		17, 321	637104	84	663646	341
557822	94	561911	386	567616	69	593202	265	612408	9		17, 321	637203	84	663653	341
557839	94	561928	386	567630	69	593608	265	612507	9	624302	69	637302	84	663660	341
557846	94	561935	386	567654	69	593806	265	613009	9	625002	16	637401	84	663691	341
557853	94	561942	386	567821	86	593813	265	613108	9	625057	16	637500	84	663707	341
557907	94	561966	388	567838	86	593905	265	613207	9	625101	16	637609	84	663745	341
557914	94	561973	388	567845	86	594704	266	613603	9	625606	16	637791	113	663783	341
557921	94	561980	388	567852	86	594742	266	613702	9	625705	16, 321	637807	113	663790	341
557938	94	561997	388	567906	372	594759	266	613801	9	625804	16, 321	637814	113	663806	341
557945	94	562000	86	568101	232	595008	337	617014	51, 192		142, 400	637821	113	663820	341
557952	94	562017	86	568200	232	595206	338	617069	193	627600	12	637838	113	663844	341
557969	95	562079	86	568309	232	595305	338	617076	193	627617	12	637845	113	663851	341
557976	95	563007	77	568408	232	595572	264	617083	193	627624	12	638101	333	663868	341
557983	95	563106	77	568507	232	595589	264	617090	193	627631	12	638309	84	663875	341
558003	94	563205	77	568804	232	596715	284	617106	193	627648	12	638507	84	663882	341
558010 558027	94 94	563304	73 73	569009	232	596722 596739	284	617205	193	627655 627662	12 12	638705 638903	84 84	663899	341
558027	94	563311 563328	73 73	569016 569108	232 232	596746	284 262	617304 617403	193 193	627679	12	639009	84	663950 663998	258 258
558041	94	563335	73	569207	232	596753	284	617403	193	627686	12	639016	84	664001	342
558058	94	563342	73	569757	340	596760	285	617410	193	627716	12	639023	84	664018	342
558324	95	563359	73	570012	56	596777	285	617427	193	627710	12	640104	66	664025	342
558355	95	563366	73	570104	56	596807	262	617502	193	627747	12	640203	66	664032	342
558386	95	563373	73	570159	60	597200	262	617526	193	628591	14	640401	66	664049	342
558416	95	563380	73	570166	60	597316	262	617533	193	628607	14	640500	66	664056	343
558447	95	563502	362	570715	56	597323	262	617540	193	628614	14	640609	66	664063	343
558478	95	563557	362	570807	333	597507	262	617557	193	628621	14	640708	66	664070	343
559208	62	563632	362	570906	57	597958	286	617564	193	628638	14	640807	66	664087	343
560037	261	563649	362	572016	104	597965	286	617571	193	628706	14	640913	66	664094	343
560044	261	563700	362	572115	104	597972	286	617588	193	628713	14	640920	66	664100	342
561003	375	563755	362	572214	104	598016	264	617595	193	628805	14	642504	67	664117	342
561102	375	563908	362	572313	104	598047	38	617700	192	628850	14	642559	67	664209	343
561201	375	564004	362	572412	104	598214	264	617816	194	629109	11	642566	67	664216	343
561294	388	564103	362	572511	104	598313	264	617861	194	629130	10	642603	67	664223	343
561300	383	564158	362	572610	104	598412	264	619100	9	629154	10	643914	262	664230	343
561317	383	564202	362	572719	104	598719	264	619209	9	629208	11	646205	67	664247	343
561324	383	564400 564455	362	580004	87	598818	264	619308	9	629253	10	646304 646601	67	664254	343 343
561331 561348	383 383	564509	362 326	580226 580233	87 87	598955 598962	287 287	621103 621110	13 13	629307 629345	10	647509	67 83	664261 664278	343
561355	382	564516	326	580301	87	599013	264	621110	13	629352	11	647516	83	665121	287
561362	382	564523	326	582015	92	599112	264	621134	13	629390	11	647554	83	665138	287
561379	382	564530	326	582022	92	599198	264	621158	13	629413	11	647561	83	665145	287
561386	382	564547	326	586907	101	599211	264	621202	320	629505	11	647592	82	665152	287
561393	382	564554	326	588017	98	599372	263	621219	320	629604	11	657607	363	665169	287
561409	382	564561	325	588024	98	599402	263	621226	320	629802	11	657621	363	665251	338
561416	382	564578	325	588031	100	599419	263	621233	320	630006	64	658000	77	665381	287
561423	389	564585	325	588147	99	599426	263	621240	320	630105	65	658604	76	665503	338
561430	389	564592	325	588208	101	599433	263	621257	320	630136	65	658703	76	665510	338
561447	389	564608	325	588215	101	599440	263	621264	320	630204	65	658802	76	673416	111
561454	389	565360	287	588369	100	599457	263	621271	320	630235	65	658901	76	674413	111
561461	389	565605	325	588376	100	599464	263	621288	320	630303	64	659007	76	676202	114
561478	389	565612	325	588406	273	599471	263	621295	320		61, 120	659014	76	676509	114
561485	389	565629	325	588420	100	599488	263	621301	320		61, 120	659106	76	676707	114
561508	387	565636	325	588567	273	6xxxxx	000	621318	320	630648	94	659205	76	676806	114
561515	387	565643	325	588574	273	607015	323	621325	320	630716	64	659304	76	676905	114
561522	387	565650	325	589007	100	607022	323	621332	320	630808	210	659403	76	677001	114
561539 561553	387 387	565667 565674	325 325	589106 589113	99 99	607039	323	621349	320	630907	319 319	659458 659465	76 76	677209 677308	114 114
561553	388	566008	385	589113	99	607046 610107	323 9	621356 622100	320 17	630914 630921	319	659472	76	677506	114
561577	388	566015	385	592038	333	610107	9	622308	17	631102	334	659502	76	677810	113
561584	388	566022	385	592045	279	610305	9		17, 405	631201	334	659601	77	677827	113
561591	387	566046	385	592052	279	611104	9		17, 405	631300	334	659700	77	677834	113
561607	387	566053	385	592069	279	611302	9	622704		632802	65	659809	77	678008	162
561645	387	566060	385	593004	284	611401	9	622711		632901	65	663462	341	678015	162
		566077	385	593035	284	611500	9	622728		635001	84	663479	341	678022	162



code	page	code	page	code	page	code	page								
678107	319	721100	360	764510	299	785546	314	795101	305	800850	25	802519	21	806654	23
678114	319	721209	360	764527	299	785553	314	795309	305	800867	25	802526	21	806692	23
678121	319	721308	360	780008	311	785560	314	795507	305	800874	25	802533	21	806722	23
678138	319	721407	360	780015	311	785577	314	795705	305	801208	20	802540	21	806739	23
679005	267	722107	361	780022	311		314, 318	795903	305	801215	20	802601	21	806814	23
679012	267	755006	102	780039	311		314, 318	796306	305	801222	20	802618	21	806821	23
679029	267	755013	102	780046	311	785669	314	796405	305	801239	20	802625	21	806838	23
679036	267	755020	102	780053	311	785676	314	796603	305	801246	20	802632	21	806845	23
679043	267	755037	102	780060	311	785683	314	796702	305	801253	20	802649	21	806852	23
679050	267	755044	102	780077	311	785690	314	796801	305	801307	20	802656	21	806869	23
679067	267	755051	102	780084	311	785904	315	798010	305	801314	20	804001	23, 25	806876	23
680018	72 72	755068	102	780091	311	786239	316	798034	305	801321	20 20	804018	23, 25	806913	23
680025 680032	72	755075 755082	102 102	780107 780114	311 311	786307 786321	315 315	798164 798171	305 305	801338 801345	20	804025 804032	23, 25 23, 25	806920 806937	23 23
680049	72	755099	102	780114	311	786338	315	798249	305	801352	20	804049	23, 25	806944	23
680056	72	755105	102	780121	311	786345	315	798805	305	801406	21	804056	23, 25	806951	23
680063	72	755103	102	780145	311	786352	315	798904	305	801413	21	804100	23, 23	806968	23
680070	72	755143	102	780152		786369	315	799147	313	801420	21	804117	21	806975	23
680087	72	755259	102	780169	311	786376	315	799154	313	801437	21	804124	21	807019	106
680094	72	755273	102	780176	311	786383	315	799161	313	801444	21	804131	21	807026	106
680100	72	755334	103	780183	311		316, 334	799178	313	801451	21	804148	21	807033	106
680117	72	755341	103	780190	311		316, 334	799383	313	801505	21	804155	21	807057	106
680124	72	755358	103	780206	311	786437	316	799390	313	801512	21	804162	21	807071	106
682104	110	755365	103	781302	43	786451	316	799406	313	801529	21	804179	21	807088	106
682302	110	755372	103	781319	42	786499	316	799413	313	801536	21	805107	21	807095	106
682401	110	755389	103	781326	43	787007	307	799420	313	801543	21	805114	21	807118	23
689608	110	755396	103	781333	43	787014	307	799437	313	801550	21	805121	21	807125	23
689806	110	755556	103	781340	42	787021	307	799444	313	801604	21	805138	21	807132	23
690000	56	755563	103	781357	42	787038	307	799451	313	801611	21	805145	21	807224	23
691021	261	755570	103	781364	43	787045	307	799468	313	801628	21	805152	21	807323	23
691120	261	755655	103	781371	42	787052	307	799475	313	801635	21	805534	208	807330	23
693001	55	755679	103	781388	43	787069	307	799482	313	801642	21	805541	208	807705	396
693100	55	755686	103	781395	43	787076	307	8xxxxx		801659	21	805558	208	807804	396
693209	55	755693	103	781401	43	787083	307	800102	24	801666	20	806104	22	808108	23
693216	55	755730	105	781418		787090	307	800119	24	801703	21	806111	22	808153	23
693223	55	755808	105	781432	302	787113	307	800126	24	801710	21	806128	22	808207	206
693254	55	755815	105	781449	302	787120	307	800133	24	801727	21	806135	22	808214	206
693261	55	755822	105	781456	302	787144	307	800140	24	801734	21	806142	22 22	808221	206
695708	272	755839	105	783009	390	787151 787175	307	800157	24 24	801826	21 21	806159		808238	206
695906 696002	278 286	759233 759240	104 104	783016 783023	390 390	787175	307 307	800218 800225	24	801833 801840	20	806197 806203	23 22	808245 808306	206 207
696040	286	759257	104		117, 325	787267	307	800223	24	801857	20	806210	22	808313	207
696200	287	759264	104		117, 325	794050	313	800232	24	801864	20	806227	22	808405	207
7xxxxx	207	759301	105		117, 325	794067	313	800300	24	801871	20	806234	22	808412	208
707661	244	764015	301		117, 325	794074	313	800317	24	801901	207	806241	22	808429	207
707814	247	764022	301	783658		794081	313	800324	24	801918	207	806258	22	808474	207
707821 2		764039	301	784006	315	794098	313	800331	24	801925	206	806296	23	808504	232
	247	764077	301	784013	315	794319	309	800348	24	801932	208	806302	22	808511	232
707845 2	243, 244	764084	301	784020	315	794326	309	800355	24	801956	207	806319	22	808566	232
707906	247	764091	301	784105	315	794333	309	800409	25	801963	206	806326	22	808573	232
707944	247	764138	301	784112	315	794340	309	800416	25	801970	196, 197	806333	22	809150	207
707951	247	764206	300	784129	315	794357	309	800423	25	801994	206	806340	22	809242	207
707968	247	764213	300	784327	317	794364	309	800430	25	802021	106	806357	22	809259	207
707975	247	764220	300	784334	317	794371	309	800447	25	802038	106	806395	23	809600	347
707982	246	764237	300	784365	317	794388	309	800454	25	802045	106	806401	23	809709	347
707999	245	764244	300	784372	317	794395	309	800522	25	802052	106	806418	23	810002	235
709818	194	764251	300	784389	317	794401	309	800539	25	802168	21	806425	23	810101	235
709825	194	764268	300	784396	317	794418	309	800546	25	802205	21	806432	23	810149	236
709900	194	764404	299	784419	317	794425		800553	25	802212	21	806449	23	810156	236
710104	248	764411	299	784426	317	794432		800621	25	802229	21	806456	23	810200	236
710203	248	764428	299	784433	317	794449	309	800638	25	802236	21	806494	23	810309	259
710302	248	764435	299	784730	314	794456	309	800645	25	802243	21	806524	23	810316	259
720103	360	764442	299	784747	314	794463	309	800652	25	802328	21	806531	23	810385	377
720400 720509	360	764459 764466	299	784754 784761	314	794470 794487	309	800720 800737	25 25	802335 802342	21	806548 806555	23	810392 810422	377 377
720509	360 360	764473	299 299	784761	314 314	794487	309 305	800737	25 25	802342	21 21	806593	23 23	810422	377
720806	360	764480	299	785003	390	794517	309	800829	25	802434	21	806623	23	810439	377
720905	360	764497	299	785010	390	794524	309	800836	25	802441	21	806630	23	810446	377
721001	360	764503	299	785324	317	794531	309	800843	25	802502	21	806647	23	810460	377
. 2 . 30 1	550	, 54000	2//	. 55524	017		507	200040	20	132302		230047	20	310400	011




code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
810477	377	825556	36	832837	8	842621	46	856031	50	862537	30	869635	26	877920	240
810484	377	825563	36	832844	8	842638	47	856048	50	862568	31	869666	27	877937	240
810491	377	825570	35, 36	832851	8	842645	47	856055	50	862575	31	869673	27	878101	393
810507	394	825600	36	832882	8	842652		856062	51	862582	31	869680	27	878118	393
810514	236	825617	36	832899	8	842669		856079	51	862612	30	869727	26	878125	393
810521	379	825624	36	833506	3	842676		856086	50	862629	30	869734	26	878132	393
810538	379	825631	36	834206	8	842706		856109	80	862636	30	869772	27	878149	393
810606 810613	235 234	825648 825655	36 36	834404 834701	8	842713 842720		856116 856123	56 56	862674 862681	31 31	869789 869819	27 26	878408 878507	393 392
810651	234	825662	35, 36	834909	8	842737		856147	55	862704	30	869826	26	878552	392
810668	234	826003	37	835104	8	842744		856154	51	862711	30	869833	26	878606	393
810705	249	826010	37	835401	5	842751	48	856178	51	862728	30	869840	26	878705	391
810712	249	826027	37	835432	5	842775		856185	50	862735	30	869857	26	878712	391
810729	249	826034	37	835500	5	842799	46	856192	51	862766	31	869864	26	878729	391
810736	249	826041	37	835531	5	842904	45	856208	52	862773	31	869918	26	878736	391
810743	249	826058	37	835609	5	842928	46	856215	52	862780	31	869925	26	878743	391
810897	378	826065	35, 37	835630	5	842966	46	856222	52	862827	30	869949	27	878750	391
810910	378	826102	37	836002	6	843000		856239	52	862902	30	869956	27	878804	391
810927	378	826119	37	836019	6	843055		856246	52	862919	31	869963	27	878811	391
810934	378	826126	37	836026	6	843109		856253	51	862926	30	869970	27	878828	391
810941 810958	380 379	826133	37	836033	6	843154		856277	53	862933	30	869987	27 27	878835	391
810958	380	826140 826157	37 37	836040 836057	6 15	843451 844205	63 40	856284 856291	53 52	862940 862957	30	869994 871102	253	878842 878859	391 391
810989	380	826164	35, 37	836101	6	844212		856307	53	862964	31	871102	381	878903	371
812204	237	826201	36	836200	6	844229		856314	53	862971	31	871300	253	878910	371
812266	238	826300	38	836309	6	844236		856321	58	862988	31	871324	253	878927	391
812273	239	826324	38	836408	6	844250		856338	58	862995	31	871331	253	878934	391
812280	239	826331	38	836507	6	844267	41	856345	58	864104	29	871348	253	878941	391
812372	238	826348	39, 285	837108	6	844274	41	856352	58	864128	29	871546	33	878958	391
813096	380	826355	39, 285	837207	6	844281	41	856369	58	864135	29	871706	365	880005	28
813157	379	826478	39, 285	837306	6	844298	41	856376	58	864142	29	871713	365	880012	28
813164	379	826485		837405	6	844304	41	860083	345	864159	29	871805	365	880029	28
813171	379	826607	38	837603	6	844311	41	860304	345	864166	29	871812	365	880036	32, 34
813829	379	826614	38	838105	7	844328		860502	344	866009	366	876602	392	880050	32, 34
813836 813850	379	826621	38	838204	7	844335		861202	29	868522	29	876619	392 252	880067	32, 34
814352	379 378	826638 826645	38 38	838303 838501	7 7	844342 844359		861219 861226	29 29	868546 868553	29 29	877005 877012	252	880074 880104	32, 34 28
814369	378	826652	38	838600	7	844366		861233	29	868577	29	877029	252	880111	28
814376	378	826706	38	838617	7	844403		861400	29	869208	26	877036	252	880128	28
814383	378	826713	38	839003	15	844410		861417	29	869215	26	877043	252	880159	32, 34
814390	378	826720	38	839409	7	844427	45	861424	29	869222	26	877050	252	880166	32, 34
814406	378	826737	38	839997	7	844434	45	861431	29	869239	26	877104	252	880173	32, 34
814413	378	826744	38	841020	49	844441	45	861509	29	869260	27	877111	253	880203	28
814420	378	826751	38	841105	49	845028	44	861516	29	869277	27	877128	253	880210	28
814437	378	830000	4	841112	49	845035	44	861523	29	869284	27	877173	253	880227	28
814444	380	830048	4	841129	49	845042		861530	29	869307	26	877180	253	880258	33, 34
814451	380	830055	4	841136	49	845059		861608	29	869314	26	877197	253	880265	33, 34
814468	380	830154	4	841228	49	855119		861615	29	869321	26	877203	252	880272	33, 34
817148 817155	25 25	830208 830253	4	841235 842003	49 49		170, 406 170, 406	861622 861639	29 29	869338 869369	26 27	877234 877241	253 253	880289 880302	33, 34
817133	25	830352	5	842003	49	855508		861707	29	869376	27	877258	253	880319	28
817254	25	830376	5	842102	45	855607		861714	29	869383	27	877265	253	880326	28
817346	25	830406	4	842119	48	855652		861721	29	869406	26	877272	253	880357	33, 34
817353	25	830505	4	842171	35	855669		861738	29	869413	26	877289	253	880364	33, 34
817445	25	830604	4	842201	45	855676		861820	29	869420	26	877296	253	880371	33, 34
817452	25	831007	3	842218	48	855683	75	861837	29	869437	26	877500	252	880388	33, 34
817810	25	831205	3	842256	48	855690	75	862209	30	869468	27	877517	252	880401	28
817827	25	831403	3	842270	35	855706		862216	30	869475	27	877524	252	880418	28
817834	25	831502	3	842317	48	855713		862223	30	869482	27	877531	252	880425	28
817841	25	831601	3	842355	48	855720		862285	31	869505	26	877548	252	880456	33, 34
820209	43	831700	3	842409	45	855737		862407	30	869512	26	877814	243	880463	33, 34
820308	43	832004	2	842423	46	855744		862414	30	869529	26	877821	243	880470	33, 34
820407 820605	43 54	832202 832400	2 2	842478 842522	35	855751 855768	112 51	862421 862438	30 30	869536 869567	26 27	877845 877852	242 242	880487 880524	33, 34 28
820603	54	832509	2	842522	46 47	855775		862476	31	869574	27	877869	242	880555	33, 34
020012	36	832608	2	842546	47	855782		862483	31	869581	27	877876	242	880562	33, 34
825518			_	S +2040	+1				٥,						
825518 825525	36		2	842553	48	856000	50	862506	30	869604	26	877883	241	880609	28, 33
825518 825525 825532		832707 832806	2	842553 842607	48 45	856000 856017		862506 862513	30 30	869604 869611	26 26	877883 877906	241 241	880609 880616	28, 33 28, 33



code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
880630	28, 33	881712	35	9xxxxx		933350	129	943380	196, 197	970614	138	971055	141, 156	975398	137
880647	28, 33	881729	35	919200	153	933367	129	943489	281	970621	138	971062	140	975732	135
880654	28, 33	881736	35	919217	153	933688	281	970232	249	970638	140	971079	140	975749	135
880661	33	881743	35	931219	128	934012	121	970249	249	970652	137, 154	971314	137, 154	975756	135
880678	33	881750	35	931226	128	934029	123	970256	249	970669	137, 154	971321	137, 154	975770	44
880685	33	881804	28	931233	128	934159	257	970270	249	970676	137, 154	971338	137, 154	975800	135
880692	33	881811	28	931240	128	934166	257	970294	133	970683	137, 154	975251	137	980033	87
880869	33, 35	881828	28	931257	128	935286	258	970300	260	970690	137, 154	975268	137	980101	367
880906	192	890233	208	932001	401	939949	401	970362	141	971000	141, 156	975275	137		
880913	192	890240	208	932018	401	939956	401	970386	138	971017	141, 156	975305	125		
880920	192	890257	208	933329	129	942642	281	970393	138	971024	141, 156	975312	125		
880968	192	890349	208	933336	129	942758	278	970515	260	971031	141, 156	975329	125		
881705	35	890356	208	9333/3	129	9/27/5	278	970607	138	9710/8	1/1 15/	97537/	1/10		









Hendi B.V.

Steenoven 21 3911 TX Rhenen The Netherlands T: +31 317 681 040 info@hendi.eu

Hendi Food Service Equipment GmbH

Gewerbegebiet Ehring 15 5112 Lamprechtshausen Austria T: +43 6274 200 10 0 office.austria@hendi.eu

Hendi UK Ltd.

Central Barn, Hornby Road Lancaster, LA2 9JX United Kingdom T: +44 333 014 3200 sales@hendi.co.uk

PKS Hendi South East Europe SA

5 Metsovou Str. 18346 Moschato, Athens Greece T: +30 210 483 9700 office.greece@hendi.eu

Hendi Polska Sp. z o.o.

ul. Magazynowa 5 62-023 Gądki Poland T: +48 61 658 7000 info@hendi.pl

Hendi Food Service Equipment Romania S.R.L.

Str. 13 Decembrie 94A, Hala 14 Brașov, 500164 Romania T: +40 268 320 330 office@hendi.ro

Hendi HK Ltd.

1208, 12/F Exchange Tower 33 Wang Chiu Road, Kowloon Bay Hong Kong T: +852 2154 2618 info-hk@hendi.eu

Hendi Italia S.R.L.

Boznerstrasse 63 - Via Bolzano, 63 39057 Eppan a.d.W.-Appiano s.s.d.v.(BZ) Italy T: +39 338 491 4565 office.italy@hendi.eu

Distributor

